

## ProPEX® Engineered Plastic (EP) Swivel Faucet Adapter

Submittal Information Revision B: June 7, 2010

### Project Information

Job Name:

Location:	Part No. Ordered:			
Engineer:	Date Submitted:			
Contractor:	Submitted By:			
Manufacturer's Representative:	Approved By:			

#### **Technical Data**

Nut: Plastic

PEX Barb: Udel® Polysulfone, 20% glass-reinforced

Nose Cone: Ethylene Propylene Dimonomer (EPDM)

Maximum Temperature


(no pressure): 320°F (160°C)

Maximum Working

Temperature/Pressure: 210°F at 150 psi (99°C at 10.3 bar)

#### **Product Information and Application Use**

The ProPEX® Engineered Plastic (EP) Swivel Faucet Adapter is available for use in hot and cold domestic potable water systems.¹ One end is manufactured with the Uponor ProPEX Fitting for swivel connections to Uponor AquaPEX® tubing.



✓ Description	Part Number	Α	В	С	NUT	Weight
ProPEX EP Swivel Faucet Adapter, ½" PEX x ½" NPSM	Q4360500	1.61"	1.01"	0.265"	0.50" NPSM	0.02 lbs.

#### Installation

Use the appropriate Uponor ProPEX Ring for the tubing. For more information, refer to the Uponor Professional Plumbing Installation

#### **Standards**

CAN/CSA B137.5; ASTM F877; ASTM F1960

#### Codes

IPC; UPC; NSPC; NPC of Canada

#### Listings

HUD MR 1269; ICC ESR 1099; ANSI/NSF 14- and 61-certified; IAPMO 3558

# Related ApplicationsContact InformationPEX-a Plumbing SystemsUponor, Inc.

5925 148th Street West Apple Valley, MN 55124 USA Phone: (800) 321-4739 Fax: (952) 891-2008

www.uponor-usa.com

Uponor Ltd.

2000 Argentia Rd., Plaza 1, Ste. 200 Mississauga, ON L5N 1W1 CANADA

Phone: (888) 994-7726 Fax: (800) 638-9517 www.uponor.ca

¹ProPEX® is a registered trademark of Uponor, Inc. ProPEX™ is a trademark of Uponor Ltd.