

LASCO[®] *Fittings, Inc.*

Discount Codes	
01/B1	Schedule 40 through 8"
91	Schedule 40 10" and Larger
96	Class 125
09/9B	Pool and Spa
14	LASCOtite
15	UltraFix™

PVC - White Pressure Fittings

Includes

- Schedule 40 - through 8"
- Schedule 40 - 10" and larger
- Class 125
- Pool and Spa
- LASCOtite - Compression Fittings
- UltraFix™ Repair Couplings

List Prices

L15-40P

Effective:

March 26, 2015

Revised August 1, 2016

Schedule 40

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



Slip x Slip x Slip

Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
401-003	3/8	100	01/B1	2.61
401-005	1/2	50	01/B1	0.84
401-007	3/4	50	01/B1	0.97
401-010	1	50	01/B1	1.81
401-012	1 1/4	25	01/B1	2.82
401-015	1 1/2	25	01/B1	3.43
401-020	2	25	01/B1	5.00
401-025	2 1/2	10	01/B1	16.49
401-030	3	10	01/B1	21.67
401-040	4	5	01/B1	39.21
401-050	5	4	01/B1	94.68
401-060	6	4	01/B1	131.97
401-080	8	2	01/B1	306.06



Slip x Slip x Slip

Reducer Tee (Con't.)

Part No	Size (in)	Ctn Qty	Code	List Price
401-336	3 x 3 x 1 1/4	10	01/B1	23.58
401-337	3 x 3 x 1 1/2	10	01/B1	23.58
401-338	3 x 3 x 2	10	01/B1	23.54
401-339	3 x 3 x 2 1/2	10	01/B1	29.44
401-416	4 x 4 x 3/4	4	01/B1	39.21
401-417	4 x 4 x 1	4	01/B1	39.21
401-418	4 x 4 x 1 1/4	5	01/B1	39.21
401-419	4 x 4 x 1 1/2	5	01/B1	39.21
401-420	4 x 4 x 2	5	01/B1	39.21
401-422	4 x 4 x 3	5	01/B1	39.21
401-486	5 x 5 x 2	5	01/B1	91.94
401-488	5 x 5 x 3	5	01/B1	91.94
401-490	5 x 5 x 4	5	01/B1	91.94
401-528	6 x 6 x 2	5	01/B1	131.97
401-530	6 x 6 x 3	5	01/B1	131.97
401-532	6 x 6 x 4	5	01/B1	131.97
401-582	8 x 8 x 4	2	01/B1	306.06
401-585	8 x 8 x 6	2	01/B1	306.06



Slip x Slip x Slip

Reducer Tee				
Part No	Size (in)	Ctn Qty	Code	List Price
401-094	3/4 x 1/2 x 1/2	50	01/B1	1.63
401-095	3/4 x 1/2 x 3/4	50	01/B1	1.63
401-101	3/4 x 3/4 x 1/2	50	01/B1	1.12
401-122	1 x 1/2 x 1	50	01/B1	3.20
401-124	1 x 3/4 x 1/2	50	01/B1	3.20
401-125	1 x 3/4 x 3/4	50	01/B1	3.20
401-126	1 x 3/4 x 1	50	01/B1	3.20
401-130	1 x 1 x 1/2	50	01/B1	1.91
401-131	1 x 1 x 3/4	50	01/B1	2.08
401-156	1 1/4 x 1 x 1/2	25	01/B1	4.38
401-157	1 1/4 x 1 x 3/4	25	01/B1	4.38
401-158	1 1/4 x 1 x 1	25	01/B1	4.38
401-166	1 1/4 x 1 1/4 x 1/2	25	01/B1	3.11
401-167	1 1/4 x 1 1/4 x 3/4	25	01/B1	3.11
401-168	1 1/4 x 1 1/4 x 1	25	01/B1	3.11
401-199	1 1/2 x 1 1/4 x 1/2	25	01/B1	5.44
401-201	1 1/2 x 1 1/4 x 3/4	25	01/B1	5.44
401-202	1 1/2 x 1 1/4 x 1	25	01/B1	5.44
401-209	1 1/2 x 1 1/2 x 1/2	25	01/B1	5.44
401-210	1 1/2 x 1 1/2 x 3/4	25	01/B1	5.44
401-211	1 1/2 x 1 1/2 x 1	25	01/B1	5.44
401-212	1 1/2 x 1 1/2 x 1 1/4	25	01/B1	5.44
401-238	2 x 1 1/2 x 3/4	10	01/B1	7.78
401-239	2 x 1 1/2 x 1	10	01/B1	7.78
401-241	2 x 1 1/2 x 1 1/2	10	01/B1	7.78
401-247	2 x 2 x 1/2	10	01/B1	5.35
401-248	2 x 2 x 3/4	10	01/B1	5.35
401-249	2 x 2 x 1	10	01/B1	5.35
401-250	2 x 2 x 1 1/4	10	01/B1	5.35
401-251	2 x 2 x 1 1/2	10	01/B1	5.35
401-287	2 1/2 x 2 1/2 x 1/2	10	01/B1	16.46
401-288	2 1/2 x 2 1/2 x 3/4	10	01/B1	16.46
401-289	2 1/2 x 2 1/2 x 1	10	01/B1	16.46
401-290	2 1/2 x 2 1/2 x 1 1/4	10	01/B1	16.46
401-291	2 1/2 x 2 1/2 x 1 1/2	10	01/B1	16.46
401-292	2 1/2 x 2 1/2 x 2	10	01/B1	16.46
401-333	3 x 3 x 1/2	10	01/B1	23.58
401-334	3 x 3 x 3/4	10	01/B1	23.58
401-335	3 x 3 x 1	10	01/B1	23.58



Slip x Slip x Slip

Bullhead Tee

Part No	Size (in)	Ctn Qty	Code	List Price
401-074	1/2 x 3/4	50	01/B1	1.78
401-102	3/4 x 1	50	01/B1	3.20
401-132	1 x 1 1/4	50	01/B1	4.28
401-133	1 x 1 1/2	25	01/B1	5.54
401-213	1 1/2 x 2	25	01/B1	7.78
401-341	3 x 4	10	01/B1	40.46



Slip x Slip x FPT

Tee

Part No	Size (in)	Ctn Qty	Code	List Price
402-005	1/2	50	01/B1	1.12
402-007	3/4	50	01/B1	1.74
402-010	1	50	01/B1	3.20
402-012	1 1/4	25	01/B1	5.11
402-015	1 1/2	25	01/B1	6.64
402-020	2	10	01/B1	8.42
402-030	3	10	01/B1	32.62
402-040	4	5	01/B1	49.86



Slip x Slip x FPT

Reducing Tee

Part No	Size (in)	Ctn Qty	Code	List Price
402-071	1/2 x 1/2 x 1/8	50	01/B1	2.41
402-072	1/2 x 1/2 x 1/4	50	01/B1	2.41
402-074	1/2 x 1/2 x 3/4	50	01/B1	2.41
402-094	3/4 x 1/2 x 1/2	50	01/B1	1.68
402-095	3/4 x 1/2 x 3/4	50	01/B1	1.68
402-101	3/4 x 3/4 x 1/2	50	01/B1	1.48
402-124	1 x 3/4 x 1/2	50	01/B1	3.20
402-125	1 x 3/4 x 3/4	50	01/B1	3.20
402-130	1 x 1 x 1/2	50	01/B1	2.25
402-131	1 x 1 x 3/4	50	01/B1	3.20
402-156	1 1/4 x 1 x 1/2	25	01/B1	5.11
402-157	1 1/4 x 1 x 3/4	25	01/B1	5.11
402-166	1 1/4 x 1 1/4 x 1/2	25	01/B1	5.35
402-167	1 1/4 x 1 1/4 x 3/4	25	01/B1	5.35
402-168	1 1/4 x 1 1/4 x 1	25	01/B1	5.35
402-199	1 1/2 x 1 1/4 x 1/2	25	01/B1	6.64
402-202	1 1/2 x 1 1/4 x 1	25	01/B1	6.64



Slip x Slip x FPT

Reducing Tee (Con't.)

Part No	Size (in)	Ctn Qty	Code	List Price
402-209	1½ x 1½ x ½	25	01/B1	6.64
402-210	1½ x 1½ x ¾	25	01/B1	6.64
402-211	1½ x 1½ x 1	25	01/B1	6.64
402-212	1½ x 1½ x 1¼	25	01/B1	6.64
402-239	2 x 1½ x 1	10	01/B1	8.36
402-247	2 x 2 x ½	10	01/B1	8.36
402-248	2 x 2 x ¾	10	01/B1	8.36
402-249	2 x 2 x 1	10	01/B1	8.36
402-250	2 x 2 x 1¼	10	01/B1	8.36
402-251	2 x 2 x 1½	10	01/B1	8.36
402-287	2½ x 2½ x ½	10	01/B1	18.08
402-288	2½ x 2½ x ¾	10	01/B1	18.08
402-289	2½ x 2½ x 1	10	01/B1	18.08
402-290	2½ x 2½ x 1¼	10	01/B1	18.08
402-291	2½ x 2½ x 1½	10	01/B1	18.08
402-292	2½ x 2½ x 2	10	01/B1	18.08
402-333	3 x 3 x ½	10	01/B1	25.85
402-334	3 x 3 x ¾	10	01/B1	25.85
402-335	3 x 3 x 1	10	01/B1	25.85
402-336	3 x 3 x 1¼	10	01/B1	25.85
402-337	3 x 3 x 1½	10	01/B1	25.85
402-338	3 x 3 x 2	10	01/B1	25.85
402-416	4 x 4 x ¾	4	01/B1	43.17
402-417	4 x 4 x 1	5	01/B1	43.17
402-418	4 x 4 x 1¼	5	01/B1	43.17
402-419	4 x 4 x 1½	5	01/B1	43.17
402-420	4 x 4 x 2	5	01/B1	43.17
402-422	4 x 4 x 3	5	01/B1	43.17
402-490	5 x 5 x 4	5	01/B1	112.77
402-528	6 x 6 x 2	5	01/B1	146.32
402-530	6 x 6 x 3	5	01/B1	146.32
402-532	6 x 6 x 4	5	01/B1	146.32



Slip x Slip x MPT

Manifold Tee

Part No	Size (in)	Ctn Qty	Code	List Price
402B-010	1	50	01/B1	3.64



Slip x FPT x Slip

Tee

Part No	Size (in)	Ctn Qty	Code	List Price
403-005	½	50	01/B1	1.12
403-007	¾	50	01/B1	1.89



FPT x FPT x FPT

Tee

Part No	Size (in)	Ctn Qty	Code	List Price
405-005	½	50	01/B1	3.09
405-007	¾	50	01/B1	4.85
405-010	1	50	01/B1	6.73
405-012	1¼	25	01/B1	9.29
405-015	1½	25	01/B1	9.59



Snap-On x FPT

Snap-On Tee

Part No	Size (in)	Ctn Qty	Code	List Price
464-007	¾	25	01/B1	3.09
464-101	¾ x ½	25	01/B1	2.60
464-130	1 x ½	50	01/B1	4.67
464-131	1 x ¾	25	01/B1	4.67



Slip x Slip x Insert

Transition Tee

Part No	Size (in)	Ctn Qty	Code	List Price
1102-249	2 x 2 x 1	10	01/B1	5.48



Slip x Slip

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
406-003	¾	100	01/B1	3.40
406-005	½	50	01/B1	0.67
406-007	¾	50	01/B1	0.77
406-010	1	50	01/B1	1.36
406-012	1¼	25	01/B1	2.41
406-015	1½	25	01/B1	2.58
406-020	2	25	01/B1	4.05
406-025	2½	10	01/B1	12.35
406-030	3	10	01/B1	14.77
406-040	4	5	01/B1	26.41
406-050	5	5	01/B1	68.25
406-060	6	4	01/B1	83.98
406-080	8	3	01/B1	216.28



Slip x Slip

Reducing 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
406-101	¾ x ½	50	01/B1	1.36
406-130	1 x ½	50	01/B1	2.02
406-131	1 x ¾	50	01/B1	2.43
406-167	1¼ x ¾	25	01/B1	3.86
406-168	1¼ x 1	25	01/B1	3.86
406-211	1½ x 1	25	01/B1	6.11
406-212	1½ x 1¼	25	01/B1	6.11
406-249	2 x 1	25	01/B1	7.53
406-250	2 x 1¼	25	01/B1	7.53
406-251	2 x 1½	25	01/B1	10.41



Slip x FPT

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
407-005	½	50	01/B1	0.84
407-007	¾	50	01/B1	0.97
407-010	1	50	01/B1	1.81
407-012	1¼	25	01/B1	3.02
407-015	1½	25	01/B1	3.36
407-020	2	10	01/B1	8.67
407-025	2½	10	01/B1	21.44
407-030	3	10	01/B1	32.14
407-040	4	5	01/B1	48.71



Slip x FPT

Reducing 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
407-074	½ x ¾	50	01/B1	1.81
407-101	¾ x ½	50	01/B1	1.00
407-130	1 x ½	50	01/B1	2.78
407-131	1 x ¾	50	01/B1	2.78
407-168	1¼ x 1	25	01/B1	4.05
407-211	1½ x 1	25	01/B1	6.75
407-212	1½ x 1¼	25	01/B1	7.00
407-249	2 x 1	25	01/B1	11.64
407-250	2 x 1¼	10	01/B1	11.64
407-251	2 x 1½	10	01/B1	11.64

Schedule 40

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



FPT x FPT

90° EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
408-005	1/2	50	01/B1	1.63	
408-007	3/4	50	01/B1	2.43	
408-010	1	50	01/B1	5.17	
408-012	1 1/4	25	01/B1	5.53	
408-015	1 1/2	25	01/B1	7.00	
408-020	2	10	01/B1	10.60	



SP x Slip

90° Street EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
409-005	1/2	50	01/B1	1.91	
409-007	3/4	50	01/B1	2.35	
409-010	1	50	01/B1	4.05	
409-012	1 1/4	25	01/B1	4.85	
409-015	1 1/2	25	01/B1	5.35	
409-020	2	10	01/B1	10.33	
409-025	2 1/2	10	01/B1	18.52	
409-030	3	10	01/B1	22.86	



MPT x Slip

90° Street EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
410-005	1/2	50	01/B1	1.48	
410-007	3/4	50	01/B1	1.74	
410-010	1	50	01/B1	2.91	
410-012	1 1/4	25	01/B1	4.05	
410-015	1 1/2	25	01/B1	4.24	
410-020	2	10	01/B1	10.43	
410-101	3/4 x 1/2	50	01/B1	2.12	



SP x FPT

90° Street EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
411-005	1/2	50	01/B1	1.84	
411-007	3/4	50	01/B1	2.22	
411-010	1	50	01/B1	3.88	
411-012	1 1/4	25	01/B1	4.65	
411-015	1 1/2	25	01/B1	5.86	



MPT x FPT

90° Street EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
412-005	1/2 PVC	50	01/B1	1.99	
412-007	3/4 PVC	50	01/B1	2.43	
412-010	1 PVC	50	01/B1	4.15	
412-012	1 1/4 PVC	25	01/B1	5.17	
412-015	1 1/2 PVC	25	01/B1	5.61	
M412-005	1/2 Poly*	50	01/B1	1.96	
M412-007	3/4 Poly*	50	01/B1	2.36	
M412-010	1 Poly*	50	01/B1	4.12	

*Not Listed by NSF



Slip x Slip x Slip

90° Side Outlet EII					
Part No	Size (in)	Ctn Qty	Code	List Price	
413-005	1/2	50	01/B1	3.67	
413-007	3/4	50	01/B1	5.00	
413-010	1	25	01/B1	6.40	
413-015	1 1/2	25	01/B1	7.02	
413-020	2	10	01/B1	9.75	



Slip x Slip x FPT

90° Side Outlet EII

Part No	Size (in)	Ctn Qty	Code	List Price	
414-005	1/2	50	01/B1	3.58	
414-010	1	25	01/B1	6.41	
414-101	3/4 x 1/2	50	01/B1	4.63	
414-130	1 x 1 x 1/2	25	01/B1	6.06	



Slip x Slip with SP

Reducing EII

Part No	Size (in)	Ctn Qty	Code	List Price	
416-251	2 x 1 1/2 (2 Sp)	25	01/B1	10.41	
416-292	2 1/2 x 2 (2 1/2 Sp)	10	01/B1	15.96	



Slip x Slip

45° EII

Part No	Size (in)	Ctn Qty	Code	List Price	
417-005	1/2	50	01/B1	1.12	
417-007	3/4	50	01/B1	1.74	
417-010	1	50	01/B1	2.08	
417-012	1 1/4	25	01/B1	2.91	
417-015	1 1/2	25	01/B1	3.64	
417-020	2	25	01/B1	4.75	
417-025	2 1/2	10	01/B1	12.37	
417-030	3	10	01/B1	19.19	
417-040	4	5	01/B1	34.40	
417-050	5	5	01/B1	68.25	
417-060	6	4	01/B1	85.01	
417-080	8	4	01/B1	204.44	



SP x Slip

45° Street EII

Part No	Size (in)	Ctn Qty	Code	List Price	
423-015	1 1/2	25	01/B1	3.64	
423-020	2	25	01/B1	4.75	
423-025	2 1/2	10	01/B1	15.45	
423-030	3	10	01/B1	19.19	



Slip x Slip

22 1/2° EII

Part No	Size (in)	Ctn Qty	Code	List Price	
465-015	1 1/2	20	01/B1	4.68	
465-020	2	10	01/B1	6.77	
465-025	2 1/2	10	01/B1	17.66	
465-030	3	5	01/B1	27.37	
465-040	4	4	01/B1	49.18	
465-060	6	3	01/B1	121.41	

*250 p.s.i. working pressure. 200 p.s.i. working pressure does not comply with ASTM D2466.



Slip x Slip x Slip x Slip

Cross

Part No	Size (in)	Ctn Qty	Code	List Price	
420-005	1/2	50	01/B1	2.58	
420-007	3/4	50	01/B1	4.29	
420-010	1	50	01/B1	5.35	
420-012	1 1/4	25	01/B1	7.07	
420-015	1 1/2	25	01/B1	8.01	
420-020	2	10	01/B1	11.82	
420-025	2 1/2	8	01/B1	25.07	
420-030	3	10	01/B1	30.73	
420-040	4	5	01/B1	45.56	

Reducing Cross



Slip x Slip
x Slip x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
420-335	3 x 1	10	01/B1	46.01
420-337	3 x 1½	10	01/B1	46.01
420-338	3 x 2	10	01/B1	46.01
420-419	4 x 1½	5	01/B1	44.91
420-420	4 x 2	5	01/B1	79.18

Manifold Cross



Slip x Slip x
MPT x MPT

Part No	Size (in)	Ctn Qty	Code	List Price
421A-010	1	50	01/B1	6.29

Long Socket Coupling



Slip x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
428-015	1½ (1.825*)	25	01/B1	3.37
428-020	2 (1.945*)	25	01/B1	4.21

*Socket depth, each side.

Coupling



Slip x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
429-003	¾	100	01/B1	1.22
429-005	½	100	01/B1	0.44
429-007	¾	50	01/B1	0.61
429-010	1	50	01/B1	1.07
429-012	1¼	25	01/B1	1.48
429-015	1½	25	01/B1	1.59
429-020	2	25	01/B1	2.43
429-025	2½	10	01/B1	5.35
429-030	3	10	01/B1	8.38
429-040	4	5	01/B1	12.13
429-050	5	4	01/B1	22.19
429-060	6	5	01/B1	38.33
429-080	8	4	01/B1	71.57

Reducer Coupling



Slip x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
429-101	¾ x ½	50	01/B1	1.12
429-131	1 x ¾	50	01/B1	1.91
429-168	1¼ x 1	25	01/B1	3.20
429-212	1½ x 1¼	25	01/B1	3.40
429-251	2 x 1½	10	01/B1	5.41
429-338	3 x 2	5	01/B1	29.06
429-422	4 x 3	4	01/B1	36.33
429-532	6 x 4	4	01/B1	47.94
429-582	8 x 4	4	01/B1	111.16
429-585	8 x 6	4	01/B1	122.76

Coupling



FPT x FPT

Part No	Size (in)	Ctn Qty	Code	List Price
430-005	½	100	01/B1	0.85
430-007	¾	50	01/B1	1.59
430-010	1	50	01/B1	2.08
430-020	2	25	01/B1	16.69
430-101	¾ x ½	50	01/B1	2.05
430-131	1 x ¾	50	01/B1	3.54
430-005-45	½ GRAY	100	01/B1	0.97
430-007-45	¾ GRAY	50	01/B1	1.78
430-101-45	¾ x ½ GRAY	50	01/B1	3.21
430-131-45	1 x ¾ GRAY	50	01/B1	3.54



Slip x Slip

Nestled Coupling

Part No	Size (in)	Ctn Qty	Code	List Price
477-005	½*	100	01/B1	0.56
477-007	¾	50	01/B1	0.61
477-010	1	50	01/B1	1.07

*1/2" nested couplings do not meet ASTM Standards for Sch 40 fittings and are not NSF listed.

Deep Socket Coupling



Slip x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
482-015	1½ (2.169*)	25	01/B1	4.14
482-020	2 (2.389*)	25	01/B1	6.85
482-025	2½ (3.385*)	10	01/B1	8.81
482-030	3 (3.625*)	10	01/B1	13.27
482-040	4 (3.625*)	5	01/B1	26.66

*Socket depth, each side.

Riser Extender



MPT x FPT

Part No	Size (in)	Ctn Qty	Code	List Price
434-005	½	50	01/B1	1.24
434-007	¾	50	01/B1	2.08
434-008	¾*	50	01/B1	2.14
434-010	1	50	01/B1	2.60
434-020	2	25	01/B1	5.28
439-198	Increasing 1½ x 2	10	01/B1	6.55

*2 5/16 Long

Female Adapter



Slip x FPT

Part No	Size (in)	Ctn Qty	Code	List Price
435-005	½	100	01/B1	0.77
435-007	¾	50	01/B1	0.97
435-010	1	50	01/B1	1.12
435-012	1¼	25	01/B1	1.74
435-015	1½	25	01/B1	1.99
435-020	2	25	01/B1	2.66
435-025	2½	10	01/B1	6.75
435-030	3	10	01/B1	9.05
435-040	4	5	01/B1	15.00
435-050	5	5	01/B1	38.85
435-060	6	4	01/B1	55.20
435-080	8	4	01/B1	104.08

Reducing Female Adapter



Slip x FPT

Part No	Size (in)	Ctn Qty	Code	List Price
435-074	½ x ¾	50	01/B1	1.36
435-101	¾ x ½	50	01/B1	1.36
435-102	¾ x 1	50	01/B1	1.81
435-130	1 x ½	50	01/B1	1.81
435-131	1 x ¾	50	01/B1	1.81
435-211	1 x 1½	25	01/B1	3.64

Male Adapter



MPT x Slip

Part No	Size (in)	Ctn Qty	Code	List Price
436-005	½	100	01/B1	0.61
436-007	¾	50	01/B1	0.67
436-010	1	50	01/B1	1.22
436-012	1¼	25	01/B1	1.48
436-015	1½	25	01/B1	1.99
436-020	2	25	01/B1	2.60
436-025	2½	10	01/B1	7.69
436-030	3	10	01/B1	11.23
436-040	4	5	01/B1	14.33
436-050	5	5	01/B1	23.60
436-060	6	4	01/B1	37.35
436-080	8	4	01/B1	169.76

Schedule 40



MPT x Slip

Reducing Male Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
436-073	1/2 x 3/8	100	01/B1	1.22
436-074	1/2 x 3/4	50	01/B1	1.22
436-101	3/4 x 1/2	50	01/B1	1.12
436-102	3/4 x 1	50	01/B1	1.74
436-131	1 x 3/4	50	01/B1	3.72
436-132	1 x 1 1/4	25	01/B1	4.05
436-133	1 x 1 1/2	25	01/B1	4.57
436-168	1 1/4 x 1	25	01/B1	4.57
436-169	1 1/4 x 1 1/2	25	01/B1	4.57
436-212	1 1/2 x 1 1/4	25	01/B1	5.52
436-213	1 1/2 x 2	10	01/B1	5.52
436-251	2 x 1 1/2	10	01/B1	6.29
436-252	2 x 2 1/2	10	01/B1	9.81
436-253	2 x 3	10	01/B1	11.01
436-293	2 1/2 x 3	10	01/B1	11.85
436-341	3 x 4	10	01/B1	18.97



SP x Slip

*Fabricated with Molded Pieces

Reducer Bushing (Con't.)				
Part No	Size (in)	Ctn Qty	Code	List Price
437-288	2 1/2 x 3/4	10	01/B1	4.86
437-289	2 1/2 x 1	10	01/B1	4.86
437-290	2 1/2 x 1 1/4	10	01/B1	4.86
437-291	2 1/2 x 1 1/2	10	01/B1	4.86
437-292	2 1/2 x 2	10	01/B1	4.86
437-334*	3 x 3/4	10	01/B1	7.18
437-335	3 x 1	10	01/B1	7.18
437-336	3 x 1 1/4	10	01/B1	7.18
437-337	3 x 1 1/2	10	01/B1	7.18
437-338	3 x 2	10	01/B1	7.18
437-339	3 x 2 1/2	10	01/B1	7.18
437-420	4 x 2	5	01/B1	16.03
437-421	4 x 2 1/2	5	01/B1	16.03
437-422	4 x 3	5	01/B1	16.03
437-488	5 x 3	5	01/B1	22.54
437-490	5 x 4	4	01/B1	22.54
437-528	6 x 2	5	01/B1	39.67
437-529*	6 x 2 1/2	5	01/B1	39.71
437-530	6 x 3	5	01/B1	39.67
437-532	6 x 4	5	01/B1	39.67
437-534	6 x 5	5	01/B1	39.67
437-582	8 x 4	5	01/B1	138.43
437-585	8 x 6	5	01/B1	138.43



Insert Barb x Slip

Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
474-007	3/4	50	01/B1	2.60
474-010	1	50	01/B1	2.75
474-015	1 1/2	25	01/B1	4.85
474-020	2	25	01/B1	8.99



SP x FPT

Fitting Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
478-010	1	25	11	*
478-012	1 1/2	25	11	*
478-015	1 1/2	25	11	*
478-020	2	20	11	*

*See Swing Joint Price List: Discounts will vary.



SP x FPT

Reducer Bushing				
Part No	Size (in)	Ctn Qty	Code	List Price
438-071	1/2 x 1/8	100	01/B1	1.48
438-072	1/2 x 1/4	100	01/B1	1.48
438-073	1/2 x 3/8	100	01/B1	1.48
438-098	3/4 x 1/4	50	01/B1	1.48
438-101	3/4 x 1/2	100	01/B1	1.12
438-130	1 x 1/2	100	01/B1	1.81
438-131	1 x 3/4	100	01/B1	1.81
438-166	1 1/4 x 1/2	25	01/B1	2.78
438-167	1 1/4 x 3/4	25	01/B1	2.78
438-168	1 1/4 x 1	25	01/B1	2.78
438-209	1 1/2 x 1/2	25	01/B1	3.20
438-210	1 1/2 x 3/4	25	01/B1	3.20
438-211	1 1/2 x 1	25	01/B1	3.20
438-212	1 1/2 x 1 1/4	25	01/B1	3.20
438-247	2 x 1/2	10	01/B1	4.29
438-248	2 x 3/4	10	01/B1	4.29
438-249	2 x 1	10	01/B1	4.29
438-250	2 x 1 1/4	10	01/B1	4.29
438-251	2 x 1 1/2	10	01/B1	4.29
438-288	2 1/2 x 3/4	10	01/B1	6.23
438-289	2 1/2 x 1	10	01/B1	6.23
438-290	2 1/2 x 1 1/4	10	01/B1	6.23
438-291	2 1/2 x 1 1/2	10	01/B1	6.23
438-292	2 1/2 x 2	10	01/B1	6.23
438-335	3 x 1	10	01/B1	7.18
438-336	3 x 1 1/4	10	01/B1	7.18
438-337	3 x 1 1/2	10	01/B1	7.18
438-338	3 x 2	10	01/B1	7.18
438-339	3 x 2 1/2	10	01/B1	7.18
438-420	4 x 2	5	01/B1	16.00
438-421	4 x 2 1/2	5	01/B1	16.00
438-422	4 x 3	5	01/B1	16.00
438-490	5 x 4	5	01/B1	31.20
438-528	6 x 2	5	01/B1	52.69
438-532	6 x 4	5	01/B1	58.57



Insert x SP

Insert Adapter				
Part No	Size (in)	Ctn Qty	Code	List Price
460-007	3/4 x 3/4 SP (1/2 Slip)	50	01/B1	3.13
460-010	1 x 1 SP (3/4 Slip)	50	01/B1	3.27
460-015	1 1/2 x 1 1/2 SP	25	01/B1	3.62

ASTM D 2609 - Plastic Insert Fitting for Polyethylene (PE) pipe



SP x Slip

*Fabricated with Molded Pieces

Reducer Bushing				
Part No	Size (in)	Ctn Qty	Code	List Price
437-073	1/2 x 3/8	100	01/B1	1.29
437-101	3/4 x 1/2	100	01/B1	0.71
437-130	1 x 1/2	100	01/B1	1.29
437-131	1 x 3/4	100	01/B1	1.29
437-166	1 1/4 x 1/2	25	01/B1	1.74
437-167	1 1/4 x 3/4	25	01/B1	1.74
437-168	1 1/4 x 1	25	01/B1	1.74
437-209	1 1/2 x 1/2	25	01/B1	1.83
437-210	1 1/2 x 3/4	25	01/B1	1.83
437-211	1 1/2 x 1	25	01/B1	1.83
437-212	1 1/2 x 1 1/4	25	01/B1	1.83
437-247	2 x 1/2	10	01/B1	3.02
437-248	2 x 3/4	10	01/B1	3.02
437-249	2 x 1	10	01/B1	3.02
437-250	2 x 1 1/4	10	01/B1	3.02
437-251	2 x 1 1/2	25	01/B1	3.02
437-287	2 1/2 x 1/2	10	01/B1	4.86

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



MPT x FPT

Threaded Reducer Bushing

Part No	Size (in)	Ctn Qty	Code	List Price
439-005	1/2	50	01/B1	1.24
439-052	3/8 x 1/4	50	01/B1	3.20
439-072	1/2 x 1/4	50	01/B1	3.20
439-073	1/2 x 3/8	50	01/B1	3.20
439-098	3/4 x 1/4	50	01/B1	1.99
439-099	3/4 x 3/8	50	01/B1	1.99
439-101	3/4 x 1/2	50	01/B1	1.99
439-130	1 x 1/2	50	01/B1	2.78
439-131	1 x 3/4	50	01/B1	2.78
439-166	1 1/4 x 1/2	25	01/B1	4.14
439-167	1 1/4 x 3/4	25	01/B1	4.14
439-168	1 1/4 x 1	25	01/B1	4.14
439-198	Increasing 1 1/2 x 2	10	01/B1	6.55
439-209	1 1/2 x 1/2	25	01/B1	5.00
439-210	1 1/2 x 3/4	25	01/B1	5.00
439-211	1 1/2 x 1	25	01/B1	5.00
439-212	1 1/2 x 1 1/4	25	01/B1	5.00
439-249	2 x 1	10	01/B1	5.35
439-250	2 x 1 1/4	10	01/B1	5.35
439-251	2 x 1 1/2	10	01/B1	5.35
439-292	2 1/2 x 2	10	01/B1	18.71
439-338	3 x 2	5	01/B1	22.13

Cap



Slip

Part No	Size (in)	Ctn Qty	Code	List Price
447-005	1/2	100	01/B1	0.61
447-007	3/4	100	01/B1	0.71
447-010	1	50	01/B1	1.12
447-012	1 1/4	25	01/B1	1.59
447-015	1 1/2	25	01/B1	1.74
447-020	2	25	01/B1	2.08
447-025	2 1/2	10	01/B1	6.64
447-030	3	10	01/B1	7.25
447-040	4	5	01/B1	16.49
447-050	5	5	01/B1	27.71
447-060	6	5	01/B1	39.55
447-080	8	4	01/B1	99.35

Cap



FPT

Part No	Size (in)	Ctn Qty	Code	List Price
448-005	1/2	100	01/B1	1.29
448-007	3/4	100	01/B1	1.48
448-010	1	50	01/B1	2.25
448-012	1 1/4	25	01/B1	2.66
448-015	1 1/2	25	01/B1	2.78
448-020	2	10	01/B1	4.92
448-025	2 1/2	10	01/B1	7.25
448-030	3	10	01/B1	9.48
448-040	4	5	01/B1	16.65

Plug



SP

Part No	Size (in)	Ctn Qty	Code	List Price
449-003	3/8	50	01/B1	1.83
449-005	1/2	50	01/B1	1.48
449-007	3/4	50	01/B1	1.74



SP



MPT



Slip x Slip

Pressure rated at 150 p.s.i. at 73.4°F. Unions are listed as NSF 61



FPT x FPT

Pressure rated at 150 p.s.i. at 73.4°F. Unions are listed as NSF 61



Buna-N (Nitrile)
(Current style)



Slip

Plug (Con't.)

Part No	Size (in)	Ctn Qty	Code	List Price
449-010	1	50	01/B1	2.08
449-012	1 1/4	25	01/B1	2.78
449-015	1 1/2	25	01/B1	3.54
449-020	2	10	01/B1	4.39
449-025	2 1/2	10	01/B1	7.49
449-030	3	10	01/B1	9.91
449-040	4	5	01/B1	22.43

Plug

Part No	Size (in)	Ctn Qty	Code	List Price
450-005	1/2	50	01/B1	1.83
450-007	3/4	50	01/B1	1.97
450-010	1	50	01/B1	3.20
450-012	1 1/4	25	01/B1	3.37
450-015	1 1/2	25	01/B1	3.62
450-020	2	10	01/B1	4.66
450-025	2 1/2	10	01/B1	6.49
450-030	3	10	01/B1	9.83
450-040	4	5	01/B1	22.18

Union (O-Ring Type)

Part No	Size (in)	Ctn Qty	Code	List Price
457-005	1/2	10	01/B1	6.64
457-007	3/4	10	01/B1	7.55
457-010	1	10	01/B1	7.78
457-012	1 1/4	5	01/B1	25.06
457-015	1 1/2	5	01/B1	26.11
457-020	2	5	01/B1	35.20
457-030	3	5	01/B1	78.71

Union (O-Ring Type)

Part No	Size (in)	Ctn Qty	Code	List Price
458-005	1/2	10	01/B1	7.44
458-007	3/4	10	01/B1	12.43
458-010	1	10	01/B1	16.96
458-012	1 1/4	5	01/B1	29.13
458-015	1 1/2	5	01/B1	29.75
458-020	2	5	01/B1	36.57
458-030	3	5	01/B1	83.55
458-040	4	4	01/B1	110.87

Union O-Ring

Part No	Size (in)	Ctn Qty	Code	List Price
40116	1/2	1	01/B1	2.25
40119	3/4	1	01/B1	2.74
40123	1	1	01/B1	3.16
40128	1 1/4	1	01/B1	3.62
40224	1 1/2	1	01/B1	4.06
40228	2	1	01/B1	4.55
40119Q	119	1	01/B1	2.16

WYE

Part No	Size (in)	Ctn Qty	Code	List Price
475-015	1 1/2*	20	01/B1	12.58
475-020	2*	10	01/B1	37.74
475-040	4**	6	01/B1	119.92
475-422	4 x 4 x 3**	6	01/B1	130.39

*235 psi working pressure
 **150 psi working pressure

Schedule 40 Large Diameter

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



Slip x Slip x Slip

Tee

Part No	Size (in)	Ctn Qty	Code	List Price
401-100	10	1	91	1014.14
401-120	12	1	91	1498.41



Slip x Slip x Slip

Reducing Tee

Part No	Size (in)	Ctn Qty	Code	List Price
401-624	10 x 10 x 4	1	91	908.79
401-626	10 x 10 x 6	1	91	869.07
401-628	10 x 10 x 8	1	91	1,112.69
401-664	12 x 12 x 4	1	91	1,422.52
401-666	12 x 12 x 6	1	91	1,422.52
401-668	12 x 12 x 8*	1	91	1,245.64
401-670	12 x 12 x 10*	1	91	1,956.52

*Fabricated with Bushing



Slip x Slip

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
406-100	10	1	91	814.65
406-120	12	1	91	1092.59



SP x Slip

Street 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
409-100	10	1	91	1213.82
409-120	12	1	91	1344.20



Slip x Slip

11 1/4° EII

Part No	Size (in)	Ctn Qty	Code	List Price
461-100	10	1	91	391.36
461-120	12	1	91	619.34

FABRICATED FROM PIPE



Slip x Slip

22 1/2° EII

Part No	Size (in)	Ctn Qty	Code	List Price
465-100	10	1	91	391.36
465-120	12	1	91	619.34

FABRICATED FROM PIPE



Slip x Slip

45° EII

Part No	Size (in)	Ctn Qty	Code	List Price
417-100	10	1	91	532.21
417-120	12	1	91	788.67



SP x Slip

Street 45° EII

Part No	Size (in)	Ctn Qty	Code	List Price
423-100	10	1	91	672.44
423-120	12	1	91	985.19



Slip x Slip

Coupling

Part No	Size (in)	Ctn Qty	Code	List Price
429-100	10	1	91	208.58
429-120	12	1	91	415.57



Slip x Slip

Reducer Coupling

Part No	Size (in)	Ctn Qty	Code	List Price
429-626	10 x 6	1	91	588.77
429-628	10 x 8	1	91	588.77
429-668	12 x 8	1	91	670.39
429-670	12 x 10	1	91	670.39



SP x Slip

Reducer Bushing

Part No	Size (in)	Ctn Qty	Code	List Price
437-623	10 x 3	1	91	415.33
437-624	10 x 4	1	91	415.33
437-626	10 x 6	1	91	376.73
437-628	10 x 8	1	91	376.73
437-661	12 x 3	1	91	560.99
437-664	12 x 4	1	91	560.99
437-666	12 x 6	1	91	560.99
437-668	12 x 8	1	91	418.97
437-670	12 x 10	1	91	418.97



Slip

Cap

Part No	Size (in)	Ctn Qty	Code	List Price
447-100	10	1	91	177.57
447-120	12	1	91	230.52

Class 125 Large Diameter

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



Slip x Slip x Slip

Tee

Part No	Size (in)	Ctn Qty	Code	List Price
C601-100	10	1	96	372.97
C601-120	12	1	96	559.44



Slip x Slip x Slip

Reducing Tee

Part No	Size (in)	Ctn Qty	Code	List Price
C601-624	10 x 10 x 4	1	96	239.44
C601-626	10 x 10 x 6	1	96	294.61
C601-628	10 x 10 x 8	1	96	330.54
C601-664	12 x 12 x 4	1	96	292.14
C601-666	12 x 12 x 6	1	96	333.55
C601-668	12 x 12 x 8*	1	96	381.52
C601-670	12 x 12 x 10*	1	96	455.23

*Fabricated with Bushing



Slip x Slip

90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
C606-100	10	1	96	312.85
C606-120	12	1	96	478.51



SP x Slip

Street 90° EII

Part No	Size (in)	Ctn Qty	Code	List Price
C609-100	10	1	96	436.98
C609-120	12	1	96	550.66



Slip x Slip

45° EII

Part No	Size (in)	Ctn Qty	Code	List Price
C617-100	10	1	96	199.98
C617-120	12	1	96	293.23



SP x Slip

Street 45° EII

Part No	Size (in)	Ctn Qty	Code	List Price
C623-100	10	1	96	255.55
C623-120	12	1	96	374.37



Slip

Coupling

Part No	Size (in)	Ctn Qty	Code	List Price
C629-100	10	1	96	96.89
C629-120	12	1	96	155.83



Slip

Reducer Coupling

Part No	Size (in)	Ctn Qty	Code	List Price
C629-626	10 x 6	1	96	161.55
C629-628	10 x 8	1	96	100.59
C629-668	12 x 8	1	96	240.40
C629-670	12 x 10	1	96	191.36



SP x Slip

Reducer Bushing

Part No	Size (in)	Ctn Qty	Code	List Price
C637-623	10 x 3	1	96	401.43
C637-626	10 x 6	1	96	153.36
C637-628	10 x 8	1	96	153.36
C637-661	12 x 3	1	96	542.22
C637-664	12 x 4	1	96	542.22
C637-666	12 x 6	1	96	542.22
C637-668	12 x 8	1	96	276.07
C637-670	12 x 10	1	96	274.43



Slip

Cap

Part No	Size (in)	Ctn Qty	Code	List Price
C647-100	10	1	96	111.53
C647-120	12	1	96	183.62

Pool/Spa Products

KEY:
 FPT.....Female Pipe Thread SLIP.....Solvent Cement Socket
 MPT.....Male Pipe Thread SP.....Spigot



Slip (SP) x Slip
x Slip (SP)

Venturi Tee					
Part No	Size (in)	Ctn Qty	Code	List Price	
473-825	1 x ¾(1) x ¾(1)	50	09/9B	7.64	
473-210	1½(2) x 1½ x ¾(1)	25	09/9B	9.38	

Note: Bracketed dimensions are OD/Spigot sizes.



Slip x Slip
x SP

Bullhead Tee					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1171-00	1 X 1 X 1½	25	09/9B	5.06	



SP x SP

90° Elbow					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1241-00	1½	25	09/9B	5.06	



Slip

WYE					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1640-00	1	50	09/9B	5.76	



MPT x Slip

Adapter					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1251-00	2 x 1½	25	09/9B	4.51	



SP

Plug					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1221-00	1½	50	09/9B	1.26	
B1231-00	1	50	09/9B	1.54	



MPT x SP

Male Hose Adapter Combo					
Part No	Size (in)	Ctn Qty	Code	List Price	
B1236-00	1½ MPT x 1½ (1¼)	25	09/9B	1.69	

Sweep Elbow

Part No	Size (in)	Ctn Qty	Code	List Price	
406-015SW	1½	25	09/9B	4.11	
406-020SW	2	25	09/9B	4.79	
406-025SW	2½	25	09/9B	7.76	
406-030SW	3	20	09/9B	19.09	



Slip x Slip

Sweep Elbow

Part No	Size (in)	Ctn Qty	Code	List Price	
409-015SW	1½	25	09/9B	5.14	
409-020SW	2	25	09/9B	5.99	
409-025SW	2½	25	09/9B	9.71	
409-030SW	3	20	09/9B	19.09	



SP x Slip




Slip x Spigot

UltraFix™ Compact Repair Coupling				
Part No	Size (in)	Ctn Qty	Code	List Price
CUF-005	1/2	36	15	4.76
CUF-007	3/4	24	15	5.32
CUF-010	1	18	15	6.26
CUF-012	1 1/4	12	15	11.65
CUF-015	1 1/2	12	15	12.63
CUF-020	2	8	15	19.65
CUF-025	2 1/2	4	15	31.60
CUF-030	3	3	15	39.54
CUF-040	4	2	15	69.14
CUF-060	6	1	15	188.78

- Compact Design for tight places
- Dual EPDM O-rings
- Seals throughout pistons full travel
- Can be used as an Expansion Joint
- NSF Certified
- Working Pressure - 235 psi @ 73°F

LASCotite™



Gasket x Gasket

LASCotite Coupling					
Part No	Size (in)	Working Pressure (psi)	Ctn Qty	Code	List Price
21123	1/2	315	30	14	4.94
21124	3/4	315	30	14	6.60
21125	1	315	20	14	8.56
21126	1 1/4	250	10	14	13.04
21127	1 1/2	250	10	14	13.31
21128	2	200	10	14	17.63
21129	2 1/2	200	8	14	32.88
21130	3	150	5	14	42.95
21131	4	150	6	14	70.73
21133	6	150	4	14	129.91

Duplex Seal – Compressive action of thread cap creates high concentrated pressure at two points illustrated. Since cap and body are recessed for compression sealing gasket, no fluid can enter thread cavity of cap.

Gripping Area – Compressive action creates strong gripping action over a wide area of pipe resisting longitudinal pull out.

Repairs or alterations in pipelines are simple with LASCotite fittings. Couplings can be inserted quickly between butted pipe ends. No clearance room is needed – simply slip a coupling all the way over one pipe end, realign the ends, center the coupling and tighten the nuts. New branch lines, test hookups, service joints, or temporary piping can be added easily. The LASCotite fittings can be removed and reused.

No threading or solvent cementing is required. The gaskets provide a positive, leak-proof compression seal. LASCotite fittings can be used to join iron pipe size plastic, steel or copper pipe and to attach plastic pipe to threaded valves or fittings.

LASCotite wall thicknesses meet or exceed those of Schedule 40 fittings as listed in ASTM D-2466.

SPECIFICATIONS:

All LASCotite fittings are produced from PVC Type I, Cell Classification 12454-B. LASCotite fittings comply fully with ASTM D-1784.

IMPORTANT:

- Restrain all pipe movement.
- Not to be used above ground.
- Do not use LASCotite fittings for compressed air or gas.
- Do not test PVC piping systems with compressed air or gas.
- Do not use fittings with liquids not recommended by LASCotite.
- Modifications of fittings voids the warranty.



MPT x Gasket

LASCotite Male Adapter					
Part No	Size (in)	Working Pressure (psi)	Ctn Qty	Code	List Price
21303	1/2	315	30	14	4.13
21304	3/4	315	30	14	4.61
21305	1	315	20	14	5.91
21306	1 1/4	250	10	14	9.25
21307	1 1/2	250	10	14	10.18
21308	2	200	10	14	12.82

LASCotite Gaskets			
Part No	Size (in)	Code	List Price
22003	1/2	14	0.84
22004	3/4	14	1.01
22005	1	14	1.26
22006	1 1/4	14	1.65
22007	1 1/2	14	1.97
22008	2	14	2.38
22009	2 1/2	14	4.55
22010	3	14	9.83
22011	4	14	17.38
22013	6	14	17.98

PVC - White Pressure Fittings

Headquarters

414 Morgan Street
P.O. Box 116
Brownsville, TN 38012
731-772-3180 or 800-776-2756
Fax: 731-772-0835
Email: customerservice@lascofittings.com

Service Centers

CALIFORNIA

14820 Carmenita Road, Unit B
Norwalk, CA 90650
714-690-9679 / 800-995-2726
Fax: 714-736-1780
Email: warehouse80@lascofittings.com

COLORADO

5700 East 39th Avenue
Denver, CO 80207
303-575-6701 / 800-824-3675
Fax: 303-575-6706
Email: warehouse88@lascofittings.com

FLORIDA

6800 Kingspointe Parkway, Suite 400
Orlando, FL 32819-8588
407-206-5705 / 800-437-3155
Fax: 407-515-6542
Email: warehouse84@lascofittings.com

ILLINOIS

10350 Beaudin Blvd, Suite 800
Woodridge, IL 60517
630-597-0150 / 888-995-7414
Fax: 630-597-0156
Email: warehouse87@lascofittings.com

PENNSYLVANIA

325 Lasley Avenue
Wilkes Barre, PA 18706-1424
570-301-1170 / 800-882-5462
Fax: 570-301-1176
Email: warehouse82@lascofittings.com

TEXAS

1600 Kelly Blvd., Suite 130
Carrollton, TX 75006
972-417-0073 / 800-642-8104
Fax: 972-417-9733
Email: warehouse81@lascofittings.com

UTAH

1641 South 700 West
Salt Lake City, UT 84104
801-972-0659 / 800-833-3993
Fax: 801-972-0688
Email: warehouse89@lascofittings.com

WASHINGTON

7815 South 208th Street
212 Business Park, Bldg D-106
Kent, WA 98032
425-272-0990 / 888-285-2726
Fax: 425-272-0995
Email: warehouse85@lascofittings.com

Printed in U.S.A.

L15-40P 3/15

©2015 LASCO Fittings, Inc.

Limited Warranty

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way. THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

STANDARDS AND SPECIFICATIONS – Schedule 40

ASTM D-1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly Vinyl Chloride (CPVC) Compounds.

ASTM D-2466 – Socket Type Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40.

ASTM F-1970 – Standard Specification for Special Engineered Fittings, Appurtenances or Valves for use in Poly (Vinyl Chloride) (PVC) or Chlorinated Poly (Vinyl Chloride) (CPVC) Systems.

MATERIAL – LASCO Schedule 40 Fittings are produced from PVC Type 1, Cell Classification 12454-B. – O-rings are produced from a Buna-N (Nitrile) material.

LISTINGS – NSF/ANSI Standard 61, Annex G: Drinking Water System Components Weighted average lead content of $\leq 0.25\%$ and is in compliance with California's Health & Safety Code Section 116875 (commonly known as AB1953) NSF/ANSI Standard 14: Plastics Piping system Components and Related Materials. Includes /ANSI Standard 61, Annex G

Standard Terms and Conditions of Sale

1. Terms: 2% 35 days, net 45 days.
2. Freight: FOB LASCO warehouses. Prepaid on orders totaling \$1500 net for one shipment to single destination within the contiguous United States.
3. Minimum Order: \$100 net. Smaller orders billed at this minimum charge.
4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a MINIMUM 25% handling/restocking charge.
6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. Offer to sell is not implied by possession of this or other LASCO price lists.

Please visit our website: www.lascofittings.com