TI O

-

0

0 0 0

0

S

ი

10

0

Some projects are more complex than others and require a variety of tools to be used. For this reason, Klein has tool sets to assist professionals with these demanding projects.







| Cat. No. | Set Contai | Weight (lbs.) | |
|----------|------------|---|------|
| 80141 | | | 29.8 |
| | Cat. No. | Description | |
| | BLK12 | 12-piece ball-end hex-key caddy set – inch | |
| | J203-6 | Journeyman [™] standard long-nose pliers | |
| | J203-8N | Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping | |
| | J502-10 | 10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity | |
| | D507-8 | 8" adjustable wrench – extra capacity | |
| | D507-12 | 12" adjustable wrench – extra capacity | |
| | 600-1 | 1/4" keystone-tip cushion-grip screwdriver – 1-1/2" (40 mm) round-shank | |
| | 600-4 | 1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank | - |
| | 601-3 | 3/16" cabinet-tip cushion-grip screwdriver – 3" (76 mm) round-shank | |
| | 601-6 | 3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank | - |
| | 602-6 | 5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank | |
| | 603-1 | No. 2 Phillips cushion-grip screwdriver – 1-1/2" (40 mm) round-shank | - |
| | 603-3 | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank | |
| | 603-4B | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank | |

| Cat. No. | Description |
|-------------|--|
| 605-6 | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank |
| 631 | 7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2") |
| 650 | cushion-grip scratch awl |
| 662 | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank |
| 670-6 | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv® |
| 93125 | 25' x 1" tape measure with magnetic tip |
| 931-9RE | torpedo level - magnetic |
| J1005 | Journeyman™ crimping/cutting tool – non-insulated and insulated connectors |
| K1412 | Klein-Kurve [®] dual NM cable stripper/cutter |
| J2000-9NETP | Journeyman™ high-leverage side-cutting pliers – fish tape pulling |
| J2000-48 | Journeyman™ high-leverage diagonal-cutting pliers – angled head |
| 5003-18 | 18" 10-pocket canvas tool bag with leather bottom |
| 5139 | canvas zipper bag |
| 11055 | Klein-Kurve $^{\textcircled{B}}$ wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded |
| 44107 | Klein-Kurve $^{\textcircled{B}}$ heavy-duty utility knife – quick change retractable blade |
| 46037 | cable-splicer's kit |
| 56003 | Depthfinder™ Fish Tape - 125' L x 1/8" W |
| 58889 | padded adjustable shoulder strap |
| 60053 | standard protective eyewear |
| J63050 | Journeyman™ high-leverage cable cutter |
| 85191 | conduit-fitting and reaming screwdriver |

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The tool belt provided in this kit is NOT an occupational protective belt.

AWARNING: NOT insulated. Do NOT use these tools on or near live electrical circuits.

AWARNING: Do NOT use screwdrivers to pry or chisel.

AWARNING: Always wear approved eye protection.

AWARNING: Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.





| Cat. No. | Set Contai | ins | Weight |
|----------|----------------|---|--------|
| 80028 | | | 17.2 |
| | Cat. No. | Description | |
| | D203-8 | heavy-duty long-nose pliers – side-cutting | _ |
| | D213- 9NETP | high-leverage side-cutting pliers – fish tape pulling | _ |
| | D248-8 | high-leverage diagonal-cutting pliers – angled head | |
| | D502-10 | 10" pump pliers with 1-3/4" (44 mm) jaw capacity | |
| | 506-10 | 10" adjustable wrench – standard capacity | _ |
| | 600-4 | 1/4" keystone-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty square-shank | _ |
| | 601-6 | 3/16" cabinet-tip cushion-grip screwdriver – 6" (152 mm) round-shank | |
| | 602-6 | 5/16" keystone-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank | - |
| | 603-4B | wire bending No. 2 Phillips cushion-grip screw- driver – 4" (102 mm) round-shank | - |
| | 605-6 | 1/4" cabinet-tip screwdriver – 6" (152 mm) heavy-duty round-shank | - |
| | 631 | 7-piece cushion-grip nut driver set (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2") | - |
| | 662 | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank | - |
| | 670-6 | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv® | - |

| Cat. No. | Description |
|----------|---|
| 93025 | 25' x 1" tape measure |
| 930-9 | magnetic torpedo level |
| 1005 | crimping/cutting tool – non-insulated and insulated connectors |
| 5102-16 | 16" canvas tool bag |
| 5139 | canvas zipper bag |
| 11045 | wire stripper/cutter - 10-18 AWG solid wire |
| 44100 | utility knife – retractable blade |
| 60056 | frameless protective eyewear |
| 85191 | conduit-fitting and reaming screwdriver |

Tool Sets





All dimensions are in inches and (millimeters) unless otherwise specified.

 \clubsuit WARNING: The tool belt provided in this kit is NOT an occupational protective belt.

 $\mathbf{\hat{A}WARNING:}$ NOT insulated. Do NOT use these tools on or near live electrical circuits.

AWARNING: Do NOT use screwdrivers to pry or chisel.

AWARNING: Always wear approved eye protection.

ÀWARNING: Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

18-Piece Journeyman[™] Tool Set

JOURNEYMAN

Cat. No. Set Contains



Weight (lbs.)

ool Sets



| EST. 1857 |
|-----------|
| |

322

| 80118 | | | 11.6 |
|-------|----------|---|------|
| | Cat. No. | Description | |
| | J203-8N | Journeyman™ heavy-duty long-nose pliers – side-cutting & stripping | _ |
| | J502-10 | 10" Journeyman™ pump pliers with 1-3/4" (44 mm) jaw capacity | _ |
| | D507-10 | 10" adjustable wrench – extra capacity | _ |
| | 603-3 | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank | _ |
| | 603-4B | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank | _ |
| | 605-4 | 1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank | _ |
| | 605-6 | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank | _ |
| | 630-1/4 | 1/4" cushion-grip nut driver – 3" (76 mm) shank | _ |
| | 630-5/16 | 5/16" cushion-grip nut driver – 3" (76 mm) shank | _ |
| | 662 | No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank | _ |
| | | | |

| Cat. No. | Description |
|-----------------|---|
| 670-6 | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv® |
| 93125 | 25' x 1" tape measure with magnetic tip |
| J2000- 9NETP | Journeyman™ high-leverage side-cutting pliers – fish tape pulling |
| J2000-48 | Journeyman™ high-leverage diagonal-cutting pliers - angled head |
| 5165 | 10-pocket leather tool pouch |
| 5705 | Powerline [™] web work belt |
| 11055 | Klein-Kurve [®] wire stripper/cutter – 10-18 AWG solid & 12-20 AWG stranded |
| 60053 | standard protective eyewear |

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The tool belt provided in this kit is NOT an occupational protective belt.

AWARNING: NOT insulated. Do NOT use these tools on or near live electrical circuits.

AWARNING: Do NOT use screwdrivers to pry or chisel.

AWARNING: Always wear approved eye protection.

AWARNING: Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.



14-Piece Electrician Tool Set

| at. No. | Set Contain | ns | Weight (lbs.) |
|---------|----------------|--|---------------|
| 014 | | | 9.6 |
| | Cat. No. | Description | |
| | D203-8 | heavy-duty long-nose pliers – side-cutting | 1 |
| | D213- 9NETP | high-leverage side-cutting pliers – fish tape pulling | |
| | D248-8 | high-leverage diagonal-cutting pliers – angled head | 1 |
| | D502-10 | 10" pump pliers with 1-3/4" (44 mm) jaw capacity | 12. |
| | 603-3 | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank | 12 |
| | 603-4B | wire bending No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank | |
| | 605-4 | 1/4" cabinet-tip cushion-grip screwdriver – 4" (102 mm) heavy-duty round-shank | 4 |
| | 605-6 | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank | |
| | 670-6 | 3/16" cabinet-tip cushion-grip screwdriver – Rapi-Driv® | |
| | 93025 | 25' x 1" tape measure | |
| | 5164 | 8-pocket leather tool pouch | |
| | 5225 | adjustable web tool belt | |
| | 11045 | wire stripper/cutter – 10-18 AWG solid wire | |
| | 60056 | frameless protective eyewear | |

12-Piece Electrician Tool Set

| Cat. No. | Set Contains | | Weight (Ibs.) |
|-------------|--|---|------------------|
| 5300 | | | 6.82 |
| | Cat. No. | Description | |
| | 5166 | 7-pocket leather tool pouch | |
| | 5225 | adjustable web belt | |
| | 603-3 | No. 1 Phillips cushion-grip screwdriver – 3" (76 mm) round-shank | |
| | 603-4 | No. 2 Phillips cushion-grip screwdriver – 4" (102 mm) round-shank | |
| | 605-4 | 1/4" cabinet-tip cushion-grip screwdriver - 4" (102 mm) heavy-duty round-shank | |
| | 605-6 | 1/4" cabinet-tip cushion-grip screwdriver – 6" (152 mm) heavy-duty round-shank | |
| | 11045 | wire stripper/cutter – 10-18 AWG solid wire | |
| | D248-8 high-leverage diagonal-cutting pliers – angled head | | |
| | D203-8 | heavy-duty long-nose pliers – side-cutting | |
| | D213-9NETP high-leverage side-cutting pliers – fish tape pulling | | |
| | D502-10 pump pliers with 1-3/4" (44 mm) jaw capacity | | |
| | 928-25HV high-visibility power-return measuring tape | | |



5300

S 1001

323

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The tool belt provided in this kit is NOT an occupational protective belt.

 $\mathbf{\hat{A}WARNING:}$ NOT insulated. Do NOT use these tools on or near live electrical circuits.

AWARNING: Do NOT use screwdrivers to pry or chisel.

AWARNING: Always wear approved eye protection.

AWARNING: Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

12-Piece Electrician Tool Set



Cat. No. Set Contains Weight (lbs.) 92003 17 Cat. No. Description D213-9NETP 9" high-leverage side-cutting pliers - fish tape pulling D248-8 8" high-leverage diagonal-cutting pliers D203-8 8" heavy duty long-nose pliers - side-cutting D502-10 10" pump pliers 11045 wire stripper/cutter 93275 metric/english tape measure with magnetic tip 603-4 No. 2 profilated Phillips tip scewdriver - 4" round shank 605-4 1/4" cabinet tip cushion-grip screwdriver - 4" heavy duty round shank 661 No.1 square-recess tip screwdriver - 4" round shank 662 No. 2 square-recess tip cushion-grip screwdriver – 4" (102 mm) round-shank 5719 19 Pocket Tool Pouch 5705 Powerline[™] web work belt

All dimensions are in inches and (millimeters) unless otherwise specified.

AWARNING: The tool belt provided in this kit is NOT an occupational protective belt.

 $\mathbf{\hat{A}WARNING:}$ NOT insulated. Do NOT use these tools on or near live electrical circuits.

AWARNING: Do NOT use screwdrivers to pry or chisel.

AWARNING: Always wear approved eye protection.

AWARNING: Do NOT open the tape measure case. Spring motor is under tension, and opening may cause injury.

pol Sets



Voice/Data/Video Tool Kits

Coax Installer Starter Kit – F-Connectors

- Includes the tools needed to prepare and connect F-Connectors.
- Durable nylon tool pouch designed specifically for F-connector installation tools.
- Additional pocket holds a screwdriver or common AA battery flashlights.
- Pouch includes a closeable pocket that will hold up to 25 compression F-connectors.

Description

Multi-Cable Cutter

Radial Cartridge Stripper - Coaxial Cable, 2-Level

5-Pocket Nylon Tool Pouch plus closeable consumables pocket

Compression Crimper - Compact, F-Connector

• Tunnel-loop accommodates up to 2" belt.

Set Contains

Cat. No.

VDV110-802

VDV212-008

Kit Exclusive

63020

Cat. No. VDV012-811

KLEIX

Weight (lbs.)

1.44



2 011

LAN Installer Starter Kit – Modular

- Includes the tools needed to prepare, connect and test modular cables.
- Durable nylon tool pouch designed specifically for modular plug installation tools.
- Two additional pockets hold a screwdriver and common AA battery flashlights.
- Pouch includes a closeable pocket that will hold up to 25 RJ45 plugs.
- Tunnel-loop accommodates up to 2" belt.

KLEIN

(lbs.)

| Cat. No. | Set Contains | | Weight |
|------------|---------------|---|--------|
| VDV026-812 | | | 1.5 |
| | Cat. No. | Description | |
| | 2100-8 | Stainless Steel Electrician's Scissors - Free-Fall | |
| | VDV226-011 | Ratcheting Modular Cutter/Crimper/Stripper | |
| | VDV526-052 | LAN Scout™ Junior Tester | - |
| | 98554 | Fine Point Permanent Marker | |
| | Kit Exclusive | 5-Pocket Nylon Tool Pouch plus closeable consumables pocket | |



VDV026-812



LAN Installer Starter Kit – Punchdown

- Includes the tools needed to prepare and connect 66 type and 110 type punchdown terminal blocks.
- Durable nylon tool pouch designed specifically for punchdown installation tools.
- Two additional pockets hold a screwdriver and common AA battery flashlights.
- Tunnel-loop accommodates up to 2" belt.

| Cat. No. | Set Contains | | Weight (lbs.) |
|------------|---------------|--|---------------|
| VDV027-813 | | | .88 |
| | Cat. No. | Description | |
| | 2100-8 | Stainless Steel Electrician's Scissors - Free-Fall | |
| | VDV427-047 | Punchdown Multi-Tool Chassis | _ |
| | VDV427-015 | Punchdown Tool Blade - 110 type | |
| | VDV427-017 | Punchdown Tool Blade - combination 66/110 cut type | |
| | 98554 | Fine Point Permanent Marker | |
| | Kit Exclusive | 4-Pocket Nylon Tool Pouch | |
| | | | |



VDV027-813

Tool Set

T