ROOF TOPPER™ Rooftop Supports




Raises Conduit, Raceway Off the Roof Surface









Roof Topper™ supports raise conduit or raceway 4" or more off the roof surface to meet the requirements of the 2014 NEC for temperature adjustment for circular conduit.

Made of UV-rated, 100% recycled material, the heavy-duty base sits on the roof deck without the need to attach it to the roof surface with mechanical fasteners.

Roof Topper supports stand up to extreme roof conditions, protecting and elevating your conduit or raceway above the roof deck.

Roof Topper is available in a variety of sizes and configurations. They ship assembled with strut and/or threaded rod installed on the base. On our "E" series supports, the strut is attached with end clamps, reducing cost without any loss of strength.

See reverse for complete information.

New to the line are three styles, 5-5/8" high with a SLED on the base that slides on the roof surface, protecting it from damage caused by expansion and contraction. *Sleds also sold separately.*

- UV resistant for long outdoor life
- Supports up to 2,000 lbs

Roof Topper...for sturdy, efficient, reliable support of rooftop conduit!





Arlington

1 Stauffer Industrial Park Scranton, PA 18517 800/233.4717 Fax 570/562.0646 www.aifittings.com

ROOF TOPPER™ Rooftop Supports



100% Recycled Material • Stands Up to Extreme Conditions

Sled on Base

STRUT ATTACHED WITH END CLAMPS



INSTALLED WITH NUTS & BOLTS



BASE with SLED						
CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	DESCRIPTION Roof Topper™ Support	UNIT PKG	STD PKG		
STRUT AT RTSE405L		ND CLAMPS (straps not include Base with sled 5"w x 5-5/8"h	ed) 10	10		
RTSE409L	. 52313	Base with sled 9"w x 5-5/8"h	10	10		
STRUT IN RTS409L		UTS & BOLTS (straps not inclu Base with sled 9''w x 5-5/8''h	ıded) 10	10		
SLE	ONLY			>		
CATALOG NUMBER	UPC/DCI/NAED MFG #01 8997	DESCRIPTION Sled to fit (Open) Bases	UNIT PKG	STD PKG		
RTSL405	38010	4" x 5"	10	10		

4" x 9"

10



Bases and sleds made of UV-rated 100% recycled material.

TWO FEET WITH STRUT





1 Stauffer Industrial Park Scranton, PA 18517 800/233.4717 Fax 570/562.0646 www.aifittings.com

OPEN BASE

CATALOG UPC/DCI/NAED

38011

RTSL409

NUMBER	MFG #01 8997	Roof Topper™ Support	PKG	PKG				
BASE ONLY								
RTSB405	00910	Open Base only 5"w x 4"h	10	10				
RTSB409	00911	Open Base only 9"w x 4"h	10	10				
RTSB1209	00912	Open Base only 9"w x 10-3/8"h	5	5				
STRUT ATTACHED WITH END CLAMPS (straps not included)								
RTSE405	00913	Open Base with strut 5"w x 5-5/8"h	10	10				
RTSE409	00914	Open Base with strut 9"w x 5-5/8"h	10	10				
RTSE1209	00915	Open Base with strut 9"w x 12"h	5	5				
STRUT INSTALLED WITH NUTS & BOLTS (straps not included)								
RTS4	10492	Open Base 9" w x 5-5/8" h	10	10				
RTS12	10490	Open Base 9" w x 12" h	5	5				
RTS421	10493	Open Base 21" w x 5-5/8" h	5	5				
RTS1221	10491	Open Base 21" w x 12" h	5	5				
DTC4 - I DTC421 i d la inclui de la								

RTS4 and RTS421 include installed strut. RTS12 and RTS1221 include strut and threaded rod (fully assembled, ready to use).

RTS1221

21"w x 12"h

TWO FEET, STRUT INSTALLED WITH NUTS & BOLTS (straps not included) 9"w x 4-7/8"h

Distributed by

Patent Pending RTS 0911 REV1113/25M

Open Base Styles

BASE ONLY Strut Not Included







STRUT ATTACHED WITH END CLAMPS

(all with Open Base)







STRUT INSTALLED WITH NUTS & BOLTS

(all with Open Base)

