



Topaz Specification Sheet

Description: Rigid Conduit Nipples

Standard Material: Galvanized steel

Features: NPT thread, Galvanized Rigid Nipples meet UL6 and ANSI C80.1



MADE IN USA

TOPAZ CAT #	UPC#	CONDUIT SIZE	LENGTH INCHES	SHIP CASE	WT/100
6451-USA	31130	1/2"	CLOSE	25	6
6451112-USA	31140	1/2"	1 1/2	25	8
64512-USA	31150	1/2"	2	25	12
6451212-USA	31160	1/2"	2 1/2	25	15
64513-USA	31170	1/2"	3	25	26
6451312-USA	31180	1/2"	3 1/2	25	6
64514-USA	31190	1/2"	4	25	26
64515-USA	31200	1/2"	5	25	33
64516-USA	31210	1/2"	6	25	40
64518-USA	31220	1/2"	8	1	54
645110-USA	31230	1/2"	10	1	68
645112-USA	31240	1/2"	12	1	82
6452-USA	31250	3/4"	CLOSE	25	9
6452112-USA	31251	3/4"	1 1/2	25	10
64522-USA	31260	3/4"	2	25	14
6452212-USA	31270	3/4"	2 1/2	25	19
64523-USA	31280	3/4"	3	25	26
6452312-USA	31290	3/4"	3 1/2	25	28
64524-USA	31300	3/4"	4	25	34
64525-USA	31310	3/4"	5	25	43

TOPAZ CAT #	UPC#	CONDUIT SIZE	LENGTH INCHES	SHIP CASE	WT/100
64526-USA	31320	3/4"	6	25	52
64528-USA	31330	3/4"	8	1	73
645210-USA	31340	3/4"	10	1	89
645212-USA	31350	3/4"	12	1	109
6453-USA	31360	1"	CLOSE	25	16
64532-USA	31370	1"	2	25	22
6453212-USA	31380	1"	2 1/2	25	28
64533-USA	31390	1"	3	25	26
6453312-USA	31400	1"	3 1/2	25	43
64534-USA	31410	1"	4	25	49
64535-USA	31420	1"	5	25	64
64536-USA	31430	1"	6	25	20
64538-USA	31440	1"	8	1	1
645310-USA	31450	1"	10	1	1
645312-USA	31460	1"	12	1	2
6454-USA	31470	1 1/4"	CLOSE	25	22
64542-USA	31480	1 1/4"	2	25	28
6454212-USA	31490	1 1/4"	2 1/2	25	37
64543-USA	31500	1 1/4"	3	25	25

Continued on next page

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488



Topaz Specification Sheet

Description: Rigid Conduit Nipples

Standard Material: Galvanized steel

Features: NPT thread, Galvanized Rigid Nipples meet UL6 and ANSI C80.1



E223147

MADE IN USA

TOPAZ CAT #	UPC#	CONDUIT SIZE	LENGTH INCHES	SHIP CASE	WT/ 100
6454312-USA	31510	1 1/4"	3 1/2	25	55
64544-USA	31520	1 1/4"	4	25	66
64545-USA	31530	1 1/4"	5	25	84
64546-USA	31540	1 1/4"	6	25	25
64548-USA	31550	1 1/4"	8	1	1
645410-USA	31560	1 1/4"	10	1	2
645412-USA	31570	1 1/4"	12	1	2
6455-USA	31580	1 1/2"	CLOSE	25	28
64552-USA	31590	1 1/2"	2	25	34
6455212-USA	31600	1 1/2"	2 1/2	25	44
64553-USA	31610	1 1/2"	3	25	25
6455312-USA	31620	1 1/2"	3 1/2	25	68
64554-USA	31630	1 1/2"	4	25	80
64555-USA	31640	1 1/2"	5	25	103
64556-USA	31650	1 1/2"	6	25	31
64558-USA	31660	1 1/2"	8	1	2
645510-USA	31670	1 1/2"	10	1	2
645512-USA	31680	1 1/2"	12	1	3
6456-USA	31690	2"	CLOSE	25	44
6456212-USA	31700	2"	2 1/2	25	15

TOPAZ CAT #	UPC#	CONDUIT SIZE	LENGTH INCHES	SHIP CASE	WT/ 100
64563-USA	31710	2"	3	25	25
6456312-USA	31720	2"	3 1/2	25	88
64564-USA	31730	2"	4	25	103
64565-USA	31740	2"	5	25	132
64566-USA	31750	2"	6	25	25
64568-USA	31760	2"	8	1	2
645610-USA	31770	2"	10	1	3
645612-USA	31780	2"	12	1	3
6457-USA	31790	2 1/2"	CLOSE	1	84
64573-USA	31800	2 1/2"	3	1	1
6457312-USA	31810	2 1/2"	3 1/2	1	12
64574-USA	31820	2 1/2"	4	1	150
64575-USA	31830	2 1/2"	5	1	197
64576-USA	31840	2 1/2"	6	1	3
64578-USA	31850	2 1/2"	8	1	3
645710-USA	31860	2 1/2"	10	1	4
645712-USA	31870	2 1/2"	12	1	5
6458-USA	31880	3"	CLOSE	1	1
64583-USA	31890	3"	3	1	1
6458312-USA	31900	3"	3 1/2	1	2
64584-USA	31910	3"	4	1	2

Continued on next page

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488



Topaz Specification Sheet

Description: Rigid Conduit Nipples

Standard Material: Galvanized steel

Features: NPT thread, Galvanized Rigid Nipples meet UL6 and ANSI C80.1



MADE IN USA

TOPAZ CAT #	UPC#	CONDUIT SIZE	LENGTH INCHES	SHIP CASE	WT/ 100
64585-USA	31920	3"	5	1	3
64586-USA	31930	3"	6	1	3
64588-USA	31940	3"	8	1	4
645810-USA	31950	3"	10	1	5
645812-USA	31960	3"	12	1	6
6459-USA	31970	3 1/2"	CLOSE	1	2
64594-USA	31980	3 1/2"	4	1	2
64595-USA	31990	3 1/2"	5	1	3
64596-USA	32000	3 1/2"	6	1	4
64598-USA	32010	3 1/2"	8	1	5
645910-USA	32020	3 1/2"	10	1	7
645912-USA	32030	3 1/2"	12	1	8
6410-USA	32040	4"	CLOSE	1	2
64104-USA	32050	4"	4	1	3
64105-USA	32060	4"	5	1	4
64106-USA	32070	4"	6	1	4
64108-USA	32080	4"	8	1	6
641010-USA	32090	4"	10	1	8
641012-USA	32100	4"	12	1	9

Approved by Topaz Quality Control & Engineering



NEW YORK
925 Waverly Avenue
Holtsville, NY 11742
800-666-2852
Fax: 800-333-3488

CALIFORNIA
225 Parkside Drive
San Fernando, CA 91340
888-551-2852
Fax: 888-690-2852

FLORIDA
2020 West 26th Street
Jacksonville, FL 32209
800-666-2852
Fax: 800-333-3488