

INNOVATIONS 2013 SUPPLEMENT



INNOVATIONS

NUVO®
LIGHTING



NUVO®

Nuvo reinvents contemporary. Fresh. Bright. Appealing. Advanced.

Nuvo was launched in 2005 with more than 1,500 new lighting fixtures, and our product line has grown every year since. What's more important, however, is how Nuvo has grown. With Satco's more than 45 years of industry experience behind us, we've been able to introduce the industry's broadest range of innovative lighting fixtures -- many with the very latest energy-saving technologies, all with strikingly contemporary new designs.

As always, our goal is to offer you fixtures constructed of the finest materials and manufactured to the highest standards of quality, suitable for large projects and hospitality applications of every description. At Nuvo, we succeed by helping you succeed -- by being here for you with the lighting products you need, when and where you need them.

Contents

4 – 5	LED Introduction	41	Signal
6 – 9	Houston	42 – 43	Mercer
10 – 13	Sawyer	44	Chance
14 – 15	Claire	45	Dash
16 – 17	Kent	46	Harper
18 – 21	Latitude	47	Dawson
22 – 23	Cirque	48 – 49	LED Technology
24 – 25	Wave	50 – 51	Incandescent Introduction
26 – 27	Stix	52 – 59	Vintage
28 – 29	Frame	60 – 63	Telegraph
30 – 33	Raindrop	64 – 67	Beaker
34	Bin	68 – 71	Parallel
35	Panel	72 – 75	Benson
36 – 37	Trax	76 – 77	Daytona
38	Chase	78 – 81	Ludlow
39	Tucker	82	INDEX
40	Harrow / Coco		



On the cover: Nuvo Lighting's four light LED chandelier from the "Kent" collection, page 16

On the opposite page: Nuvo Lighting's one light LED wall sconce from the "Cirque" collection, page 22

On the inside back cover: Nuvo Lighting's five light chandelier from the "Parallel" collection, page 68

contents

Nuvo LED.



Cutting-edge technologies
have never looked more inviting.

Although consumers want the energy savings of today's most-advanced lighting technologies, many are reluctant to give up the familiar look and performance of the lighting fixtures they've always known. But the best cutting-edge technologies are the ones users eagerly adopt. That's why Nuvo's newest LED collections feature approachable contemporary designs that emphasize style -- while delivering substance.

All of our new LED fixtures feature the self-contained, easily-replaceable Motivation light engines from KolourOne. Now available in two compact form factors, Motivation has opened a new world of possibilities for both Nuvo designers and energy-conscious builders everywhere.

Today's LED fixtures can be modern without being cold. They can be efficient without compromising performance. In short, they can be everything Nuvo's new LED collections have been designed to be.



innovation

Four unique LED pendants of polished nickel in a variety of popular one- to three-light configurations, all powered by Motivation, the thin, efficient new circular LED light engine from KolourOne.

HOUSTON LED



Three Light Island Pendant

Watts: 60

Lumens: 4260*

Dimensions: Length 41", Width 11 1/2",
Height 59 1/2" Adjustable, Wire 12'

62-168 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12"),



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 1/2", Height 2 1/2"

62-302 Polished Nickel / Frosted Glass



One Light Pendant

Watts: 20

Lumens: 1420*

Dimensions: Width 11 1/2", Height 60 7/8" Adjustable, Wire 12'

62-165 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12"),



Three Light Dining

Watts: 60

Lumens: 4260*

Dimensions: Width 30", Height 66" Adjustable, Wire 12'

62-166 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12"),



Two Light Island Pendant

Watts: 40

Lumens: 2840*

Dimensions: Length 30", Width 11 1/2", Height 60 7/8" Adjustable, Wire 12'

62-167 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12"),

houston LED

An array of stylish LED pendants in rustic brass, for an array of task lighting applications. All feature Motivation, the thin, efficient new circular LED light engine from KolourOne.

HOUSTON LED



Three Light Dining

Watts: 60

Lumens: 4260*

Dimensions: Width 30", Height 66" Adjustable, Wire 12'

62-162 Rustic Brass / Frosted Glass

Accessories:

Additional Stem Lengths

25-5110 (6"), **25-5111** (12"),



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 1/2", Height 2 1/2"

62-301 Rustic Brass /Frosted Glass



One Light Pendant

Watts: 20

Lumens: 1420*

Dimensions: Width 11 1/2", Height 60 7/8" Adjustable, Wire 12'

62-161 Rustic Brass /Frosted Glass

Accessories:

Additional Stem Lengths

25-5110 (6"), **25-5111** (12"),



Three Light Island Pendant

Watts: 60

Lumens: 4260*

Dimensions: Length 41", Width 11 1/2",
Height 59 1/2" Adjustable, Wire 12'

62-164 Rustic Brass / Frosted Glass

Accessories:

Additional Stem Lengths

25-5110 (6"), **25-5111** (12"),



Two Light Island Pendant

Watts: 40

Lumens: 2840*

Dimensions: Length 30", Width 11 1/2",
Height 60 7/8" Adjustable, Wire 12'

62-163 Rustic Brass / Frosted Glass

Accessories:

Additional Stem Lengths

25-5110 (6"), **25-5111** (12"),

Clean, simple multi-light LED pendants of polished nickel in a variety of popular configurations -- all delivering bright, even task lighting.

SAWYER LED



Three Light Island Pendant

Watts: 60

Lumens: 4260*

Dimensions: Length 40", Width 11 3/4", Height 19 7/8", Wire 12'

62-178 Polished Nickel /Frosted Glass

Accessories:

25-4141 3' Section of matching chain



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/4", Height 3 1/8"

62-307 Polished Nickel / Frosted Glass



Two Light Island Pendant

Watts: 40

Lumens: 2840*

Dimensions: Length 35", Width 11 3/4",
Height 18 1/4", Wire 12'

62-177 Polished Nickel /Frosted Glass

Accessories:

25-4141 3' Section of matching chain



Three Light Dining

Watts: 60

Lumens: 4260*

Dimensions: Width 29", Height 18 1/4", Wire 12'

62-176 Polished Nickel /Frosted Glass

Accessories:

25-4141 3' Section of matching chain



One Light Pendant

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/4",
Height 59 3/4" Adjustable, Wire 12'

62-175 Polished Nickel /Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12"),

sawyer LED

A contemporary take on traditional lighting designs, Sawyer multi-light LED pendants deliver bright, even task lighting with a lifetime rating of 30,000 hours.

SAWYER LED



Three Light Dining

Watts: 60

Lumens: 4260*

Dimensions: Width 29", Height 18 1/4", Wire 12'

62-172 Rustic Brass / Frosted Glass

Accessories:

25-5109 3' Section of matching chain



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/4", Height 3 1/8"

62-306 Rustic Brass / Frosted Glass



Two Light Island Pendant

Watts: 40

Lumens: 2840*

Dimensions: Length 35", Width 11 3/4",
Height 18 1/4", Wire 12'

62-173 Rustic Brass / Frosted Glass

Accessories:

25-5109 3' Section of matching chain



Three Light Island Pendant

Watts: 60

Lumens: 4260*

Dimensions: Length 40", Width 11 3/4",
Height 19 7/8", Wire 12'

62-174 Rustic Brass / Frosted Glass

Accessories:

25-5109 3' Section of matching chain



One Light Pendant

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/4",
Height 59 3/4" Adjustable, Wire 12'

62-171 Rustic Brass /Frosted Glass

Accessories:

Additional Stem Lengths

25-5110 (6"), **25-5111** (12"),

sawyer LED

Pendants, sconces and ceiling fixtures of polished nickel with round or rectangular fabric shades -- with circular or linear Motivation LED light engines.

CLAIRE LED



Three Light Island Pendant

Watts: 14.4

Lumens: 855*

Dimensions: Length 39½", Width 8", Height 60¼" Adjustable, Wire 12'

62-192 Polished Nickel / White Fabric Shade

Accessories:

Additional Stem Lengths:

25-4118 (6"), **25-4119** (12")



One Light Pendant

Watts: 20

Lumens: 1420*

Dimensions: Width 21 7/8", Height 58 1/2" Adjustable, Wire 12'

62-193 Polished Nickel / White Fabric Shade

Accessories:

Additional Stem Lengths:

25-4118 (6"), **25-4119** (12")



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 16", Height 5 3/4", Extension 5"

62-191 Polished Nickel / White Fabric Shade



One Light Semi-Flush

Watts: 20

Lumens: 1420*

Dimensions: Width 18 7/8", Height 8 7/8"

62-194 Polished Nickel / White Fabric Shade

Accessories:

25-4143 Pendant conversion kit

25-4141 3' Section of matching chain

These distinctive LED chandeliers and wall sconces of polished nickel or copper espresso with fabric shades marry traditional elements and advanced technology in a strikingly contemporary new way.

KENT LED



Four Light Chandelier

Watts: 19.2

Lumens: 1140*

Dimensions: Width 28", Height 24 5/8", Chain 48", Wire 12'

62-196 Polished Nickel / White Fabric Shade

Accessories:

25-4141 3' Section of matching chain



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 12³/₈", Height 10⁵/₈", Extension 4⁷/₈"

62-195 Polished Nickel / White Fabric Shade



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 12³/₈", Height 10⁵/₈", Extension 4⁷/₈"

62-197 Copper Espresso / White Fabric Shade



Four Light Chandelier

Watts: 19.2

Lumens: 1140*

Dimensions: Width 28", Height 24⁵/₈", Chain 48", Wire 12'

62-198 Copper Espresso / White Fabric Shade

Accessories:

25-3001 3' Section of matching chain

kent LED

statement

Enjoy soft, efficient LED light, diffused by discs of frosted glass with supports of polished nickel, in dramatic pendants and wall sconces that will be a focal point of any living space.

LATITUDE LED




One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 11 1/4", Height 11", Extension 4 1/4"

62-157 Polished Nickel / Frosted Glass



One Light Pendant

Watts: 4.8

Lumens: 285*

Dimensions: Width 11 1/4", Height 56" Adjustable, Wire 12'

62-158 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12")

Bold discs of frosted glass with textured black supports conceal advanced LED light engines that will deliver soft, efficient task and ambient lighting to virtually any room.

LATITUDE LED




One Light Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 11 1/4", Height 11", Extension 4 1/4"

62-187 Textured Black / Frosted Glass



One Light Pendant

Watts: 4.8

Lumens: 285*

Dimensions: Width 11 1/4", Height 56" Adjustable, Wire 12'

62-188 Textured Black / Frosted Glass

Accessories:

Additional Stem Lengths

25-2052 (6"), **25-2025** (12")

latitude LED

Dramatic, simple circles of polished nickel surround the Motivation LED light engine, creating striking pendants, sconces and ceiling domes of unsurpassed energy efficiency.

CIRQUE LED



Small One Light Pendant

Watts: 4.8

Lumens: 285*

Dimensions: Width 14 1/4", Height 51 1/4" Adjustable, Wire 12'

62-183 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12")



Large One Light Pendant

Watts: 4.8

Lumens: 285*

Dimensions: Width 20³/₄", Height 59¹/₄" Adjustable, Wire 12'

62-184 Polished Nickel / Frosted Glass

Accessories:

Additional Stem Lengths

25-4118 (6"), **25-4119** (12")



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 11", Height 11¹/₂", Extension 3¹/₂"

62-181 Polished Nickel / Frosted Glass

ADA Compliant



One Light Flush

Watts: 20

Lumens: 1420*

Dimensions: Width 15", Height 4¹/₂"

62-182 Polished Nickel / Frosted Glass

Distinguished by softly undulating ribbons of brushed nickel or hazel bronze, Wave wall sconces and ceiling pendants create a clean, graceful design statement around the advanced technology within.



WAVE LED



One Light Semi-Flush

Watts: 20

Lumens: 1420*

Dimensions: Width 16", Height 9 3/4"

62-118 Brushed Nickel / White Linen Fabric

Convertible to pendant

Accessories:

25-1403 Pendant conversion kit

25-1069 3' Section of matching chain



One Light Semi-Flush

Watts: 20

Lumens: 1420*

Dimensions: Width 16", Height 9 3/4"

62-138 Hazel Bronze / White Linen Fabric

Convertible to pendant

Accessories:

25-4214 Pendant conversion kit

25-4212 3' Section of matching chain



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7⁷/₈", Height 17", Extension 4"

62-104 Brushed Nickel

ADA Compliant



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7⁷/₈", Height 17", Extension 4"

62-124 Hazel Bronze

ADA Compliant



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 38", Width 2¹/₂",
Height 49¹/₂" Adjustable, Wire 12'

62-115 Brushed Nickel

Accessories:

Additional Stem Lengths:

25-2057 (6"), **25-2055** (12")



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 38", Width 2¹/₂",
Height 49¹/₂" Adjustable, Wire 12'

62-135 Hazel Bronze

Accessories:

Additional Stem Lengths:

25-4121 (6"), **25-4122** (12")



One Light Mini Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 8¹/₂", Width 2¹/₂",
Height 48" Adjustable, Wire 12'

62-134 Brushed Nickel

Accessories:

Additional Stem Lengths:

25-2057 (6"), **25-2055** (12")



One Light Mini Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 8¹/₂", Width 2¹/₂",
Height 48" Adjustable, Wire 12'

62-114 Hazel Bronze

Accessories:

Additional Stem Lengths:

25-4121 (6"), **25-4122** (12")

wave LED

Dramatic fixtures that may be mounted on the wall or suspended from the ceiling, Stix luminaires will add a unique focal point in any room design, and deliver significant energy savings over conventional fixtures.



STIX LED



One Light Semi-Flush

Watts: 20

Lumens: 1420*

Dimensions: Width 15", Height 9³/₈"

62-119 Patina Bronze / White Linen Fabric

Convertible to pendant

Accessories:

25-4205 Pendant conversion kit

25-4201 3' Section of matching chain



One Light Mini Pendant

Watts: 4.8

Lumen output: 285*


Dimensions: Length 7⁷/₈", Width 2¹/₂",
Height 54" Adjustable, Wire 12'

62-111 Patina Bronze

Accessories:

Additional Stem Lengths:

25-5113 (6"), **25-5114** (12")



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 36", Width 2¹/₂",
Height 55" Adjustable, Wire 12'

62-113 Patina Bronze

Accessories:

Additional Stem Lengths:

25-5113 (6"), **25-5114** (12")



One Light Wall Sconce


Watts: 4.8

Lumens output: 285*

Dimensions: Width 8⁵/₈", Height 13¹/₂", Extension 3¹/₄"

62-103 Patina Bronze

ADA Compliant



Two Light Pendant

Watts: 9.6

Lumen output: 570*

Dimensions: Length 16", Width 2¹/₂",
Height 60" Adjustable, Wire 12'

62-112 Patina Bronze

Accessories:

Additional Stem Lengths:

25-5113 (6"), **25-5114** (12")

stix LED

Bold rectangles of hazel bronze or brushed nickel create strikingly modern sconces and pendants to wash walls and illuminate work or seating areas with bright, even light – and the very highest levels of energy efficiency.

FRAME LED



One Light Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 7⁷/₈", Width 5⁵/₈", Height 42" Adjustable, Wire 12'

62-126 Hazel Bronze

Accessories:

Additional Stem Lengths:

25-4121 (6"), **25-4122** (12")



One Light Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 7⁷/₈", Width 5⁵/₈", Height 42" Adjustable, Wire 12'

62-106 Brushed Nickel

Accessories:

Additional Stem Lengths:

25-2057 (6"), **25-2055** (12")



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7⁷/₈", Height 20¹/₄", Extension 4"

62-105 Brushed Nickel

ADA Compliant



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7⁷/₈", Height 20¹/₄", Extension 4"

62-125 Hazel Bronze

ADA Compliant



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 36", Width 4¹/₈",
Height 59" Adjustable, Wire 12'

62-136 Brushed Nickel

Accessories:

Additional Stem Lengths:

25-2057 (6"), **25-2055** (12")



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 36", Width 4¹/₈",
Height 59" Adjustable, Wire 12'

62-116 Hazel Bronze

Accessories:

Additional Stem Lengths:

25-4121 (6"), **25-4122** (12")

frame LED

Raindrop fixtures transform a number of classic lamp shapes with a distinctive design and a unique removable aquamarine insert, creating pendants, sconces, vanities and flush and semi-flush ceiling drums like no others.

RAINDROP LED



Five Light Large Pendant

Watts: 24

Lumen output: 1425*

Dimensions: Width 25", Height 28½" Adjustable, Wire 12'

62-141 Polished Nickel / White with removable aquamarine insert

Accessories:

Additional Stem Lengths:

25-126 (6"), **25-127** (12")



All Raindrop fixtures come with a removable aquamarine insert
62-145 Shown here without insert



Two Light Flush Drum

Watts: 9.6

Lumen output: 570*

Dimensions: Width 15", Height 4³/₈"

62-142 Polished Nickel / White with removable aquamarine insert



Two Light Semi-Flush Drum

Watts: 9.6


Lumen output: 570*

Dimensions: Width 15", Height 10⁷/₈"

62-145 Polished Nickel / White with removable aquamarine insert

raindrop LED

RAINDROP LED



Three Light Vanity

Watts: 14.4

Lumen output: 855*

Dimensions: Width 26³/₄", Height 7", Extension 3⁵/₈"

62-144 Polished Nickel / White
with removable aquamarine insert

ADA Compliant



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7 1/4", Height 7", Extension 3 1/2"

62-143 Polished Nickel / White
with removable aquamarine insert

ADA Compliant



Two Light Small Pendant

Watts: 9.6

Lumen output: 570*

Dimensions: Width 15", Height 42" Adjustable, Wire 12'

62-146 Polished Nickel / White
with removable aquamarine insert

Accessories:

Additional Stem Lengths:

25-126 (6"), **25-127** (12")

raindrop LED

Textured black metal supports and ribbed glass panels form handsome wall and ceiling fixtures that deliver soft, diffused light and thoroughly modern energy efficiency.

BIN LED



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 38", Width 7", Height 8 1/2", Wire 12'

62-109 Textured Black / Clear Ribbed Glass

Accessories:

Additional Stem Lengths:

25-2052 (6"), **25-2025** (12")



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 8 1/4", Height 11 3/8", Extension 3 7/8"

62-117 Textured Black / Clear Ribbed Glass

ADA Compliant



One Light Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 12", Width 12", Height 14", Wire 12'

62-108 Textured Black / Clear Ribbed Glass

Accessories:

Additional Stem Lengths:

25-2052 (6"), **25-2025** (12")

Comprised of just four frosted glass panes over a textured black metal frame, the Panel pendant is a beautifully proportioned paragon of simplicity and energy efficiency.

PANEL LED



One Light Pendant

Watts: 4.8

Lumen output: 285*

Dimensions: Length 12", Width 12",
Height 14", Wire 12'

62-107 Textured Black / Frosted Glass

Accessories:

Additional Stem Lengths:

25-2052 (6"), **25-2025** (12")

bin/panel LED

Twin ribs of brushed nickel or hazel bronze support a gently curved pane of frosted glass, creating an elegant, eye-catching new sconce and island pendant designed to complement most any decor.

TRAX LED



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 36", Width 7", Height 13½", Wire 12'

62-123 Hazel Bronze / Frosted Glass

Accessories:

Additional Stem Lengths:

25-4121 (6"), **25-4122** (12")



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7", Height 20", Extension 3 1/2"

62-122 Hazel Bronze / Frosted Glass

ADA Compliant



Three Light Island Pendant

Watts: 14.4

Lumen output: 855*

Dimensions: Length 36", Width 7", Height 13 1/2", Wire 12'

62-133 Brushed Nickel / Frosted Glass

Accessories:

Additional Stem Lengths:

25-2057 (6"), **25-2055** (12")



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 7", Height 20", Extension 3 1/2"

62-102 Brushed Nickel / Frosted Glass

ADA Compliant

trax LED

With a cylinder of etched opal glass flanked by supports of tapered brushed nickel or hazel bronze, Chase is a bold, substantial alternative to the traditional wall sconce.

CHASE LED



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 8", Height 12", Extension 4 1/2"

62-101 Brushed Nickel / Etched Opal Glass



One Light Wall Sconce

Watts: 4.8

Lumen output: 285*

Dimensions: Width 8", Height 12", Extension 4 1/2"

62-121 Hazel Bronze / Etched Opal Glass

Soft, diffused ambient light from stylish polished nickel or aged bronze sconces that consumes less than 5 watts of power.

TUCKER LED



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 6", Height 11 1/2", Extension 3 3/4"

62-185 Polished Nickel / Etched Opal Glass

ADA Compliant



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 6", Height 11 1/2", Extension 3 3/4"

62-186 Aged Bronze / Etched Opal Glass

ADA Compliant

chase/tucker LED

A wall sconce of polished nickel with one-of-a-kind sculptural elements and unsurpassed energy efficiency.

This decorative sconce of gleaming polished nickel or rich hazel bronze will make a unique design statement on any wall.

HARROW LED



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 7⁷/₈", Height 13",
Extension 3¹/₂"

62-199 Polished Nickel / Crystal Accents

ADA Compliant

COCO LED



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 7⁷/₈", Height 11³/₄", Extension 3³/₈"

62-169 Polished Nickel

62-179 Hazel Bronze

ADA Compliant

A handsome assertively modern wall sconce of aged bronze or polished nickel with a textured glass diffuser, powered by the very latest LED technology.

SIGNAL LED



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 7 1/2", Height 9 7/8", Extension 3 3/8"

62-148 Aged Bronze

ADA Compliant



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 7 1/2", Height 9 7/8", Extension 3 3/8"

62-149 Polished Nickel

ADA Compliant

harrow/coco/signal LED

A family of highly-efficient contemporary vanities of aged bronze, polished nickel or brushed nickel in one- to three-light configurations. Ideal for a variety of applications, including large projects.

MERCER LED



One Light Wall Sconce

Watts: 4.8

Lumens: 285*

Dimensions: Width 10", Height 4 1/8", Extension 3 1/2"

62-314 Georgetown Bronze / Frosted Glass

62-317 Brushed Nickel / Frosted Glass

62-311 Polished Nickel / Frosted Glass

ADA Compliant



Two Light Wall Sconce

Watts:9.6

Lumens: 570*

Dimensions: Width 20½", Height 4⅛", Extension 3½"

62-315 Georgetown Bronze / Frosted Glass

62-318 Brushed Nickel / Frosted Glass

62-312 Polished Nickel / Frosted Glass

ADA Compliant



Three Light Wall Sconce

Watts:14.4

Lumens: 855*

Dimensions: Width 27⅞", Height 4", Extension 3½"

62-316 Georgetown Bronze / Frosted Glass

62-319 Brushed Nickel / Frosted Glass

62-313 Polished Nickel / Frosted Glass

ADA Compliant

Chance, Dash, Harper and Dawson...
Flush ceiling domes in a range of spirited
designs, each available in polished nickel,
brushed nickel or aged bronze, all with the
circular Motivation LED light engine.

CHANCE LED



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-153 Polished Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-152 Aged Bronze / Frosted Glass

One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-151 Brushed Nickel / Frosted Glass

options

DASH LED



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-155 Aged Bronze / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-156 Polished Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 14", Height 4"

62-154 Brushed Nickel / Frosted Glass

chance/dash LED

HARPER LED



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 13", Height 6 1/4"

62-321 Polished Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 13", Height 6 1/4"

62-323 Brushed Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 13", Height 6 1/4"

62-322 Georgetown Bronze / Frosted Glass

DAWSON LED



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/8", Height 3 7/8"

62-326 Brushed Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/8", Height 3 7/8"

62-324 Polished Nickel / Frosted Glass



One Light Flush Dome

Watts: 20

Lumens: 1420*

Dimensions: Width 11 3/8", Height 3 7/8"

62-325 Georgetown Bronze / Frosted Glass

harper/dawson LED

A new world of design possibilities. Motivation™ by KolourOne®.

In its acclaimed Inspire collection of 2012, Nuvo introduced Motivation, a revolutionary new LED light engine from KolourOne. This year, Motivation is also available in a circular design less than an inch thick, opening a new world of design possibilities.

Completely self-contained, with no external drivers, the Motivation modules are as easy to change as a conventional bulb and are compatible with most dimmers. But with power consumption of as little as 5 watts and lifetime ratings of 30,000 hours, there's simply no comparison to conventional technologies.

Founded by Satco to bring more than 45 years of experience to the development of cutting-edge LED lighting, KolourOne designs and manufactures all of the chips, optics, drivers and heat sinks used in its innovative LED devices, delivering the superior efficiency, performance and reliability that KolourOne customers have come to expect.



Linear Module (4.8 W)
80-900 (2700K)
80-901 (3500K)

- Self-contained – plug and play design – easily replaceable modules with integrated power supply eliminates complex wiring; no need for external driver, heat sink or optics
- Space-saving design; integrated driver allows for very sleek, low profile fixture design
- Maximum life – rated at 30,000 hours – more than 10 years of typical use
- Maximum energy efficiency – savings of up to 80% over comparable incandescent bulbs; uses as little as 5 watts
- Fully dimmable – compatible with most conventional dimmers*
- RU damp location listed (linear module)
UL damp location listed (circular module)
- 3 year warranty**

LED specifications



Circular Module (20 W)
80-905 (2700K)
80-904 (3500K)

Parameter	Unit	Linear Specifications	Circular Specifications
Power Consumption	W	4.8	20
Volts	V	120V	120V
Color Temperature	K	2700 / 3500	2700 / 3500
Lumens	lm	285 / 300	1420 / 1450
Luminous Efficacy	lm/W	59	62
Color Rendering Index	Re	84 / 83	84 / 83
Beam Angle	Degrees (°)	110°	110°
Lifetime	Hours	30,000	30,000
Dimensions	Inches	2" (W) x 3/4" (H) x 6 1/2" (L)	8.125" (D) x 3/4" (H)
Base	Connector Type		Connector Type
Dimming	Yes*		Yes*

* Consult Satco or visit www.satco.com for an up to date dimmer compatibility list

** See separate warranty for complete terms and conditions..



NUVO®



Another innovative Satco brand
www.nuvolighting.com
 Catalog NU3070



National Toll-Free: **1.800.43.SATCO** (1.800.437.2826) www.satco.com

Corporate Offices & Distribution Center: **NEW YORK** 110 Heartland Blvd., Brentwood, NY 11717 800.437.2826 631.243.2022 Fax 631.243.2027

Distribution Centers: **FLORIDA** 900 N.W. 159th Drive, Miami, FL 33169 800.437.2826 305.624.2044 FAX 305.623.0286
CALIFORNIA 31288 San Benito St. Hayward, CA 94544 800.437.2826 510.487.4822 FAX 510.487.8955
WASHINGTON 4710 116th St. S.W., Mukilteo, WA 98275 800.437.2826 425.789.3300 FAX 425.789.3310
TEXAS 2000 Valwood Parkway, Farmers Branch, TX 75234 800.437.2826 972.247.2437 FAX 972.247.5408
PUERTO RICO Campeche St. 23, Julio N. Matos Industrial Park, Carolina, PR 00984 787.757.3510 FAX 787.757.3540



Like us!



Follow us!

© Copyright 2013, SATCO Products, Inc