

DWV

DC-DWV

© 1977-2019 Charlotte Pipe and Foundry Company

Plastic DWV Pipe and Fitting Dimensions



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

Table of Contents

| ABS "Foam Core" Schedule 40 DWV Pipe Data | 4 |
|--|--------|
| ABS Plus [®] "Foam Core" Schedule 40 DWV Pipe Data | |
| PVC "Foam Core" Schedule 40 DWV Pipe Data | 6 |
| RePVC [®] Schedule 40 DWV Pipe Data | 7 |
| PVC Schedule 40 DWV Pipe Data | 8 |
| D 3034 PVC Sewer Pipe Data | 9 |
| PVC D 2729 Sewer and Drain Pipe Data | 10 |
| ConnecTite [®] Push-Fit DWV Fittings | .11-12 |
| PVC and ABS DWV Fittings Dimensions | .13-67 |
| PVC Thin Wall Sch. 30 Pipe Data | 68 |
| PVC Thin Wall Sch. 30 Fittings | |
| Dimensions | .69-75 |
| Certification | .76-77 |
| Warranty | 78 |



Download our Tech Tools App for dimensional info, tech calculators and more on your mobile device.

Charlotte Pipe, ABS Plus, RePVC and ConnecTite are registered trademarks of Charlotte Pipe and Foundry Company.





ABS Schedule 40 DWV Pipe (For Non-Pressure Applications)

| ABS SCHED | ABS SCHEDULE 40 FOAM CORE (BLACK) PLAIN END ASTM F 628 | | | | | | | | |
|-----------|--|------------------|------|-------|-----------------------|------------------------------|--|--|--|
| PART NO. | NOM. SIZE | UPC # 611942- | | | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) | | | |
| ABS 3112 | 11⁄2″ x 10′ | 03132 | 2590 | 1.900 | 0.145 | 27.1 | | | |
| ABS 3112 | 11⁄2″ x 20′ | 03133 | 5180 | 1.900 | 0.145 | 27.1 | | | |
| ABS 3200 | 2″ x 10′ | 03134 | 1670 | 2.375 | 0.154 | 37.7 | | | |
| ABS 3200 | 2″ x 20′ | 03135 | 3340 | 2.375 | 0.154 | 37.7 | | | |
| ABS 3300 | 3″ x 10′ | 03136 | 750 | 3.500 | 0.216 | 74.5 | | | |
| ABS 3300 | 3″ x 20′ | 03137 | 1500 | 3.500 | 0.216 | 74.5 | | | |
| ABS 3400 | 4″ x 10′ | 03138 | 480 | 4.500 | 0.237 | 107.1 | | | |
| ABS 3400 | 4″ x 20′ | 03139 | 960 | 4.500 | 0.237 | 107.1 | | | |
| ABS 3600 | 6″ x 20′ | 03141 | 400 | 6.625 | 0.280 | 187.8 | | | |

NSF Listed. Meets All Requirements of ASTM F 628.



NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

over water boosters ONLY use PVC / ABS / CPVC pipe or

fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.



ABS Plus[®] Foam Core DWV Pipe

ABS Plus is a registered trademark of Charlotte Pipe and Foundry Company.

ABS Plus Schedule 40 DWV Pipe (For Non-Pressure Applications)

| ABS PLUS SC | HEDULE 40 FO | AM CORE (| BLACK) | PLAIN END |) AS | TM F 1488 | |
|-------------|--------------|------------------|------------------------|------------------|-----------------------|------------------------------|--|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID (FT.) | AVG. OD (IN.) | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) | |
| APA 17112 | 1½″ x 10′ | 12495 | 2590 | 1.900 | 0.145 | 31.4 | |
| APA 17112 | 1½″ x 20′ | 12494 | 5180 | 1.900 | 0.145 | 31.4 | |
| APA 17200 | 2″ x 10′ | 12497 | 1670 | 2.375 | 0.154 | 41.9 | |
| APA 17200 | 2″ x 20′ | 12496 | 3340 | 2.375 | 0.154 | 41.9 | |
| APA 17300 | 3″ x 10′ | 12499 | 750 | 3.500 | 0.216 | 84.0 | |
| APA 17300 | 3″ x 20′ | 12498 | 1500 | 3.500 | 0.216 | 84.0 | |
| APA 17400 | 4″ x 10′ | 12501 | 480 | 4.500 | 0.237 | 118.80 | |
| APA 17400 | 4″ x 20′ | 12500 | 960 | 4.500 | 0.237 | 118.80 | |

NSF Listed. Meets All Requirements of ASTM F 1488.



NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.



5



PVC Foam Core Pipe

PVC Schedule 40 DWV Pipe (For Non-Pressure Applications)

| PVC SCHEDU | PVC SCHEDULE 40 FOAM CORE (WHITE) PLAIN END ASTM F 891 | | | | | | | |
|------------|--|------------------|------------------------|------------------|-----------------------|------------------------------|--|--|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID (FT.) | AVG. OD (IN.) | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) | | |
| PVC 4112 | 11⁄2″ x 10′ | 04178 | 1650 | 1.900 | 0.145 | 32.3 | | |
| PVC 4112 | 11⁄2″ x 20′ | 04177 | 3300 | 1.900 | 0.145 | 32.3 | | |
| PVC 4200 | 2" x 10' | 04174 | 1110 | 2.375 | 0.154 | 43.9 | | |
| PVC 4200 | 2" x 20' | 04173 | 2220 | 2.375 | 0.154 | 43.9 | | |
| PVC 4300 | 3" x 10' | 03934 | 1040 | 3.500 | 0.216 | 89.7 | | |
| PVC 4300 | 3" x 20' | 03935 | 920 | 3.500 | 0.216 | 89.7 | | |
| PVC 4400 | 4" x 10' | 03936 | 600 | 4.500 | 0.237 | 123.8 | | |
| PVC 4400 | 4" x 20' | 03937 | 1200 | 4.500 | 0.237 | 123.8 | | |
| PVC 4600 | 6" x 10' | 03938 | 330 | 6.625 | 0.280 | 235.0 | | |
| PVC 4600 | 6" x 20' | 03939 | 660 | 6.625 | 0.280 | 235.0 | | |
| PVC 4800 | 8" x 20' | 03941 | 360 | 8.625 | 0.322 | 371.0 | | |
| PVC 4910 | 10" x 20' | 03942 | 220 | 10.750 | 0.365 | 566.3 | | |
| PVC 4912 | 12" x 20' | 03943 | 120 | 12.750 | 0.406 | 700.0 | | |

| PVC SCHEDULE 40 FOAM CORE (WHITE) BELL-END | | | | | | | |
|--|-----------|------------------|------------------------|------------------|-----------------------|------------------------------|--|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID (FT.) | AVG. OD (IN.) | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) | |
| PVC 4300B | 3″ x 20′ | 04782 | 920 | 3.500 | 0.216 | 89.7 | |
| PVC 4400B | 4″ x 10′ | 04783 | 540 | 4.500 | 0.237 | 123.8 | |
| PVC 4400B | 4″ x 20′ | 04784 | 1080 | 4.500 | 0.237 | 123.8 | |
| PVC 4600B | 6″ x 10′ | 09904 | 330 | 6.625 | 0.280 | 235.0 | |
| PVC 4600B | 6" x 20' | 04786 | 660 | 6.625 | 0.280 | 235.0 | |

NOTE: When ordering, please specify plain end or bell end.

NSF Listed. Meets All Requirements of ASTM F 891.



NOT FOR PRESSURE

Do not use PVC / ABS / ABS Plus® cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.



Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

cause severe injury or death. NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings. NEVER test PVC / ABS / CPVC pipe or

 NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.

over water boosters. ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.



NSF



RePVC is a registered trademark of Charlotte Pipe and Foundry Company.

PVC Schedule 40 DWV Pipe with Recycled Content (For Non-Pressure Applications)

| PVC SCHED | ULE 40 (WHITI | PLAIN | END | ASTM F 1760 | | |
|-----------|--|-------|-----------------------|------------------------------|-------|-------|
| PART NO. | NOM. SIZE UPC # QTY. PER AVG. OD (IN.) | | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) | | |
| PVC 15112 | 11⁄2″ x 20′ | 11744 | 3300′ | 1.900 | 0.145 | 50.7 |
| PVC 15200 | 2″ x 20′ | 11745 | 2220′ | 2.375 | 0.154 | 68.1 |
| PVC 15300 | 3″ x 20′ | 11746 | 920′ | 3.500 | 0.216 | 141.2 |
| PVC 15400 | 4″ x 20′ | 11748 | 1200′ | 4.500 | 0.237 | 201.2 |
| PVC 15600 | 6″ x 20′ | 11749 | 560′ | 6.625 | 0.280 | 353.7 |
| PVC 15800 | 8″ x 20′ | 11984 | 360′ | 8.625 | 0.322 | 544.6 |

NSF Listed. Meets All Requirements of ASTM D 4396 and ASTM F 1760.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.







NSF

PVC Schedule 40 DWV Pipe

PVC Schedule 40 DWV Pipe

| PVC SCHEDU | LE 40 (WHITE) | PLA | IN END | PVC 11 | 20 A | STM D 2665 |
|------------|------------------------|------------------|------------------|------------------|--------------------|------------------------------|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER Skid | AVG. OD (IN.) | MIN. WALL (IN.) | WT. PER 100 FT. (LBS.) |
| PVC 7100* | 1 ¹ /4″x10′ | 03945 | 2120′ | 1.660 | .140 | 42.4 |
| PVC 7100* | 1 ¹ /4″x20′ | 03946 | 4240′ | 1.660 | .140 | 42.4 |
| PVC 7112* | 1 ¹ /2″x10′ | 03947 | 1650′ | 1.900 | .145 | 51.8 |
| PVC 7112* | 1 ¹ /2″x20′ | 03948 | 3300′ | 1.900 | .145 | 51.8 |
| PVC 7200* | 2"x10' | 03949 | 1110′ | 2.375 | .154 | 69.5 |
| PVC 7200* | 2"x20' | 03950 | 2220′ | 2.375 | .154 | 69.5 |
| PVC 7300* | 3"x10' | 03951 | 1040′ | 3.500 | .216 | 144.2 |
| PVC 7300* | 3"x20' | 03952 | 920′ | 3.500 | .216 | 144.2 |
| PVC 7400† | 4"x10' | 03953 | 600′ | 4.500 | .237 | 205.5 |
| PVC 7400† | 4"x20' | 03954 | 1200′ | 4.500 | .237 | 205.5 |
| PVC 7500† | 5"x20' | 04837 | 760′ | 5.563 | .258 | 272.5 |
| PVC 7600† | 6"x10' | 03955 | 330′ | 6.625 | .280 | 361.2 |
| PVC 7600† | 6"x20' | 03956 | 660′ | 6.625 | .280 | 361.2 |
| PVC 7800† | 8″x10′ | 13087 | 180′ | 8.625 | .322 | 543.6 |
| PVC 7800† | 8″x20′ | 03958 | 360′ | 8.625 | .322 | 543.6 |
| PVC 7910† | 10"x20' | 03959 | 220′ | 10.750 | .365 | 770.7 |
| PVC 7912† | 12"x20' | 03961 | 120′ | 12.750 | .406 | 1019.0 |
| PVC 7914† | 14"x20' | 04862 | 60′ | 14.000 | .437 | 1205.0 |
| PVC 7916† | 16"x20' | 04918 | 60′ | 16.000 | .500 | 1575.7 |

* Dual Marked ASTM D 1785 & ASTM D 2665.

[†] Triple Marked ASTM D 1785 & ASTM D 2665 & ASTM F 480.

NSF Listed. Meets All Requirements of ASTM D 1784, ASTM D 1785, and ASTM D 2665.





Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death. . NEVER test with or transport/store



compressed air or gas in PVC / ABS / CPVC pipe or fittings. NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air

nttings with compressed air or gas, or air over water boosters. ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.

fittings for water or approved chemicals. Refer to warnings on PPFA's website and ASTM D 1785.



PVC Sewer Pipe

PVC SDR 35 PSM Pipe

ASTM D 3034 & ASTM F 477

| SDR-35 | GASKETED - PS 46 | | | | | | |
|-----------|------------------|------------------|------------------------|------------------|---------------------------|------------------|--------------------|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID (FT.) | LAYING Length | WT. PER 100 FT. (LBS.) | AVG. OD (IN.) | MIN. WALL (IN.) |
| S/M 6004G | 4″x14′ | 11920 | 840 | 14'-0" | 110.4 | 4.215 | .120 |
| S/M 6004G | 4″x20′ | 04012 | 1200 | 20'-0'' | 109.7 | 4.215 | .120 |
| S/M 6006G | 6″x14′ | 11921 | 462 | 14'-0'' | 249.6 | 6.275 | .180 |
| S/M 6006G | 6"x20' | 04016 | 660 | 20'-0" | 247.0 | 6.275 | .180 |
| S/M 6008G | 8″x14′ | 11922 | 140 | 14'-0" | 451.0 | 8.400 | .240 |

Weight is approximate and is for shipping purposes only.

| SDR-35 | SOLVENT WELD - PS 46 | | | | | | |
|----------|----------------------|------------------|------------------------|------------------|---------------------------|------------------|--------------------|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID (FT.) | LAYING LENGTH | WT. PER 100 FT. (LBS.) | AVG. OD (IN.) | MIN. WALL (IN.) |
| S/M 6004 | 4″x10′ | 04008 | 600 | 10'-0" | 108.3 | 4.215 | .120 |
| S/M 6004 | 4"x20' | 04009 | 1200 | 20'-0" | 108.3 | 4.215 | .120 |
| S/M 6006 | 6″x10′ | 04013 | 330 | 10′-0″ | 241.7 | 6.275 | .180 |
| S/M 6006 | 6″x20′ | 04014 | 660 | 20'-0" | 241.7 | 6.275 | .180 |

Weight is approximate and is for shipping purposes only.

Meets All Requirements of ASTM D 3034.

SDR 35 Gaskets meet or exceed ASTM F 477. Gasketed joints meet ASTM D 3212.





NOT FOR PRESSURE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.



 fittings for water or approved chemicals.
 Refer to warnings on PPFA's website and ASTM D 1785.

PVC Sewer and Drain Pipe

PVC ASTM D 2729 Pipe

| SOLVENT WELD BELLED END ASTM D 2729 | | | | | | | |
|-------------------------------------|-----------|------------------|------------------|------------------|--------------------|---------------------|---------------------------|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID | AVG. OD (IN.) | MIN. WALL (IN.) | BELL DEPTH (IN.) | WT. PER 100 FT. (LBS.) |
| PVC 30030 | 3″ x 10′ | 10903 | 810′ | 3.250 | 0.070 | 3.00 | 52.8 |
| PVC 30040 | 4″ x 10′ | 10905 | 500′ | 4.215 | 0.075 | 3.50 | 70.4 |

Perforated PVC ASTM D 2729 Pipe

| SOLVENT WELD BELLED END ASTM D 2729 | | | | | | | |
|-------------------------------------|-----------|------------------|------------------|------------------|--------------------|---------------------|---------------------------|
| PART NO. | NOM. SIZE | UPC # 611942- | QTY. PER SKID | AVG. OD (IN.) | MIN. WALL (IN.) | BELL DEPTH (IN.) | WT. PER 100 FT. (LBS.) |
| PVC 30030P | 3" x 10' | 11814 | 1040′ | 3.250 | 0.070 | 3.00 | 52.8 |
| PVC 30040P | 4″ x 10′ | 11815 | 500′ | 4.215 | 0.075 | 3.50 | 70.4 |

Perforated pipe is supplied with two rows of 1/2" diameter holes every five inches. Rows are parallel to the pipe axis and are 120° apart.

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTMD 2729.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.





NOT FOR PRESSURE


Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.



CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. CTT 100

| ConnecTite Coupling HUB X HUB | | | | | |
|----------------------------------|------|---------------------|--|--|--|
| SIZE | Α | В | | | |
| 11/2 | 1/8 | 2 ¹⁵ /32 | | | |
| 2 | 1⁄8 | 2 ¹⁹ /32 | | | |
| 3 | 6/32 | 3 ²¹ /32 | | | |



PART NO. CTT 300

| ConnecTite 1/4 Bend | | | | |
|---------------------|---------------------------|--|--|--|
| | HUB X HUB | | | |
| SIZE | Α | | | |
| 11/2 | 13⁄4 | | | |
| 2 | 2 ⁵ /16 | | | |
| 3 | 3 | | | |



PART NO. CTT 321

ConnecTite 1/8 Bend

| | HUB X HUB | | |
|------|---------------------|--|--|
| SIZE | A | | |
| 11/2 | 13/32 | | |
| 2 | 1 ¹⁵ /32 | | |
| 3 | 1 ¹¹ /16 | | |



* ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.

ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. CTT 400


| ConnecTite Sanitary Tee | | | |
|-------------------------|---------------------|---------------------|--|
| SIZE | Α | В | |
| 11/2 | 1 ²³ /32 | 2 ²¹ /32 | |
| 2 | 2%22 | 3 ¹⁹ /32 | |
| 3 | 31/32 | 4 ²⁵ /32 | |



PART NO. CTT 800S

ConnecTite Closet Flange

| HUB | | | | |
|-------|---|---------------------|------|---------------------|
| SIZE | Α | В | С | D |
| 4 x 3 | 7 | 2 ¹⁵ /32 | 7/16 | 1 ²³ /32 |




* ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.

ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.



PVC and ABS DWV Fittings

HUB DIMENSIONS



| | | ABS | | |
|------|-------|-------|-------|------|
| SIZE | Α | В | C | D |
| 1½ | 1.910 | 1.895 | .687 | .156 |
| 2 | 2.385 | 2.370 | .750 | .156 |
| 3 | 3.515 | 3.495 | 1.500 | .218 |
| 4 | 4.515 | 4.495 | 1.750 | .250 |
| 6 | 6.647 | 6.614 | 3.000 | .281 |

PVC

| | 110 | | |
|--------|---|---|--|
| A | В | C | D |
| 1.675 | 1.650 | .687 | .156 |
| 1.915 | 1.895 | .687 | .156 |
| 2.390 | 2.370 | .750 | .156 |
| 3.520 | 3.495 | 1.500 | .218 |
| 4.520 | 4.495 | 1.750 | .250 |
| 6.647 | 6.614 | 3.000 | .281 |
| 8.655 | 8.610 | 4.000 | .322 |
| 10.776 | 10.737 | 5.000 | .365 |
| 12.778 | 12.736 | 6.000 | .406 |
| 14.035 | 13.985 | 7.000 | .437 |
| 16.045 | 15.980 | 8.000 | .500 |
| | 1.675 1.915 2.390 3.520 4.520 6.647 8.655 10.776 12.778 14.035 | A B 1.675 1.650 1.915 1.895 2.390 2.370 3.520 3.495 4.520 4.495 6.647 6.614 8.655 8.610 10.776 10.737 12.778 12.736 14.035 13.985 | A B C 1.675 1.650 .687 1.915 1.895 .687 2.390 2.370 .750 3.520 3.495 1.500 4.520 4.495 1.750 6.647 6.614 3.000 8.655 8.610 4.000 10.776 10.737 5.000 12.778 12.736 6.000 14.035 13.985 7.000 |

| Coupling HUB X HUB | | | |
|-------------------------|-------------------|---------------------------|--|
| SIZE | Α | В | |
| 11/4 | 1/8 | 15⁄8 | |
| 11/2 (PVC) | 1⁄8 | 1%16 | |
| 11/2 (ABS) | 1/8 | 1% | |
| 2 (PVC) | ¹⁵ ⁄64 | 13⁄4 | |
| 2 (ABS) | 1⁄8 | 1 ¹³ ⁄16 | |
| 3 | ³ ⁄16 | 3 ³ ⁄16 | |
| 4 | 1/4 | 33⁄4 | |
| 6 | 1⁄4 | 61⁄4 | |
| 8 (PVC) | 1⁄4 | 81/4 | |
| 10 (PVC) | ⁵ ⁄16 | 10% | |
| 12 (PVC) | 3⁄8 | 13 7⁄16 | |
| 14 ^(F) (PVC) | 3 | 17 | |
| 16 ^(F) (PVC) | 3 % | 19 ¾ | |



Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.

| Female Adapter | | | |
|-------------------------|---------------------------------------|--|--|
| SIZE | Α | | |
| 11/2 (PVC) | 1/4 | | |
| 11/2 (ABS) | 3⁄16 | | |
| 2 (PVC) | 1/4 | | |
| 2 (ABS) | 5/32 | | |
| 3 (PVC) | 5⁄16 | | |
| 3 (ABS) | 7/32 | | |
| 4 | ¹¹ / ₃₂ | | |
| 6 (PVC) | 1⁄4 | | |
| 6 (ABS) | 3/32 | | |
| 8 (PVC) | ⁹ ⁄16 | | |
| 10 ^(F) (PVC) | 2 7/8 | | |
| 12 ^(F) (PVC) | 3 ³ ⁄ ₁₆ | | |



PART NO. PVC 101X

Female Adapter with Cleanout Plug

| FPT X HUB | | | |
|-------------------------|--------------------------|--|--|
| SIZE | | | |
| 8 (PVC) | See Part No. 101 and 106 | | |
| 10 ^(F) (PVC) | | | |
| 12 ^(F) (PVC) | | | |
| | | | |

(F) Fabricated

| Pipe Increaser–Reducer | | | |
|------------------------------|---|--|--|
| SIZE | Α | Ν | |
| 11/2 x 2 (PVC) | 2 ⁵ / ₃₂ | ¹⁷ / ₃₂ | |
| 11/2 x 2 (ABS) | 2 ³ / ₃₂ | 5⁄8 | |
| 1½ x 3 | 3 ¹¹ / ₃₂ | 13/32 | |
| 2 x 3 (PVC) | 35/32 | 7/8 | |
| 2 x 3 (ABS) | 317/32 | 11/8 | |
| 2 x 4 (PVC) | 4 | 13/8 | |
| 2 x 4 (ABS) | 4 ¹ / ₁₆ | 13/8 | |
| 3 x 4 | 43⁄16 | ¹⁵ ⁄16 | |
| 3 x 6 (PVC) | 6½ | 2 | |
| 4 x 6 (PVC) | 6%32 | 13⁄4 | |
| 4 x 8 (PVC) | 71/2 | 1 ²³ ⁄32 | |
| 6 x 8 (PVC) | 8 ¹³ / ₃₂ | 1 ¹³ /32 | |
| 4 x 10** (PVC) | 11 ²⁵ ⁄64 | 4 ¹⁵ ⁄32 | |
| 4 x 12** (PVC) | 133⁄8 | 5 ¹⁹ ⁄32 | |
| 4 x 14 ^(F) (PVC) | 19 | 9 ³ ⁄4 | |
| 4 x 16 ^(F) (PVC) | 205⁄8 | 10¼ | |
| 6 x 10 (PVC) | 9 ²⁷ / ₃₂ | 11/8 | |
| 6 x 12** (PVC) | 13¾ | 43⁄8 | |
| 6 x 14 ^(F) (PVC) | 203⁄4 | 1015/32 | |
| 6 x 16 ^(F) (PVC) | 221/8 | 10 ²³ ⁄32 | |
| 8 x 10 (PVC) | 103⁄4 | 11/16 | |
| 8 x 12 (PVC) | 123⁄4 | 2 ¹ / ₁₆ | |
| 8 x 14 ^(F) (PVC) | 221/2 | 11% | |
| 8 x 16 ^(F) (PVC) | 241/4 | 121/8 | |
| 10 x 12 (PVC) | 123⁄4 | 1 ¹¹ / ₁₆ | |
| 10 x 14 ^(F) (PVC) | 173⁄4 | 53⁄4 | |
| 10 x 16 ^(F) (PVC) | 25 | 12 | |
| 12 x 14 ^(F) (PVC) | 16 ¹¹ / ₁₆ | 3 ³ ⁄16 | |
| 12 x 16 ^(F) (PVC) | 203⁄4 | 67/16 | |
| 14 x 16 ^(F) (PVC) | 191⁄8 | 47/16 | |



(F) Fabricated

** Assembled from two molded components


Trap Adapter–Male, Less Washer & Metal Nut DWV SPIGOT X TUBULAR SLIP SIZE A

| 11/2 x 11/4 (PVC) | ³ / ₁₆ |
|-------------------|------------------------------|
| 11/2 | ³ / ₁₆ |
| 2 | 3/16 |

PART NO. 103P

Trap Adapter–Male, with Washer & Polyethylene Nut DWV SPIGOT X TUBULAR SLIP

| SIZE | Α | |
|-------------|------------------|--|
| 11/2 x 11/4 | 3⁄16 | |
| 11/2 | ³ ⁄16 | |
| 2 (PVC) | 3⁄16 | |




PART NO. PVC 103R

Trap Adapter–Male, with 11/2" PVC Nut & Washer & 11/2" x 11/4" Washer DWV SPIGOT X TUBULAR SLIP WITH PVC NUT

| SIZE | A | |
|------------|------------------|--|
| 11/2 (PVC) | ³ ⁄16 | |
| | | |

PART NO. 103W

| DWV SPIGOT X TUBULAR SLIP WITH PVC NUT | | | |
|--|------------------|--|--|
| SIZE | Α | | |
| 1½ x 1¼ | ³ ⁄16 | | |
| 11/2 | 3⁄16 | | |
| 2 | 3⁄16 | | |
| | | | |





PART NO. 103X

Trap Adapter–Male, with Washer & Chrome Nut DWV SPIGOT X TUBULAR SLIP SIZE 11/2 3/16 11/2 3/16

3/16

PART NO. 104

2 (PVC)

Trap Adapter—Female


NOTE: NOT A MALE ADAPTER.

| DWV HUB X TUBULAR SLIP | | |
|------------------------|------|--|
| SIZE | A | |
| 1½ x 1¼ | 5⁄16 | |
| 11/2 | 3⁄16 | |



PART NO. 104P


| Trap Adapter—Female, with Washer & Polyethylene Nut dwy Hub X TUBULAR SLIP | | | |
|--|------|--|--|
| SIZE | Α | | |
| 1½ x 1¼ | 5⁄16 | | |
| 11/2 | 3⁄16 | | |



PART NO. 104R

Trap Adapter-Female, with 1¹/2¹¹ PVC Nut & Washer & 1¹/2¹¹ x 1¹/4¹¹ Washer DWY HUB X TUBULAR SLIP WITH PVC NUT


| S | IZE | Α |
|---|-----|------------------|
| 1 | 1/2 | ³ ⁄16 |



PART NO. 104W

Trap Adapter—Female, with Washer & PVC Nut dwv HUB X TUBULAR SLIP WITH PVC NUT


| SIZE | A | |
|------------|------|--|
| 11⁄4 (ABS) | 3⁄16 | |
| 1½ x 1¼ | 5⁄16 | |
| 11/2 | 3⁄16 | |
| 2 (PVC) | 7/64 | |
| | | |



PART NO. 104X

Trap Adapter–Female, with Washer & Chrome Nut DWV HUB X TUBULAR SLIP

| SIZE | A | OBOERIOEII |
|-------------------|------|------------|
| JILL JAC (D)(O) | A | |
| 1 1⁄4 (PVC) | °⁄16 | |
| 11/2 x 11/4 (PVC) | 5⁄16 | |
| 11/2 | 3⁄16 | |



PART NO. 105

| Fitting Cleanout Adapter SPIGOT X FPT | | | |
|--|-------------------|-------------------------------|--|
| SIZE | A | В | |
| 11/4 (PVC) | 3/16 | 3⁄4 | |
| 11/2 (PVC) | 5/32 | 5⁄8 | |
| 11/2 (ABS) | ³ ⁄16 | ²³ /32 | |
| 2 (PVC) | 5/32 | 5⁄8 | |
| 2 (ABS) | 1/16 | ²⁷ / ₃₂ | |
| 3 (PVC) | 7/32 | 3⁄4 | |
| 3 (ABS) | 7/32 | 15/32 | |
| 4 (PVC) | 1⁄4 | 7⁄8 | |
| 4 (ABS) | 7/32 | 1%2 | |
| 6 (PVC) | 5⁄16 | 17/16 | |
| 8 (PVC) | 3⁄8 | 11/2 | |
| 10 ^(F) (PVC) | ¹⁵ /16 | 21/4 | |
| 12 ^(F) (PVC) | 11/8 | 27/16 | |



(F) Fabricated

PART NO. 105X

| Fitting Cleanout Adapter with Cleanout Plug SPIGOT X FPT | |
|--|--|
| SIZE A | |
| For dimensions see part numbers 105 and 106. | |

PART NO. 106

| Cleanout Plug | | | |
|---------------|---------------------|-------------------------------|--|
| | MP | T | |
| SIZE | A | В | |
| 11/2 | 13⁄8 | 5⁄8 | |
| 2 (PVC) | 13⁄8 | 5⁄8 | |
| 21/2 (ABS) | 11/2 | 3⁄4 | |
| 3 | 13⁄4 | 3⁄4 | |
| 4 | 11/8 | 7/8 | |
| 6 (PVC) | 2 | 1 | |
| 6 (ABS) | 11/8 | ³¹ / ₃₂ | |
| 8 (PVC) | 23/8 | 13⁄8 | |
| 10 (PVC) | 27/16 | 17/16 | |
| 12 (PVC) | 2 ¹⁷ /32 | 1 ¹⁷ /32 | |



| | I sh Bushin SPIGOT X HUB | g |
|----------------|------------------------------------|---|
| SIZE | C | |
| 11/2 X 11/4 | ³ /16 | |
| 2 x 1¼ | 5⁄16 | |
| 2 x 11/2 (PVC) | 5/16 | |
| 2 x 11/2 (ABS) | 1/8 | |
| 3 x 11/2 (PVC) | 1 | |
| 3 x 11/2 (ABS) | ^{25/} 32 | |
| 3 x 2 (PVC) | 7/8 | |
| 3 x 2 (ABS) | ²³ / ₃₂ | |
| 4 x 2 (PVC) | 11/8 | |
| 4 x 2 (ABS) | 1 ³ /16 | |
| 4 x 3 (PVC) | 1/2 | |
| 4 x 3 (ABS) | 1/4 | |
| 6 x 4 (PVC) | 13⁄4 | |
| 6 x 4 (ABS) | 1 ²¹ /32 | |
| 8 x 4 (PVC) | 27/8 | |
| 8 x 6 (PVC) | 15⁄/8 | |
| 10 x 4** (PVC) | 47/16 | |
| 10 x 6** (PVC) | 35/32 | |
| 10 x 8 (PVC) | 11/2 | |
| 12 x 4** (PVC) | 5 ⁵ /32 | |
| 12 x 6** (PVC) | 45/32 | |
| 12 x 8 (PVC) | 2 ¹ /2 | |
| 12 x 10 (PVC) | 11/2 | |



** Assembled from two molded components

PART NO. PVC 107

| Concentric Reducer Bushing SPIGOT X HUB | | | |
|--|----------|--|--|
| SIZE | C | | |
| 14 x 4 ^(F) (PVC |) 8 | | |
| 14 x 6 ^(F) (PVC | 863/64 | | |
| 14 x 8 ^(F) (PVC | 97/16 | | |
| 14 x 10 ^(F) (PV | C) 95% | | |
| 14 x 12 ^(F) (PV | C) 73/8 | | |
| 16 x 4(F) (PVC |) 83/4 | | |
| 16 x 6(F) (PVC |) 91/4 | | |
| 16 x 8 ^(F) (PVC) |) 101/4 | | |
| 16 x 10 ^(F) (PV | C) 101/8 | | |
| 16 x 12 ^(F) (PV | C) 105∕8 | | |
| 16 x 14 ^(F) (PV | C) 91/4 | | |



PART NO. 108

Flush Bushing (Cleanout Adapter) SPIGOT X FPT

| SIZE | С | |
|-----------------------------|----------------------------|--|
| 2 x 1½ | 5⁄16 | |
| 8 x 6 ^(CP) (PVC) | 15⁄8 | |
| 10 x 8 (PVC) | 11/2 | |
| 12 x 8 (PVC) | 1 ¹³ ⁄16 | |



PART NO. PVC 108X

Flush Bushing (Cleanout Adapter) with Plug

| SPIGOT | | | | |
|--------------|----------------|----------|---------|-----------|
| SIZE | Α | В | С | |
| 10 x 8 (PVC) | For dimensions | see part | numbers | 106 & 108 |
| 12 x 8 (PVC) | | | | |



(F) Fabricated

(CP) PVC 108, 8"x6" is available only as a component part of PVC 444X.

| Male Adapter Mpt X Hub Note: Not a trap adapter. Will, not accept a tail Piece. See part Number 104 | | | |
|--|------------------|--|--|
| SIZE | A | | |
| 11/4 (PVC) | ³ ⁄16 | | |
| 11/4 x 11/2 (PVC) | ³ ⁄16 | | |
| 11/2 | 3⁄16 | | |
| 2 | ³ ⁄16 | | |
| 3 | 3⁄8 | | |
| 4 | 3⁄8 | | |



(Octagon shoulders for tightening purposes.)

PART NO. 110

| Flush Cleanout Plug | | | |
|---------------------|-------------------------------|--|--|
| SIZE | A | | |
| 2 (PVC) | 5/8 | | |
| 2 (ABS) | ¹¹ / ₁₆ | | |
| 3 (PVC) | 3/4 | | |
| 3 (ABS) | ²⁷ / ₃₂ | | |
| 4 (PVC) | 3/4 | | |
| 4 (ABS) | 7/8 | | |

PART NO. 111

| Male Fitting Adapter MPT X SPIGOT | | | |
|--------------------------------------|---------------------------------------|-------------------|--|
| SIZE | Α | В | |
| 11/2 | 1 ¹³ ⁄16 | 3/4 | |
| 11/2 x 11/4 (PVC) | 1 ¹¹ /16 | ¹¹ /16 | |
| 2 (PVC) | 1 ¹⁵ /16 | 7/8 | |
| 2 (ABS) | 11/8 | 7/8 | |
| 3 (PVC) | 3 ¹ / ₁₆ | 11/2 | |



PVC & ABS DWV FITTINGS

| PART NO. PVC 113 | | | | |
|-------------------|-------|-------|--|--|
| Tray Plug Adapter | | | | |
| HUB | | | | |
| SIZE | Α | В | | |
| 11/2 (PVC) | 29/16 | 17/32 | | |



PART NO. ABS 113S Tray Plug Adapter

| SPIGUT | | | |
|------------|---------------|-----|--|
| SIZE | Α | В | |
| 11/2 (ABS) | 3 5⁄16 | 1⁄4 | |

PART NO. ABS 114

| Threaded Cap | | |
|--------------|-----|--|
| SIZE | Α | |
| 11/2 (ABS) | 7/8 | |

PART NO. PVC 115

| Adapter Coupling SDR 35 HUB X DWV HUB | | | |
|--|------|--|--|
| SIZE | Α | | |
| 8 ^(F) (PVC) | 13⁄4 | | |
| 10 ^(F) (PVC) | 31/2 | | |
| 10 x 8 ^(F) (PVC) | 31/2 | | |
| 12 ^(F) (PVC) | 1 | | |




- - B



(F) Fabricated

| Cap socket | | | |
|-------------------------|---------------------------------------|--------------------------------|--|
| SIZE | Α | C | |
| 11/2 (PVC) | 1 ¹⁵ /16 | 1 5⁄16 | |
| 11/2 (ABS) | 11⁄4 | 11/16 | |
| 2 (PVC) | 2 ⁵ / ₃₂ | 1% | |
| 2 (ABS) | 1 ³ ⁄16 | ³¹ / ₃₂ | |
| 3 (PVC) | 2 ¹⁵ /16 | 1 ²⁹ /32 | |
| 3 (ABS) | 2 ³ / ₃₂ | 1 ²⁷ /32 | |
| 4 (PVC) | 31/8 | 2 ¹ / ₃₂ | |
| 4 (ABS) | 2 ¹¹ /32 | 13⁄4 | |
| 6 (PVC) | 43⁄4 | 35⁄8 | |
| 6 (ABS) | 3 ¹⁵ /32 | 31/32 | |
| 8 (PVC) | 6 ¹³ /32 | 4 | |
| 10 (PVC) | 73⁄4 | 5 | |
| 12 (PVC) | 9 7⁄16 | 6 | |
| 14 ^(F) (PVC) | 51/2 | 5 ¹ /16 | |
| 16 ^(F) (PVC) | 53⁄4 | 51⁄4 | |





PART NO. 117

| Adapter Coupling (Adapts Sewer and Drain Spigot to DWV Spigot) HUB X HUB | | | |
|--|-----|--|--|
| SIZE | Α | | |
| 3 x 3 (PVC) | 1/8 | | |
| 4 x 3 | 3⁄4 | | |
| 4 x 4 (PVC) | 1/2 | | |
| 4 x 4 (ABS) | 3⁄8 | | |



(F) Fabricated

PART NO. PVC 117X

Adapter Coupling

| (Adapts Sewe | | ain Spigot to DWV Hub] | |
|--------------|-----|------------------------|--|
| HUB X SPG | | | |
| SIZE A | | | |
| 4 x 3 (PVC) | 1/4 | | |

PART NO. 118

Adapter Bushing (Adapts DWV Hub to Sewer and Drain Spigot) DWV SPIGOT X HUB

| SIZE | A | В | |
|---------|-----|------|--|
| 3 (PVC) | 1⁄4 | 13⁄4 | |
| 4 | 1⁄4 | 2 | |





PART NO. 119

No-Hub Adapter

(Adapts Cast Iron No-Hub Spigot to DWV Spigot)

| SPIGOT X HUB |
|---------------------------------------|
| A |
| 127/32 |
| 1 ²³ / ₃₂ |
| 15⁄8 |
| 111/16 |
| 1 ¹³ ⁄16 |
| 1 ²⁷ / ₃₂ |
| 2 ⁵ / ₃₂ |
| |



PART NO. PVC 120

Adapter Bushing

| DWV SPIGOT X SDR 35 HUB | | |
|-------------------------|-----------------|--|
| SIZE | Α | |
| 8 ^(F) (PVC) | 5/8 | |
| 10 ^(F) (PVC) | 5/8 | |
| 12 ^(F) (PVC) | 5/ ₈ | |

PART NO. 122

Spigot Adapter, Cast Iron (Adapts Cast Iron Spigot to DWV Spigot)

| HUB X HUB | | |
|-------------|------------------|--|
| SIZE | Α | |
| 2 x 2 | 3/8 | |
| 3 x 3 (PVC) | 7/16 | |
| 4 x 4 (PVC) | 1/2 | |
| 4 x 4 (ABS) | ⁷ /16 | |





PART NO. 123

Hub Adapter, Cast Iron (Adapts DWV Spigot to Cast Iron Hub)

| _ | HUB X SPIGOT | | |
|---|----------------------------|---------------------|--|
| | SIZE | Α | |
| | 2 x 2 ^(P) | 3 ²³ /32 | |
| | 3 x 3 ^(P) (PVC) | 45/64 | |
| | 4 x 4 ^(P) | 4 ²⁵ ⁄64 | |



(P) Plain End: Joint can be made with compression gasket only.

- A -

PART NO. PVC 123R

Hub Adapter, Cast Iron, Increaser (Adapts DWV Spigot to Cast Iron Hub)

| HUB X SPIGOT | | |
|----------------------------|------|--|
| SIZE | A | |
| 11/2 x 2(P) (PVC) | 31/2 | |
| 3 x 4 ^(P) (PVC) | 4 | |

PART NO. 130

| Repair Coupling HUB X HUB | | |
|------------------------------|---------------------|--|
| SIZE | A | |
| 11/2 (PVC) | 15% | |
| 11/2 (ABS) | 11/2 | |
| 2 (PVC) | 11/8 | |
| 2 (ABS) | 1 ¹³ ⁄16 | |
| 3 | 33/16 | |
| 4 (PVC) | 33⁄4 | |
| 4 (ABS) | 3 ¹⁷ /32 | |
| 6 (PVC) | 61⁄4 | |
| 8 ^(F) (PVC) | 83/16 | |
| 10 ^(F) (PVC) | 10 ³ ⁄16 | |
| 12 ^(F) (PVC) | 123/16 | |



(P) Plain End: Joint can be made with compression gasket only.

(F) Fabricated


PART NO. PVC 131

| Test Cap ^(C1) | | |
|--------------------------|------------------|--|
| SIZE | Α | |
| 11/2 (PVC) | 9/32 | |
| 2 (PVC) | 9/32 | |
| 3 (PVC) | ⁵ ⁄16 | |
| 4 (PVC) | 3⁄8 | |



PART NO. PVC 132

| Outside Diameter Test Cap ^(C2) | | |
|---|------------------|--|
| SIZE | A | |
| 11/2 (PVC) | 9⁄16 | |
| 2 (PVC) | 9⁄16 | |
| 3 (PVC) | ⁹ ⁄16 | |
| 4 (PVC) | 9⁄16 | |



PART NO. 300

| | 1/4 Bend | |
|-------------------------------|---------------------------|--|
| (Sanitary 90° Ell) ALL HUB | | |
| SIZE | ALL HUB | |
| 11/4 (PVC) | 1%16 | |
| 11/2 | 13⁄4 | |
| 2 (PVC) | 2 ⁵ /16 | |
| 2 (ABS) | 21/4 | |
| 3 | 3¹/ 16 | |
| 4 | 37⁄8 | |
| 6 | 5 | |
| 8 (PVC) | 6 | |
| 10 (PVC) | 9 %32 | |
| 12 (PVC) | 11 | |
| 14 ^(F) (PVC) | 16¾ | |
| 16 ^(F) (PVC) | 209/16 | |
| | | |

(C1) Inserts into pipe

(C2) Inserts over pipe

(F) Fabricated



PART NO. PVC 300A

| Sh | Short 1/4 Bend ^(N) (90° EII) ALL HUB | | | |
|-------------------------|---|--|--|--|
| SIZE | В | | | |
| 8 ^(N) (PVC) | 4½ | | | |
| 10 ^(N) (PVC) | 61⁄4 | | | |
| 12 ^(N) (PVC) | 75⁄16 | | | |



PART NO. 300R

| 1/4 Bend, Reducing ALL HUB | | | | | |
|-------------------------------|----------|--------------------------|--|--|--|
| SIZE | SIZE A B | | | | |
| 2 x 1½ | 27/16 | 2⁵/ 16 | | | |

PART NO. 300S

3 x 3 x 2


| 1/4 Bend with Side Inlet | | | | | |
|--------------------------|-------|------|-------------------|--|--|
| HUB X HUB | | | | | |
| SIZE A B C | | | | | |
| 3 x 3 x 1½ (PVC) | 35/64 | 11/8 | ¹⁵ /16 | | |

11/8

¹⁵⁄16

35/64





(N) Not a sanitary pattern

PART NO. PVC 301

| Vent 1/4 Bend, Street HUB X SPIGOT | | | | |
|---------------------------------------|-------|-----------------------------|--|--|
| SIZE | A | В | | |
| 8 ^(F) (PVC) | 4½ | 131⁄2 | | |
| 10 ^(F) (PVC) | 61⁄4 | 18¾ | | |
| 12 ^(F) (PVC) | 75⁄16 | 18 ¹³ ⁄16 | | |



PART NO. 302

| 1/4 Bend, Street (Sanitary 90° Street Ell) SPIGOT X HUB | | | | |
|---|--------------------|--------------------|--|--|
| SIZE | A | В | | |
| 11/4 (PVC) | 15⁄8 | 25/16 | | |
| 11/2 | 13⁄4 | 21/2 | | |
| 2 | 25⁄16 | 3 ¾16 | | |
| 3 | 3 ¹ /16 | 4%16 | | |
| 4 | 31/8 | 51/8 | | |
| 6 (PVC) | 53/16 | 81/8 | | |
| 8 (PVC) | 61⁄8 | 10 | | |
| 10 ^(F) (PVC) | 147/16 | 19 ³ ⁄4 | | |
| 12 ^(F) (PVC) | 163⁄8 | 19 | | |
| 14 ^(F) (PVC) | 16¼ | 23%16 | | |
| 16 ^(F) (PVC) | 191⁄8 | 237/16 | | |



(F) Fabricated

1/4 Bend, with Low Heel Inlet

| ALL HUB | | | |
|--------------------|---------------------------------------|--------------------|--|
| SIZE | A | В | |
| 3 x 3 x 11/2 (PVC) | 3 ¹ / ₁₆ | 4 ³ ⁄16 | |
| 3 x 3 x 11/2 (ABS) | 3 ¹ / ₁₆ | 4 ¹ /8 | |
| 3 x 3 x 2 | 31/16 | 47/16 | |
| 4 x 4 x 2 | 31/8 | 51/16 | |




PART NO. 304

| L | Long Sweep 1/4 Bend HUB X HUB | | | |
|---------|----------------------------------|--|--|--|
| SIZE | A | | | |
| 11/2 | 23⁄4 | | | |
| 2 | 31/4 | | | |
| 3 (PVC) | 4 ¹ / ₁₆ | | | |
| 3 (ABS) | 4 | | | |
| 4 | 4 ¹⁵ ⁄16 | | | |
| 6 (PVC) | 9 | | | |



PART NO. PVC 305

| Long Sweep 1/4 Bend with High Heel Inlet ALL HUB | | | | |
|--|--------------------------------|-----|------|--|
| SIZE | Α | В | C | |
| 3 x 3 x 2 (PVC) | 4 ¹ / ₁₆ | 51% | 21/4 | |



| Long Sweep 1/4 Bend with Low Heel Inlet ALL HUB | | | | |
|---|--------------------------------|---------------------|--|--|
| SIZE | Α | В | | |
| 3 x 3 x 1½ (ABS) | 4 | 4 ¹⁹ /32 | | |
| 3 x 3 x 2 (PVC) | 4 ¹ / ₁₆ | 4 ¹⁵ /16 | | |
| 3 x 3 x 2 (ABS) | 3 ¹⁵ /16 | 4 ¹³ ⁄16 | | |



PART NO. 309

| Long Sweep 1/4 Bend, Street HUB X SPIGOT | | | | |
|---|---------------------|---------------------------------|--|--|
| SIZE | Α | В | | |
| 11/2 (PVC) | 2 ³ /4 | 3 ¹⁹ / ₃₂ | | |
| 11/2 (ABS) | 2 ²⁵ /32 | 3 ¹⁵ / ₃₂ | | |
| 2 | 31⁄4 | 41⁄8 | | |
| 3 | 45/32 | 5%16 | | |
| 4 (PVC) | 4 ¹⁵ /16 | 6 ¹¹ /16 | | |




PART NO. 310

| with | 1/4 Bend, Street with Low Heel Inlet HUB X SPIGOT X HUB | | | | |
|------------|---|---------------------|------|--|--|
| SIZE A B C | | | | | |
| 3 x 3 x 2 | 3 1⁄16 | 5 ¹⁵ /16 | 4%16 | | |



PART NO. PVC 311

| Long Sweep 1/4 Bend, with Side Inlet | | | | |
|---|-------|------|------|--|
| ALL HUB | | | | |
| SIZE | Α | В | С | |
| 3 x 3 x 2 (PVC) | 41⁄16 | 13⁄8 | 13⁄4 | |



PART NO. 319

| 1/6 Bend (60° EII) HUB X HUB | | | | |
|------------------------------------|---------------------|--|--|--|
| SIZE | A | | | |
| 11/2 | 1 | | | |
| 2 (PVC) | 15/16 | | | |
| 2 (ABS) | 11/4 | | | |
| 3 | 1 ¹¹ /16 | | | |
| 4 (PVC) | 21/16 | | | |
| 4 (ABS) | 2 | | | |

PART NO. 320

| : | 1/6 Bend (60° Stre HUB X S | et Ell) | : |
|---------|----------------------------------|---------------------------------------|---|
| SIZE | Α | В | |
| 11/2 | 1 | 13⁄4 | |
| 2 | 15/16 | 2 ³ / ₁₆ | |
| 3 | 1 ¹¹ /16 | 3 ³ /16 | |
| 4 (PVC) | 2 ¹ / ₁₆ | 3 ¹³ ⁄16 | |



CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 321

| | 1/8 Bend (45° EII) HUB X HUB | |
|-------------------------|------------------------------------|--|
| SIZE | A | |
| 11/4 (PVC) | 1 | |
| 11/2 | 11/8 | |
| 2 | 11/2 | |
| 3 | 13⁄4 | |
| 4 | 23/16 | |
| 6 | 21/16 | |
| 8 (PVC) | 21/16 | |
| 10 (PVC) | 31/8 | |
| 12 (PVC) | 3 ³¹ / ₆₄ | |
| 14 ^(F) (PVC) | 81/4 | |
| 16 ^(F) (PVC) | 105⁄16 | |



PART NO. 323

1/8 Bend, Street

| | (45° Stre SPIGOT) | | |
|-------------------------|--|---------------------------|--|
| SIZE | Α | В | |
| 11/4 (PVC) | 1 | 13⁄4 | |
| 11/2 (PVC) | 11⁄8 | 11/8 | |
| 11/2 (ABS) | 11/16 | 11⁄8 | |
| 2 (PVC) | 11/2 | 23/8 | |
| 2 (ABS) | 1 ¹⁵ /32 | 21⁄8 | |
| 3 | 13⁄4 | 31⁄4 | |
| 4 | 2 ³ /16 | 3 ¹⁵ /16 | |
| 6 (PVC) | 2 ¹ / ₁₆ | 55/64 | |
| 6 (ABS) | 21/16 | 5 | |
| 8 (PVC) | 2 | 6 ³ ⁄32 | |
| 10 (PVC) | 31⁄8 | 8 ⁵ /32 | |
| 12 (PVC) | 3 ³¹ / ₆₄ | 91⁄2 | |
| 14 ^(F) (PVC) | 9¾ | 15%16 | |
| 16 ^(F) (PVC) | 105⁄16 | 18½ | |



(F) Fabricated

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 324

| | 1/16 Ben (22 ¹ /2° EII) HUB X HUB | d |
|-------------------------|--|---|
| SIZE | A | |
| 11/2 | 1/2 | |
| 2 (PVC) | ¹¹ / ₁₆ | |
| 2 (ABS) | 1/2 | |
| 3 | ¹³ /16 | |
| 4 | 1 | |
| 6 | 11/2 | |
| 8 (PVC) | 11/2 | |
| 10 (PVC) | 2 | |
| 12 (PVC) | 2 | |
| 14 ^(F) (PVC) | 5 ¹ /4 | |
| 16 ^(F) (PVC) | 5 ¹³ /16 | |




PART NO. 326

| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
|--|
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| 3 13/16 25/16 |
| |
| |
| 4 1 23/4 |
| 6 (PVC) 11/2 53/64 |
| 8 ^(F) (PVC) 6 ¹ / ₈ 10 ¹⁵ / ₁₆ |
| 10 ^(F) (PVC) 5 ¹¹ / ₁₆ 11 ³ / ₄ |
| 12 ^(F) (PVC) 5 ¹ / ₂ 14 ¹ / ₁₆ |
| 14 ^(F) (PVC) 6 ⁹ / ₁₆ 13 ⁷ / ₈ |
| 16 ^(F) (PVC) 8 ⁵ ⁄ ₁₆ 16 ³ ⁄ ₄ |



(F) Fabricated

| SIZE A B $1\frac{1}{2}$ $1\frac{3}{4}$ $1\frac{3}{4}$ 2 (PVC) $2\frac{5}{16}$ $2\frac{5}{16}$ 2 (ABS) $2\frac{1}{4}$ $2\frac{5}{16}$ 3 (PVC) $3\frac{1}{16}$ $3\frac{1}{16}$ 3 (ABS) 3 3 2 x $1\frac{1}{2}$ x $1\frac{1}{2}$ (PVC) $1\frac{15}{16}$ $2\frac{3}{16}$ | Double 1/4 Bend | | | | |
|---|-----------------------|---------------------------------------|---------------------------------------|--|--|
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | SIZE | Α | В | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 11/2 | 1¾ | 13⁄4 | | |
| 3 (PVC) 31/16 31/16 3 (ABS) 3 3 2 x 11/2 x 11/2 (PVC) 115/16 23/16 | 2 (PVC) | 2 ⁵ /16 | 2⁵/ 16 | | |
| 3 (ABS) 3 3 2 x 11/2 x 11/2 (PVC) 115/16 23/16 | 2 (ABS) | 21/4 | 2 5⁄16 | | |
| 2 x 11/2 x 11/2 (PVC) 115/16 23/16 | 3 (PVC) | 3 ¹ / ₁₆ | 3 ¹ / ₁₆ | | |
| | 3 (ABS) | 3 | 3 | | |
| 0 x 11/ x 11/ (ADC) 129/ 0 | 2 x 11/2 x 11/2 (PVC) | 1 ¹⁵ /16 | 2³⁄ 16 | | |
| 2 X 1 /2 X 1 /2 (ADO) 12/32 Z | 2 x 1½ x 1½ (ABS) | 1 ²⁹ ⁄32 | 2 | | |



PART NO. PVC 328

| | 1/32 Bend нив х нив | I |
|-------------------------|------------------------|---|
| SIZE | Α | |
| 8 ^(F) (PVC) | 51⁄8 | |
| 10 ^(F) (PVC) | 57/8 | |
| 12 ^(F) (PVC) | 5 ¹¹ /16 | |

PART NO. ABS 328X

Closet Bend, Reducing, Short with Test Cap

| _ | HUB X SPG | | | | |
|---|-------------|------|---------------------|--|--|
| | SIZE | A | В | | |
| | 3 x 4 (ABS) | 5½16 | 3 ^{11/} 32 | | |



P V C

(F) Fabricated

| Closet Bend, Reducing HUB X HUB | | | | |
|------------------------------------|--------------------|-------------------|--|--|
| SIZE | Α | В | | |
| 3 x 4 (PVC) | 3 | 3 ³ /8 | | |
| 3 x 4 (ABS) | 3 ³ /32 | 37/16 | | |



PART NO. 330

| Closet Bend, Reducing HUB X SPIGOT | | | | |
|---------------------------------------|---|---------------------|--|--|
| SIZE | Α | В | | |
| 3 x 4 (PVC) | 6 | 35⁄8 | | |
| 3 x 4 (ABS) | 6 | 3 ¹³ /32 | | |



PART NO. ABS 330X

| Closet Bend, Reducing with Test Cap HUB X SPIGOT | | | cing |
|--|---|---|------|
| SIZE | Α | В | |
| 3 x 4 (ABS) | 6 | 5 | |

PART NO. 331

Vent Ell

| (90° Short Turn Ell) HUB X HUB | | | | |
|-----------------------------------|---------------------------|--|--|--|
| SIZE | Α | | | |
| 11/2 | 1 ³ ⁄16 | | | |
| 2 | 11/2 | | | |
| 3 | 11/8 | | | |





CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 333

| Vent Ell, Street (90° Short Turn Street Ell) HUB X SPIGOT | | | | |
|---|-------|----------------------------|--|--|
| SIZE | A | В | | |
| 11/2 (PVC) | 17⁄32 | 1 ¹⁵ ⁄16 | | |
| 11/2 (ABS) | 13/16 | 1 ¹⁵ ⁄16 | | |
| 2 | 11/2 | 23/8 | | |
| 3 (PVC) | 11/8 | 31/2 | | |



PART NO. 400


| Sanitary Tee | | | | |
|---------------------------------------|--|--|--|--|
| A | В | | | |
| 1%16 | 25/16 | | | |
| 13⁄4 | 23/4 | | | |
| 1 ²³ ⁄32 | 2 ²¹ /32 | | | |
| 2 ⁵ /16 | 3 ¹¹ / ₁₆ | | | |
| 2 ⁵ /16 | 3 ¹⁹ / ₃₂ | | | |
| 3 ¹ / ₁₆ | 41/8 | | | |
| 31/32 | 4 ¹³ ⁄16 | | | |
| 31/8 | 61⁄8 | | | |
| 5 | 8 ½ | | | |
| 6 | 101⁄2 | | | |
| 16 ¹³ ⁄32 | 16½ | | | |
| 19½ | 19 ½ | | | |
| | ALL H A 1%16 1%16 1%2 25/16 25/16 25/16 31/16 31/13 2 37/8 5 6 6 16 ¹³ /32 | $\begin{array}{c c c c c c c c c c c c c c c c c c c $ | | |



(F) Fabricated

PART NO. PVC 400A

| Straight Tee ^(N) ALL HUB | | | | | |
|--|--------|-----------------------------|---|-------------------------------|--|
| SIZE | A | В | C | E | |
| 8 ^(N) (PVC) | 9 | 41/2 | 41/2 | 4 ¹ / ₂ | |
| 10 ^(N) (PVC) | 12½ | 6¼ | 6¼ | 6 ⁵ /16 | |
| 12 ^(N) (PVC) | 147⁄16 | 71/32 | 71/32 | 71⁄4 | |
| 14 ^{(N)(F)} (PVC) | 21 | 10½ | 101/2 | 115⁄% | |
| 16 ^{(N)(F)} (PVC) | 237/8 | 11 ¹⁵ ⁄16 | 11 ¹⁵ ⁄ ₁₆ | 1 4¾16 | |



PART NO. 401

| Sanitary Tee, Reducing ALL HUB | | | | | |
|-----------------------------------|---------------------------------------|---------------------------------------|--------------------------------|--|--|
| SIZE | A | В | C | | |
| 2 x 11/2 x 11/2 (PVC) | 2 ³ /16 | 31/8 | 1 ¹⁵ ⁄16 | | |
| 2 x 11/2 x 11/2 (ABS) | 2 ⁵ / ₃₂ | 3 ¹ / ₁₆ | 1 ²⁹ /32 | | |
| 2 x 11/2 x 2 (PVC) | 2 5⁄16 | 3 ¹¹ / ₁₆ | 2 ⁵ ⁄16 | | |
| 2 x 11⁄2 x 2 (ABS) | 2 %32 | 3 ¹⁹ / ₃₂ | 21/4 | | |
| 2 x 2 x 1½ | 2 ³ ⁄16 | 31/8 | 1 ¹⁵ ⁄16 | | |
| 3 x 3 x 11/2 (PVC) | 2 %16 | 211/16 | 1¾ | | |
| 3 x 3 x 1½ (ABS) | 21/2 | 25⁄8 | 1 ²³ /32 | | |
| 3 x 3 x 2 (PVC) | 27/8 | 3 5⁄16 | 21/8 | | |
| 3 x 3 x 2 (ABS) | 27/8 | 31⁄4 | 21/32 | | |
| 4 x 4 x 11/2 (PVC) | 3¼ | 3 ¹ / ₁₆ | 2 | | |
| 4 x 4 x 2 | 3 5⁄16 | 3 ³ ⁄16 | 2 ¹ / ₁₆ | | |
| 4 x 4 x 3 (PVC) | 3 %16 | 43⁄4 | 3 | | |
| 4 x 4 x 3 (ABS) | 317/32 | 4 ²¹ /32 | 2 ³¹ /32 | | |
| 6 x 6 x 4 (PVC) | 4 ²⁷ / ₃₂ | 6 ³ ⁄64 | 3 ²⁵ /32 | | |
| 6 x 6 x 4 (ABS) | 4%32 | 5 ²⁵ ⁄32 | 3 ¹⁹ /32 | | |
| 8 x 8 x 4** (PVC) | 91⁄8 | 107/16 | 6 | | |
| 8 x 8 x 6** (PVC) | 73⁄4 | 10 ³¹ / ₆₄ | 63/64 | | |




(F) Fabricated

- (N) Not a sanitary pattern
- ** Assembled from two molded components

PART NO. PVC 401A

Straight Tee, Reducing ^(N)

| ALL HUB | | | | | |
|--------------------------------------|---|--------|--------------------|--|--|
| SIZE | Α | В | C | | |
| 8 x 8 x 4 ^{(N)**} (PVC) | 71/8 | 101/2 | 5¼ | | |
| 8 x 8 x 6 ^{(N)**} (PVC) | 61/8 | 101⁄2 | 5¼ | | |
| 10 x 10 x 4 ^{(N)**} (PVC) | 91⁄4 | 10¾ | 5 ³ ⁄16 | | |
| 10 x 10 x 6 ^{(N)**} (PVC) | 8 | 103⁄8 | 5 ³ ⁄16 | | |
| 10 x 10 x 8 ^(N) (PVC) | 6 ¹¹ /32 | 103⁄8 | 5 ³ ⁄16 | | |
| 12 x 12 x 4 ^{(N)***} (PVC) | 9 ²⁷ / ₃₂ | 101⁄4 | 51/8 | | |
| 12 x 12 x 6 ^{(N)**} (PVC) | 8 ²⁹ /32 | 101⁄4 | 51⁄8 | | |
| 12 x 12 x 8 ^(N) (PVC) | 75/32 | 101⁄4 | 51⁄8 | | |
| 12 x 12 x 10 ^(N) (PVC) | 73⁄16 | 121/16 | 67/32 | | |
| 14 x 14 x 4 ^{(N)(F)} (PVC) | 10 ¹¹ / ₁₆ | 10 | 5 | | |
| 14 x 14 x 6 ^{(N)(F)} (PVC) | 111/4 | 12 | 6 | | |
| 14 x 14 x 8 ^{(N)(F)} (PVC) | 115⁄8 | 15 | 71⁄2 | | |
| 14 x 14 x 10 ^{(N)(F)} (PVC) | 12 | 17 | 8½ | | |
| 14 x 14 x 12 ^{(N)(F)} (PVC) | 123⁄8 | 19 | 9½ | | |
| 16 x 16 x 4 ^{(N)(F)} (PVC) | 12 ¹⁵ ⁄16 | 103⁄8 | 5 ³ ⁄16 | | |
| 16 x 16 x 6 ^{(N)(F)} (PVC) | 121⁄4 | 14 | 7 | | |
| 16 x 16 x 8 ^{(N)(F)} (PVC) | 125⁄/8 | 16 | 8 | | |
| 16 x 16 x 10 ^{(N)(F)} (PVC) | 13 | 18 | 9 | | |
| 16 x 16 x 12 ^{(N)(F)} (PVC) | 137/16 | 19¾ | 91/8 | | |
| 16 x 16 x 14 ^{(N)(F)} (PVC) | 13 ¹⁵ ⁄16 | 23 | 11½ | | |



(F) Fabricated

(N) Not a sanitary pattern

** Assembled from two molded components

*** Assembled from three molded components

| Sanitary Tee, Street SPIGOT X HUB X HUB | | | | |
|--|---------------------------|---------------------------------|---------------------|--|
| SIZE | Α | В | С | |
| 11/2 (PVC) | 13⁄4 | 31/2 | 21/2 | |
| 11/2 (ABS) | 1 ²³ /32 | 3 ¹³ / ₃₂ | 2 ¹⁵ /32 | |
| 2 (PVC) | 25/16 | 4%16 | 37/32 | |
| 2 (ABS) | 2 ⁵ /16 | 4 ¹⁵ /32 | 3 1⁄8 | |
| 3 | 3 | 63⁄8 | 4%16 | |
| 4 | 31/8 | 71/8 | 55⁄8 | |



_

PART NO. 404

| Sanitary Tee, Street Reducing SPIGOT X HUB X HUB | | | | | |
|---|---------------------------------------|---------------------|----------------------------|--|--|
| SIZE | Α | В | C | | |
| 2 x 11/2 x 11/2 (PVC) | 2 ⁵ / ₃₂ | 4 | 2 ²⁷ /32 | | |
| 2 x 11/2 x 11/2 (ABS) | 2 ³ /16 | 4 | 2 ³ /4 | | |
| 2 x 11/2 x 2 (ABS) | 2⁵/ 16 | 4 ¹⁷ /32 | 31/8 | | |
| 2 x 2 x 11/2 (PVC) | 21/8 | 4 | 27/8 | | |
| 2 x 2 x 11/2 (ABS) | 2 ⁵ / ₃₂ | 3 ¹⁵ /16 | 27/8 | | |
| 3 x 3 x 1½ | 2 %16 | 4 ³ ⁄16 | 31⁄4 | | |
| 3 x 3 x 2 | 27/8 | 43⁄4 | 35⁄8 | | |
| 4 x 4 x 2 (PVC) | 35/16 | 4 ¹⁵ ⁄16 | 3 ¹³ ⁄16 | | |




| Tee Cross ALL HUB | | | | | |
|--|------------|-------------------|---------------------------|--|--|
| SIZE | Α | В | C | | |
| 6 x 6 x 4 x 4 ^(F) (PVC) | 511/16 | 9 ¹ /4 | 45/8 | | |
| 6 x 6 x 6 x 6 ^(F) (PVC) | 61⁄8 | 10¾ | 5 ³ /8 | | |
| 8 x 8 x 4 x 4 ^(F) (PVC) | 65/16 | 81/8 | 47/16 | | |
| 8 x 8 x 6 x 6 ^(F) (PVC) | 71/32 | 101/8 | 51/16 | | |
| 8 x 8 x 8 x 8 x 8 ^(F) (PVC) | 85/16 | 131⁄8 | 6 %16 | | |
| 10 x 10 x 4 x 4 ^(F) (PVC) | 73⁄4 | 12 | 6 | | |
| 10 x 10 x 6 x 6 ^(F) (PVC) | 8 ½ | 11½ | 5 ³ ⁄4 | | |
| 10 x 10 x 8 x 8 ^(F) (PVC) | 87⁄8 | 131/2 | 63⁄4 | | |
| 10 x 10 x 10 x 10 ^(F) (PVC) | 8 | 18¾ | 9 ³ ⁄16 | | |
| 12 x 12 x 4 x 4 ^(F) (PVC) | 87/8 | 10 | 5 | | |
| 12 x 12 x 6 x 6 ^(F) (PVC) | 93⁄4 | 12 | 6 | | |
| 12 x 12 x 8 x 8 ^(F) (PVC) | 97⁄8 | 15¾ | 71/8 | | |
| 12 x 12 x 10 x 10 ^(F) (PVC) | 10¼ | 16 | 8 | | |
| 12 x 12 x 12 x 12 ^(F) (PVC) | 91⁄8 | 21 | 101⁄2 | | |



PART NO. 416

Sanitary Tee with Left Side Inlet

| ALL HUB | | | | |
|---------------------|--------------------|---------------------|--|--|
| SIZE | Α | В | С | |
| 3 x 3 x 3 x 1½ | 3 ½16 | 47⁄8 | 3 ¹¹ / ₁₆ | |
| 3 x 3 x 3 x 2 (PVC) | 3 ¹ /16 | 41⁄8 | 3 ¹¹ /16 | |
| 3 x 3 x 3 x 2 (ABS) | 3 ½2 | 4 ¹³ ⁄16 | 3 ²³ /32 | |
| 4 x 4 x 4 x 2 (PVC) | 31/8 | 61⁄8 | 5 | |



& ABS DWV FITTINGS

P V C

(F) Fabricated

Sanitary Tee with Right Side Inlet

| ALL HUB | | | | |
|---------------------|--|---------------------|--|--|
| SIZE | A B | C | | |
| 3 x 3 x 3 x 1½ | 31/16 47/8 | 3 ¹¹ /16 | | |
| 3 x 3 x 3 x 2 (PVC) | 31/16 47/8 | 3 ¹¹ /16 | | |
| 3 x 3 x 3 x 2 (ABS) | 3 ¹ /32 4 ²⁷ /32 | 35/8 | | |
| 4 x 4 x 4 x 2 (PVC) | 37/8 61/8 | 5 | | |










PART NO. 418

Sanitary Tee with Left & Right Side Inlets

| ALL HUB | | | | |
|-------------------------|---------------------------------------|------|---------------------|--|
| SIZE | Α | В | C | |
| 3 x 3 x 3 x 2 x 2 | 3 ¹ / ₁₆ | 41/8 | 3 ¹¹ /16 | |
| 4 x 4 x 4 x 2 x 2 (PVC) | 37/8 | 61/8 | 5 | |

PART NO. 428

| Double Sanitary Tee (Sanitary Cross) ALL HUB | | | |
|--|---------------------------|--|--|
| SIZE | Α | В | |
| 11/2 (PVC) | 13⁄4 | 2 ³ /4 | |
| 11/2 (ABS) | 1 ²³ /32 | 25/8 | |
| 2 (PVC) | 25/16 | 3 ¹¹ / ₁₆ | |
| 2 (ABS) | 2 ⁵ /16 | 3 %16 | |
| 3 | 31⁄16 | 47⁄8 | |
| 4 (PVC) | 31/8 | 61⁄8 | |
| 4 (ABS) | 3 ²⁷ /32 | 61/32 | |



| Double Sanitary Tee, Reducing (Sanitary Cross) ALL HUB | | | | | |
|--|---------------------------------------|---------------------------------|---------------------------------|--|--|
| SIZE | A | В | C | | |
| 2 x 2 x 11/2 x 11/2 (PVC) | 2 ³ ⁄16 | 31⁄8 | 1 ¹⁵ /16 | | |
| 2 x 2 x 11/2 x 11/2 (ABS) | 2 ⁵ / ₃₂ | 35/32 | 2 | | |
| 3 x 3 x 1½ x 1½ (PVC) | 29/16 | 2 ¹¹ /16 | 13⁄4 | | |
| 3 x 3 x 11/2 x 11/2 (ABS) | 2 ¹ / ₂ | 2 ¹⁹ /32 | 15⁄8 | | |
| 3 x 3 x 2 x 2 (PVC) | 21/8 | 35⁄16 | 21/8 | | |
| 3 x 3 x 2 x 2 (ABS) | 2 ²⁹ /32 | 37/32 | 25/32 | | |
| 4 x 4 x 2 x 2 (PVC) | 3 ⁵ /16 | 3 ³ ⁄16 | 2 ¹ / ₁₆ | | |
| 4 x 4 x 2 x 2 (ABS) | 3 %32 | 31⁄8 | 2 | | |
| 4 x 4 x 3 x 3 (PVC) | 3 %16 | 43⁄4 | 3 | | |
| 4 x 4 x 3 x 3 (ABS) | 35⁄8 | 4 ²¹ / ₃₂ | 2 ³¹ / ₃₂ | | |




PART NO. PVC 431

Double Sanitary Tee Street, Reducing (Sanitary Cross) SPIGOT X HUB X HUB X HUB

| SIZE | A | В | С |
|---------------------------|------|--------------------|------|
| 3 x 3 x 11/2 x 11/2 (PVC) | 2%16 | 4 ³ ⁄16 | 31/4 |



| Double Sanitary Tee with Side Inlet (Sanitary Cross) ALL HUB | | | | | |
|--|-------|------|----------------------------|--|--|
| SIZE | Α | В | C | | |
| 3 x 3 x 3 x 3 x 2 (PVC) | 31/16 | 41/8 | 3 ¹ 1⁄16 | | |
| 4 x 4 x 4 x 4 x 2 (PVC) | 31/8 | 6½ | 5 | | |






PART NO. PVC 439

Double Sanitary Tee with Left & Right Side Inlets íSa

| ALL HUB | | | | | |
|-------------------|-------|------|--|--|--|
| SIZE | Α | В | С | | |
| 3x3x3x3x2x2 (PVC) | 31/16 | 41/8 | 3 ¹ ¹ / ₁₆ | | |
| 4x4x4x4x2x2 (PVC) | 31/8 | 6½ | 5 | | |
| | | | | | |





PART NO. 441

| | Vent ALL H | | |
|------------|---------------------|---------------------|--|
| SIZE | A | В | |
| 11/2 (PVC) | 13⁄16 | 23/8 | |
| 11⁄2 (ABS) | 17⁄32 | 2 ¹³ /32 | |
| 2 | 11⁄2 | 3 | |
| 3 (PVC) | 11⁄8 | 33⁄4 | |
| 3 (ABS) | 1 ¹⁵ ⁄16 | 33⁄4 | |
| 4 (PVC) | 21/2 | 5 | |



PART NO. 444X

| Cleanout Tee HUB | with Cle X HUB X FF | | Plug |
|-----------------------------------|---------------------------------|--------|---------------------------|
| SIZE | Α | В | С |
| 11/2 | 1 ¹⁵ ⁄16 | 23/8 | 1 ³ ⁄16 |
| 2 | 21/4 | 3 | 11/2 |
| 3 | 2 ¹¹ / ₁₆ | 31/8 | 1 ¹⁵ /16 |
| 4 | 33/8 | 51⁄8 | 21/16 |
| 6 (PVC) | 4 | 8 | 4 |
| 6 x 6 x 4** (PVC) | 8 | 8 | 4 |
| 8 (PVC) | 5¼ | 101⁄2 | 55/32 |
| 8 x 8 x 4 ^(F) (PVC) | 7¾ | 91⁄4 | 45⁄8 |
| 8 x 8 x 6*** (PVC) | 8 ¹ /4 | 111/4 | 55⁄8 |
| 10 (PVC) | 123⁄4 | 12½ | 61⁄4 |
| 10 x 10 x 4 ^(F) (PVC) | 81/8 | 93⁄4 | 47⁄8 |
| 10 x 10 x 6 ^(F) (PVC) | 105⁄% | 11¾ | 51/8 |
| 10 x 10 x 8 (PVC) | 103⁄8 | 103⁄/8 | 5 ³ ⁄16 |
| 12 (PVC) | 13¾ | 141⁄2 | 71⁄4 |
| 12 x 12 x 4 ^(F) (PVC) | 9 ¹¹ / ₁₆ | 10 | 5 |
| 12 x 12 x 6** (PVC) | 9 ⁵ ⁄16 | 121⁄8 | 61/16 |
| 12 x 12 x 8 (PVC) | 115⁄32 | 101⁄4 | 61/32 |
| 12 x 12 x 10 ^(F) (PVC) | 135⁄16 | 12½ | 6¼ |



See Part No. 106 for plug dimensions.

(F) Fabricated

** Assembled from two molded components

*** Assembled from three molded components

| | nout Te | - | |
|-----------------------------------|--|---------------------|----------------------------|
| SIZE | A | В | C |
| 11/2 (PVC) | 1 ¹⁵ ⁄16 | 23⁄8 | 1 ³ ⁄16 |
| 11/2 (ABS) | 1 ³¹ / ₃₂ | 21/2 | 11/4 |
| 2 | 21/4 | 3 | 11/2 |
| 3 (PVC) | 211/16 | 37⁄8 | 1 ¹⁵ /16 |
| 3 (ABS) | 211/16 | 3 ¹³ /16 | 1 ¹⁵ /16 |
| 4 (PVC) | 33⁄8 | 51⁄8 | 29/16 |
| 4 (ABS) | 33⁄8 | 5 | 21/2 |
| 6 (PVC) | 4 | 8 | 4 |
| 8 (PVC) | 5¼ | 101⁄2 | 55/32 |
| 8 x 8 x 4 ^(F) (PVC) | 73⁄4 | 9 ¹ /4 | 45⁄8 |
| 8 x 8 x 6 ^(F) (PVC) | 8 ¹ /4 | 111/4 | 55/8 |
| 10 (PVC) | 8 ¹ /4 | 121/2 | 61/4 |
| 10 x 10 x 4 ^(F) (PVC) | 8 ¹¹ / ₁₆ | 11¾ | 51/8 |
| 10 x 10 x 6 ^(F) (PVC) | 105⁄8 | 113⁄4 | 57/8 |
| 10 x 10 x 8 (PVC) | 10¾ | 103⁄8 | 5 ³ /16 |
| 12 (PVC) | 9 ¹ / ₄ | 143⁄8 | 7 ³ ⁄16 |
| 12 x 12 x 4 ^(F) (PVC) | 9 ¹¹ / ₁₆ | 10 | 5 |
| 12 x 12 x 6 ^(F) (PVC) | 9 5⁄16 | 121⁄8 | 6 ¹ /16 |
| 12 x 12 x 8 (PVC) | 115⁄32 | 101⁄4 | 61/32 |
| 12 x 12 x 10 ^(F) (PVC) | 135/16 | 121/2 | 61⁄4 |



PART NO. 445X

Flush Cleanout Tee with Cleanout Plug For dimensions see Part Numbers 445 and 110.



(F) Fabricated


| Horizontal Twin Tee | | | | | | |
|---|-----|------|-------|-------|--|--|
| ALL | HUB | | | | | |
| SIZE | Α | В | С | D | | |
| 3 x 3 x 1 ¹ / ₂ x 1 ¹ / ₂ (PVC) | 7/8 | 13⁄4 | 13/32 | 29/16 | | |





PART NO. 448

| | Two-Way Clean | out |
|------|---------------|-----|
| SIZE | ALLIND | |
| 3 | 41/16 | |
| 4 | 415/16 | |




PART NO. PVC 449

| Sanitary Sanit | Tee wit ary Inle ALL F | et on Ce | |
|-------------------|------------------------------|---------------------|--|
| SIZE | Α | В | |
| 2 (PVC) | 2 5⁄16 | 3 ¹¹ /16 | |



| Double Fixtu | | ng | |
|------------------------------|---------------------|---------------------------------|---------------------------------------|
| ALL HU | JB A | В | С |
| 2 (PVC) | 31/2 | 45/8 | 4 ¹ / ₄ |
| 2 (ABS) | 3 ¹⁵ /32 | 4 ¹⁷ / ₃₂ | 47/32 |
| 2 x 11/2 x 11/2 x 11/2 (PVC) | 27/8 | 31/2 | 31/8 |
| 2 x 11/2 x 11/2 x 11/2 (ABS) | 2 ²⁷ /32 | 3%16 | 3 ³ / ₃₂ |
| 2 x 11/2 x 2 x 2 (ABS) | 3 ¹⁵ /32 | 4 ¹⁷ / ₃₂ | 47/32 |
| 2 x 2 x 11/2 x 11/2 (PVC) | 27/8 | 31/2 | 31/8 |
| 2 x 2 x 11/2 x 11/2 (ABS) | 2 ²⁷ /32 | 3 ¹³ / ₃₂ | 31/16 |
| 3 (PVC) | 4 ¹⁵ /16 | 63⁄4 | 6¼ |
| 3 (ABS) | 47⁄8 | 65⁄8 | 61/8 |
| 3 x 2 x 3 x 3 (ABS) | 47/8 | 65⁄/8 | 61/4 |



PART NO. 501

Combination Wye & 1/8 Bend (One Piece)

| | ALL F | 100 | | |
|------------|---------------------------------|--|---------------------------------|--|
| SIZE | Α | В | С | |
| 11/2 (PVC) | 3 ¹⁵ /16 | 31/2 | 3 ¹⁵ /16 | |
| 11/2 (ABS) | 37⁄8 | 3 ¹ /2 | 3 ¹³ ⁄16 | |
| 2 (PVC) | 51⁄8 | 47/16 | 51⁄8 | |
| 2 (ABS) | 55/32 | 47/16 | 5 | |
| 3 (PVC) | 7%16 | 61/2 | 7%16 | |
| 3 (ABS) | 717/32 | 6 ¹⁵ /32 | 71/16 | |
| 4 (PVC) | 10 | 8½ | 10 | |
| 4 (ABS) | 9 ³¹ / ₃₂ | 8 ¹⁵ / ₃₂ | 9 ²⁷ / ₃₂ | |
| | | | | |




| PART NO. 502 | | | |
|-----------------------|---------------------------------------|--------------------------------------|----------------------------|
| Combination W | ye & 1/ | 8 Bend | , |
| Redu | cing | | |
| (One P | iece) | | |
| ALL | | | |
| SIZE | A | В | C |
| 2 x 11/2 x 11/2 (PVC) | 43⁄16 | 31/2 | 3 ¹⁵ /16 |
| 2 x 11/2 x 11/2 (ABS) | 4 ¹ /8 | 317/32 | 33⁄4 |
| 2 x 2 x 11/2 (PVC) | 4 ³ ⁄16 | 3 ¹ / ₂ | 3 ¹⁵ /16 |
| 2 x 2 x 11/2 (ABS) | 41⁄8 | 37/16 | 37⁄8 |
| 3 x 3 x 1½ | 43⁄4 | 31 /2 | 3 ¹⁵ /16 |
| 3 x 3 x 2 | 5 ¹¹ /16 | 47/16 | 51⁄8 |
| 4 x 4 x 2 | 61⁄8 | 41/2 | 51⁄8 |
| 4 x 4 x 3 (PVC) | 8 ¹ / ₁₆ | 6½ | 7%16 |
| 4 x 4 x 3 (ABS) | 7 ²⁹ /32 | 6 ¹³ /32 | 75⁄16 |



Combination Wye & 1/8 Bend (Two Pieces)

| W | 0 | ۲ | l | e | С | e | s | J |
|---|---|---|---|---|---|---|---|---|
| | | | | | | - | | |

| | ALL H | UB | | |
|-------------------------------------|---------------------------------------|-------------|----------------------------------|--|
| SIZE | Α | В | C | |
| 6 [∞] (PVC) | 11 ¹⁵ /32 | 101//8 | 11%4 | |
| 8 [∞] (PVC) | 14 ¹⁹ ⁄32 | 141/8 | 14 ²³ /32 | |
| 10 [∞] (PVC) | 181⁄2 | 16½ | 181⁄4 | |
| 12 [∞] (PVC) | 21 ¹ ⁄ ₂ | 19 ½ | 211/2 | |
| 14 ^{(F)[∞]} (PVC) | 36 ⁷ /8 | 321/2 | 37 ³ /16 | |
| 16 ^{(F)∞} (PVC) | 391/2 | 351/2 | 39 ¹³ / ₁₆ | |
| | | | | |




(F) Fabricated

 ∞ Fitting shipped with street bend strapped to fitting.

| Combination Wye & 1/8 Bend, |
|-----------------------------|
| Reducing |
| (Two Pieces) |

| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | ALL HUB | | |
|--|---|----------------------------|----------------------------------|----------------------------------|
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | SIZE | A | В | C |
| $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$ | <u>6 x 6 x 3[∞] (PVC)</u> | 9 ³ ⁄8 | 71/16 | 7 ¹⁹ /32 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 6 x 6 x 4 ⁽¹⁾ (PVC) | 113⁄4 | 101/2 | 11 ⁵ ⁄16 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 8 x 8 x 4§ (PVC) | 13 | 107/16 | 113⁄4 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 8 x 8 x 6 [∞] (PVC) | 12½ | 107/16 | 11 ³ ⁄16 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 10 x 10 x 4§ (PVC) | 16 ³ ⁄16 | 141⁄4 | 15 ²⁷ /64 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 10 x 10 x 6§ (PVC) | 15 ³¹ /32 | 141⁄4 | 15%4 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 10 x 10 x 8 [∞] (PVC) | 151/16 | 141/4 | 14 ²⁵ /32 |
| $\begin{array}{c} 12\ x\ 12\ x\ 8^{\varpi}\ (PVC) & 16^{3}{\scriptstyle 32} & 13^{1}{\scriptstyle 7}{\scriptstyle 32} & 14^{5}{\scriptstyle 8}{\scriptstyle 8} \\ 12\ x\ 12\ x\ 10^{\varpi}\ (PVC) & 19^{1}{\scriptstyle 5}{\scriptstyle 32} & 17^{1}{\scriptstyle 16} & 18^{3}{\scriptstyle 16}{\scriptstyle 6} \\ 14\ x\ 14\ x\ 4^{(F)^{\varpi}}\ (PVC) & 15^{47}{\scriptstyle 64} & 12^{31}{\scriptstyle 32} & 11^{31}{\scriptstyle 32} \\ 14\ x\ 14\ x\ 6^{(F)^{\varpi}}\ (PVC) & 17^{7}{\scriptstyle 32} & 15^{21}{\scriptstyle 32} & 15^{19}{\scriptstyle 64} \\ 14\ x\ 14\ x\ 6^{(F)^{\varpi}}\ (PVC) & 18^{21}{\scriptstyle 32} & 18^{1}{\scriptstyle 8} & 18^{1}{\scriptstyle 12} \\ 14\ x\ 14\ x\ 10^{(F)^{\varpi}}\ (PVC) & 21^{1}{\scriptstyle 2} & 20^{3}{\scriptstyle 4} & 22^{1}{\scriptstyle 4} \\ 14\ x\ 14\ x\ 12^{(F)^{\varpi}}\ (PVC) & 21^{3}{\scriptstyle 16} & 25^{1}{\scriptstyle 2} & 26^{3}{\scriptstyle 8} \\ 16\ x\ 16\ x\ 4^{(F)^{\varpi}}\ (PVC) & 16^{1}{\scriptstyle 2} & 12^{9}{\scriptstyle 16} & 12^{7}{\scriptstyle 8} \\ 16\ x\ 16\ x\ 6^{(F)^{\varpi}}\ (PVC) & 18^{5}{\scriptstyle 8} & 15^{41}{\scriptstyle 64} & 15^{3}{\scriptstyle 16} \\ 16\ x\ 16\ x\ 10^{(F)^{\varpi}}\ (PVC) & 23^{1}{\scriptstyle 4} & 23 & 22^{1}{\scriptstyle 5}{\scriptstyle 16} \\ 16\ x\ 16\ x\ 12^{(F)^{\varpi}}\ (PVC) & 26^{3}{\scriptstyle 16} & 27^{3}{\scriptstyle 16} & 27^{13}{\scriptstyle 16} \\ \end{array}$ | 12 x 12 x 4§ (PVC) | 16¾ | 131⁄2 | 15 ¹¹ / ₃₂ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 x 12 x 6§ (PVC) | 16 7⁄16 | 131⁄2 | 155⁄64 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 x 12 x 8 [∞] (PVC) | 16 ³ ⁄32 | 13 ¹⁷ / ₃₂ | 145⁄8 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 19 ¹⁵ ⁄32 | 171/16 | 18 ³ ⁄16 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 1547/64 | 12 ³¹ /32 | 11 ³¹ /32 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 177/32 | 15 ²¹ /32 | 1519/64 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 14 x 14 x 8 ^{(F)∞} (PVC) | 18 ²¹ /32 | 18½ | 18½ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 221/2 | 203⁄4 | 221/4 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 21 ³ /16 | 25½ | 26 ³ /8 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | 16½ | 129/16 | 127/8 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 16 x 16 x 6 ^{(F)∞} (PVC) | 185⁄/8 | 1541/64 | 15 ³ /16 |
| $\underline{16 x 16 x 12^{(F)^{00}} (PVC) 26^{3}_{16} 27^{3}_{16} 27^{13}_{16}}$ | 16 x 16 x 8 ^{(F)[∞]} (PVC) | 1911/16 | 185⁄8 | 19 ³ /16 |
| | | 23¼ | 23 | 22 ¹⁵ /16 |
| $\frac{16 \text{ x } 16 \text{ x } 14^{(\text{F})^{\text{co}}} \text{ (PVC)} 37^{1}\!\!/_{8} 27^{13}\!\!/_{16} 33^{1}\!\!/_{4}}{}$ | 16 x 16 x 12 ^{(F)[∞]} (PVC) | 26 ³ /16 | 27 ³ /16 | 2713/16 |
| | 16 x 16 x 14 ^{(F)[∞]} (PVC) | 371/8 | 2713/16 | 331/4 |



- (1) One piece short pattern
- (F) Fabricated
- § Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.
- ∞ Fitting shipped with street bend strapped to fitting.


Double Combination Wye & 1/8 Bend (Three Pieces or Five Pieces)


| ALL HUB | | | | | |
|---------------------------------------|---------------------------------|---------------------|---------------------------------------|--|--|
| SIZE | Α | В | C | | |
| 4 (PVC) | 9 ¹³ / ₃₂ | 8¼ | 9 ⁵ / ₃₂ | | |
| 2 x 2 x 11/2 x 11/2 (PVC) | 47/8 | 43/8 | 4 ¹⁵ /16 | | |
| 3 x 3 x 2 x 2 (PVC) | 65/64 | 4 ¹⁵ /16 | 511/64 | | |
| 4 x 4 x 2 x 2 (PVC) | 75⁄16 | 5 | 6 | | |
| 4 x 4 x 3 x 3 (PVC) | 819/64 | 65/8 | 719/32 | | |
| 6 x 6 x 4 x 4§ (PVC) | 11 ²¹ /32 | 101/8 | 103/16 | | |
| · · · · · · · · · · · · · · · · · · · | | | | | |

PART NO. PVC 515

Combination Wye & 1/8 Bend with Left Side Inlet

| | ALL H | IUB | | | |
|---------------------|---------------------------|---------------------------------|----|------|------|
| SIZE | A | В | С | D | Ε |
| 3 x 3 x 3 x 2 (PVC) | 6 ⁵ /16 | 7 ³¹ / ₆₄ | 5¼ | 33/8 | 11/8 |








PART NO. PVC 516


Combination Wye & 1/8 Bend with Right Side Inlet

| ALL HUB | | | | | |
|---------------------|---------------------------|---------------------------------|----|--------------|------|
| SIZE | Α | В | С | D | Е |
| 3 x 3 x 3 x 2 (PVC) | 6 ⁵ /16 | 7 ³¹ / ₆₄ | 5¼ | 3 3⁄8 | 11/8 |

§ Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.



Combination Wye & 1/8 Bend with Left & Right Side Inlets ALL HUB SIZE A B C D E 3X3X3X2x2 (PVC) 65/16 73'/64 5'/4 3% 1%



PART NO. 600

| Wye (45' Wye) ALL HUB | | | | | | | | |
|-----------------------------|--------------------------------|--|----------------------------|--|--|--|--|--|
| SIZE A B C | | | | | | | | |
| 11⁄4 (PVC) | 35⁄8 | 11/16 | 29/16 | | | | | |
| 11/2 (PVC) | 4 | 11/8 | 27/8 | | | | | |
| 11/2 (ABS) | 4 ¹ / ₃₂ | 11/8 | 2 ¹⁵ /16 | | | | | |
| 2 | 5 | 13⁄8 | 35/8 | | | | | |
| 3 | 65⁄8 | 1% | 5 | | | | | |
| 4 (PVC) | 8¼ | 11/8 | 63/8 | | | | | |
| 4 (ABS) | 81/16 | 13⁄4 | 65/16 | | | | | |
| 6 (PVC) | 101//8 | 13⁄4 | 87/16 | | | | | |
| 6 (ABS) | 9 ¹⁵ /16 | 1 ²³ /32 | 8 ³ ⁄16 | | | | | |
| 8 (PVC) | 141⁄8 | 23/8 | 113⁄4 | | | | | |
| 10 (PVC) | 16½ | 21/8 | 135% | | | | | |
| 12 (PVC) | 19 7⁄16 | 3 ¹¹ / ₃₂ | 16 | | | | | |
| 14 ^(F) (PVC) | 313/8 | 8 | 221/4 | | | | | |
| 16 ^(F) (PVC) | 36 5⁄16 | 103⁄4 | 25 ³ ⁄16 | | | | | |



(F) Fabricated

| Wye, Reducing (45 [.] Wye) ALL HUB | | | | | | |
|---|-------------------------------|-------------------|---------------------------------|--|--|--|
| SIZE | A | В | C | | | |
| 2 x 11/2 x 11/2 (PVC) | 31/2 | 1 ½16 | 2 ¹⁵ /16 | | | |
| 2 x 11/2 x 11/2 (ABS) | 47/32 | 11/32 | 3 3⁄/8 | | | |
| 2 x 1½ x 2 | 4½ | 1 | 31/16 | | | |
| 2 x 2 x 11/2 (PVC) | 4 ³ ⁄8 | 11/16 | 31/16 | | | |
| 2 x 2 x 11/2 (ABS) | 4 ¹ /4 | 11/32 | 3 ¾ | | | |
| 3 x 3 x 11/2 (PVC) | 4 ¹ / ₄ | 1/2 | 45⁄16 | | | |
| 3 x 3 x 11/2 (ABS) | 43⁄16 | 1/2 | 4%32 | | | |
| 3 x 3 x 2 (PVC) | 5 | 7⁄8 | 45⁄8 | | | |
| 3 x 3 x 2 (ABS) | 5 | ¹³ ⁄16 | 4 ²¹ / ₃₂ | | | |
| 4 x 4 x 1½ | 5 | 0 | 6 | | | |
| 4 x 4 x 2 (PVC) | 5 ¹ /16 | 3⁄8 | 5%16 | | | |
| 4 x 4 x 2 (ABS) | 5 | 1/4 | 5%16 | | | |
| 4 x 4 x 3 (PVC) | 65⁄8 | 11/16 | 6 | | | |
| 4 x 4 x 3 (ABS) | 6 ¹⁹ /32 | 1 | 6 | | | |
| 6 x 6 x 3 (PVC) | 71/16 | 1/4 | 71/2 | | | |
| 6 x 6 x 4 (PVC) | 67⁄8 | ³ ⁄16 | 71/2 | | | |
| 6 x 6 x 4 (ABS) | 6 ²⁵ ⁄32 | 7/32 | 71/16 | | | |
| 8 x 8 x 4** (PVC) | 107/16 | 1 | 11%16 | | | |
| 8 x 8 x 6 (PVC) | 107/16 | 1 | 9 ¹³ /16 | | | |
| 10 x 10 x 4** (PVC) | 14¼ | 13/8 | 15 ¹⁵ /16 | | | |
| 10 x 10 x 6** (PVC) | 14¼ | 13/8 | 15 | | | |
| 10 x 10 x 8 (PVC) | 14¼ | 13/8 | 13 ¹ ⁄16 | | | |

Part No. 601 Continued next page

** Assembled from two molded components.



| (4 | ntinuec Reduci 45° Wye) ALL HUB | | |
|-----------------------------------|--|---------------------------------|---|
| SIZE | Α | В | C |
| 12 x 12 x 4** (PVC) | 13½ | 1/2 | 16 ²³ ⁄32 |
| 12 x 12 x 6** (PVC) | 13½ | 1/2 | 15 ²⁹ ⁄64 |
| 12 x 12 x 8 (PVC) | 13 ¹⁹ ⁄32 | 1/2 | 131⁄8 |
| 12 x 12 x 10 (PVC) | 17 ¹ ⁄16 | 11/8 | 15 ³ ⁄32 |
| 14 x 14 x 4(F) (PVC) | 123⁄8 | 1 ³⁷ / ₆₄ | 15 ²³ ⁄64 |
| 14 x 14 x 6(F) (PVC) | 15 ⁵¹ /64 | 15/64 | 18 ³⁷ ⁄64 |
| 14 x 14 x 8(F) (PVC) | 1549/64 | 3 ¹ / ₆₄ | 16 ⁵¹ / ₆₄ |
| 14 x 14 x 10 ^(F) (PVC) | 18 ⁵⁷ ⁄64 | 343/64 | 18 ²⁹ ⁄32 |
| 14 x 14 x 12 ^(F) (PVC) | 251/8 | 5%16 | 20 |
| 16 x 16 x 4 ^(F) (PVC) | 12 ¹ / ₁₆ | 1%16 | 15¼ |
| 16 x 16 x 6(F) (PVC) | 15¾ | ³ ⁄16 | 17 ³ ⁄16 |
| 16 x 16 x 8(F) (PVC) | 18 7⁄16 | 1%16 | 183⁄8 |
| 16 x 16 x 10 ^(F) (PVC) | 23 | 31/2 | 195⁄% |
| 16 x 16 x 12 ^(F) (PVC) | 263% | 41/2 | 21 ³ ⁄4 |
| 16 x 16 x 14 ^(F) (PVC) | 271/2 | 51⁄4 | 231/16 |



| Wye, Street (45 [∗] Wye) SPIGOT X HUB X HUB | | | | | | | | |
|---|---------------------|------|---------------------|--|--|--|--|--|
| SIZE | SIZE A B C | | | | | | | |
| 11/2 (PVC) | 43⁄4 | 11⁄8 | 27/8 | | | | | |
| 11/2 (ABS) | 45/8 | 11/8 | 2 ²⁷ /32 | | | | | |
| 2 | 51/8 | 21⁄4 | 35/8 | | | | | |
| 3 | 8½ | 31/8 | 5 | | | | | |
| 4 (PVC) | 9 ¹⁵ /16 | 35⁄8 | 6 ¹ /4 | | | | | |
| 4 (ABS) | 9 ²⁹ /32 | 35⁄8 | 6 ¹ /4 | | | | | |




(F) Fabricated

** Assembled from two molded components.

| Wye, Street, Reducing (45 [°] Wye) SPIGOT X HUB X HUB | | | | | | |
|--|---------------------|---------------------|---------------------|--|--|--|
| SIZE A B C | | | | | | |
| 3 x 3 x 11/2 (PVC) | 53⁄4 | 2 | 47/32 | | | |
| 3 x 3 x 2 | 61⁄2 | 23/8 | 45⁄8 | | | |
| 4 x 4 x 2 (PVC) | 6 ²³ ⁄32 | 21/8 | 5 ¹⁵ ⁄64 | | | |
| 4 x 4 x 3 | 83/8 | 2 ¹³ /16 | 6 | | | |






PART NO. 611

| Double Wye (Double 45' Wye) ALL HUB | | | | | | |
|---|---|--|--|--|--|--|
| A | В | С | | | | |
| 4 | 11/8 | 27/8 | | | | |
| 3 ¹⁵ /16 | 15⁄32 | 2 ²⁷ /32 | | | | |
| 5 | 13⁄8 | 35⁄8 | | | | |
| 5 | 11/2 | 3 ¹¹ / ₁₆ | | | | |
| 65⁄8 | 1% | 5 | | | | |
| 6 ¹⁷ /32 | 1%16 | 5 | | | | |
| 81⁄4 | 11/8 | 6¾ | | | | |
| 8 ⁵ /32 | 1 ¹⁵ /16 | 6 ⁵ /16 | | | | |
| 10 ³ ⁄16 | 13⁄4 | 87/16 | | | | |
| 19 ¹ ⁄ ₁₆ | 41/8 | 135⁄8 | | | | |
| 22 ¹ /16 | 5 ¹¹ /16 | 16¼ | | | | |
| 19 5⁄16 | 67⁄8 | 251/8 | | | | |
| 287/16 | 71⁄8 | 203⁄8 | | | | |
| | (Double 4 ALL H A 3 ¹⁵ /16 5 5 6 ⁵ /8 6 ¹⁷ /32 8 ¹ /4 8 ⁵ /32 10 ³ /16 19 ¹ /16 22 ¹ /16 19 ⁵ /16 | (Double 45' Wye) ALL HUB A B 4 1½ 3 ¹⁵ /16 15/32 5 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 1½ 1½ 6½ 1½ 6½ 1½ 6½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ 1½ | (Double 45' Wye) ALL HUB C A B C 4 1½ 2½ 315/16 15/32 227/32 5 1½ 35% 5 1½ 311/16 65% 15% 5 617/32 19/16 5 81/4 17/8 63% 85%2 115/16 65/16 103/16 13/4 87/16 19/16 47/8 135% 221/16 511/16 16/4 195/16 671% 255/8 | | | |

PART NO. PVC 611S

Double Wye with 2^{''} Side Inlet (Double 45° Wye) ALL HUB


| Ì | SIZE | Α | В | С | D | |
|---|---------------------|-------|----|---|------|--|
| | 3 x 3 x 3 x 2 (PVC) | 65⁄/8 | 1% | 5 | 13⁄4 | |
| | | | | | | |



(F) Fabricated

Double Wye, Reducing (Double 45° Wye)


| ALL HUB | | | | | |
|--|--|--|--|--|--|
| Α | В | C | | | |
| 43⁄8 | 11/16 | 37/16 | | | |
| 45⁄16 | ³¹ / ₃₂ | 31/2 | | | |
| 41/4 | 1/2 | 45/16 | | | |
| | | 45⁄8 | | | |
| 5 | 3⁄8 | 5%16 | | | |
| 65⁄/8 | 11/16 | 6 | | | |
| 6 %16 | 1 | 6 ¹ / ₃₂ | | | |
| 101//8 | 13⁄4 | 103/16 | | | |
| 10 ¹ / ₁₆ | ¹³ /16 | 10 ¹³ /16 | | | |
| 13 | 11/2 | 125⁄8 | | | |
| 11 ¾16 | 27/16 | 14 | | | |
| 4 ¹⁵ /16 | 3⁄4 | 145⁄8 | | | |
| 18 | 37/16 | 151/16 | | | |
| 11 ¹³ ⁄16 | 1 | 14 | | | |
| 15 ¹¹ /16 | ⁷ / ₁₆ | 171⁄8 | | | |
| 181/8 | 3 ³⁄16 | 161/2 | | | |
| 21 ¹¹ /16 | 37/8 | 18 ¹ /16 | | | |
| 12 ³ ⁄4 | 17/16 | 15 ³ /16 | | | |
| 15 | 1 | 16 ³ ⁄16 | | | |
| 19 | 27/16 | 1719/32 | | | |
| 211/8 | 4 | 183⁄4 | | | |
| | 5 | 197⁄8 | | | |
| 127/16 | 21/4 | 171/32 | | | |
| 15%16 | 17⁄32 | 17 ²¹ /32 | | | |
| 18¾ | 11/2 | 183/16 | | | |
| 21%16 | 1%16 | 205/8 | | | |
| ZI /16 | 1710 | 2070 | | | |
| 21716 26 ¹¹ /16 | 47/16 | 213/4 | | | |
| | $\begin{array}{r} 43\% \\ 45\% \\ 45\% \\ 65\% \\ 65\% \\ 65\% \\ 10\% \\$ | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | |



(F) Fabricated


** Assembled from two molded components.

| Wye wi | th Le | | e Inle | t | |
|---------------------|-------|------|--------|--------------------------------------|-------|
| SIZE | Α | В | С | D | E |
| 3 x 3 x 3 x 2 (PVC) | 65⁄8 | 1% | 5 | 21/4 | 13⁄4 |
| 4 x 4 x 4 x 2 (PVC) | 81⁄4 | 11/8 | 63⁄/8 | 2 ¹ / ₂ | 35/16 |



PART NO. PVC 626

| Wye wi | | g <mark>ht Si</mark> o HUB | de Inl | et | |
|---------------------|------|-------------------------------|--------|------|---------------|
| SIZE | A | В | С | D | Ε |
| 3 x 3 x 3 x 2 (PVC) | 65⁄8 | 15⁄8 | 5 | 21/4 | 13⁄4 |
| 4 x 4 x 4 x 2 (PVC) | 81⁄4 | 11/8 | 6¾ | 21/2 | 3 5⁄16 |



PART NO. 700

| | Return HUB X | | | |
|------------|---------------------|---------------------------------------|---------------------------------------|--|
| SIZE | Α | В | C | |
| 11/2 (PVC) | 31/2 | 13⁄4 | 13⁄4 | |
| 11/2 (ABS) | 3 ¹⁵ /32 | 1 ¹⁷ /32 | 1 ¹⁷ /32 | |
| 2 | 57/32 | 23/8 | 23/8 | |
| 3 (PVC) | 6¾ | 3 ¹ / ₁₆ | 3 ¹ / ₁₆ | |
| 3 (ABS) | 6 ²⁵ ⁄32 | 2 ³¹ /32 | 2 ³¹ / ₃₂ | |
| 4 (PVC) | 81/2 | 3 ¹¹ /16 | 3 ¹¹ /16 | |
| 4 (ABS) | 87/16 | 3 ¹¹ /16 | 3 ¹¹ /16 | |

PART NO. ABS 704P


Tail Piece Adapter with Plastic Nut & **Packing Ring**


| | SPIGOT X SLI | P |
|------------|---------------------------------------|---|
| SIZE | Α | |
| 11/2 (ABS) | 2 ³ / ₁₆ | |

PART NO. 706X

P-Trap with Solvent Weld Joint

| | HUB X | HUB | | |
|------|----------------------------|----------------------------|---------------------------------------|--|
| SIZE | Α | В | С | |
| 11/2 | 45⁄8 | 3 ¹⁵ /16 | 13⁄4 | |
| 2 | 6 ¹³ /16 | 47⁄8 | 23/8 | |
| 3 | 8 ¹⁵ /16 | 6 ¹⁵ /16 | 3 ¹ / ₁₆ | |
| 4 | 11 ¹ ⁄16 | 87/16 | 311/16 | |






PART NO. 707X

P-Trap with Cleanout & Solvent Weld loint


| | HUB X | HUB | | |
|------------|---------------------------------|---------------------------------|---------------------------|--|
| SIZE | Α | В | C | |
| 11/2 (PVC) | 45⁄8 | 3 ¹⁵ /16 | 13⁄4 | |
| 11/2 (ABS) | 4 ²¹ / ₃₂ | 3 ½ | 1%16 | |
| 2 (PVC) | 63⁄4 | 4 ¹¹ / ₁₆ | 2 ⁵ /16 | |
| 2 (ABS) | 6 ²⁵ ⁄32 | 4 ¹¹ / ₁₆ | 21/4 | |
| | | | | |




PART NO. 708P

P-Trap with Union & Plastic Nut

| | HUB X | HUB | | |
|------------|---------------------|---------------------|------|--|
| SIZE | Α | В | С | |
| 11⁄4 (PVC) | 4%16 | 31/2 | 13⁄8 | |
| 11/2 (PVC) | 45⁄8 | 3 ¹⁵ /16 | 13⁄4 | |
| 11/2 (ABS) | 4 ²⁹ /32 | 43⁄32 | 1%16 | |
| 2 (PVC) | 6 ¹³ ⁄16 | 47⁄8 | 23/8 | |
| 2 (ABS) | 6 ²⁵ ⁄32 | 45⁄8 | 21⁄4 | |





PART NO. 708X


P-Trap with Union & Chrome Nut


| · · | HUB X | HUB | | |
|------------|---------------------|--------------------------------|------|--|
| SIZE | Α | В | С | |
| 11/2 (PVC) | 45⁄8 | 3 ¹⁵ /16 | 13⁄4 | |
| 11/2 (ABS) | 4 ²⁹ /32 | 4 ³ / ₃₂ | 1%16 | |

PART NO. PVC 709X

P-Trap with Cleanout, Union &

| | HUB X | | | |
|------------|-------|----------------------------|------|--|
| SIZE | Α | В | С | |
| 11/2 (PVC) | 45/8 | 3 ¹⁵ /16 | 11/2 | |





R

PART NO. PVC 710

Low Profile P-Trap with Solvent Weld

| | | HUB X | HUB | | |
|---|---------|---------------------|------|-------------------|--|
| | SIZE | Α | В | С | |
| _ | 2 (PVC) | 6 ¹³ ⁄16 | 4%16 | 2 ³ /8 | |

PART NO. 711P


L.A. Pattern P-Trap with Union & Polyethylene Nut SLIP Union X HUB

| _ | SIZE | Α | В | С | |
|---|------------|-------|---------------------|--------|--|
| | 11/2 (PVC) | 43⁄4 | 4 ¹⁵ ⁄64 | 37/16 | |
| | 11⁄2 (ABS) | 49⁄16 | 41/8 | 317/32 | |

PART NO. 711W

L.A. Pattern P-Trap with Union & Plastic Nut & Polyethylene Washer


| SIZE | A | В | С |
|------------|-------|--|----------------------------|
| 11/2 (PVC) | 43⁄4 | 4 ¹⁵ ⁄ ₆₄ | 37/16 |
| 11/2 (ABS) | 55⁄32 | 4 ¹⁵ ⁄64 | 3 ⁴⁵ /64 |



PART NO. PVC 711X

L.A. Pattern P-Trap with Union & Chrome Nut & Polyethylene Washer

| _ | SLIP Union X HUB | | | | | |
|---|------------------|-------|--------|---------------------|--|--|
| | SIZE | Α | В | С | | |
| | 11/2 (PVC) | 43/4 | 415/64 | 37/16 | | |
| | 11/2 (ABS) | 49⁄16 | 41⁄8 | 3 ¹⁷ /32 | | |



PART NO. 720X

| Drum Trap нив х нив | | | | |
|------------------------|---------------------------------|---------------------|--|--|
| SIZE | Α | В | | |
| 3 x 6 x 11/2 (PVC) | 4 ¹³ ⁄16 | 1 ¹¹ /16 | | |
| 3 x 6 x 11/2 (ABS) | 4 ²¹ / ₃₂ | 1 ²³ /32 | | |

PART NO. 800 & 800K

| Closet Flange HUB END | | | | | | |
|--------------------------|---|------|------|--|--|--|
| SIZE | Α | В | С | | | |
| 4 x 3 | 7 | 11⁄4 | 7/16 | | | |
| 4 x 4* | 7 | 11⁄4 | 7/16 | | | |

PART NO. 800S


| Closet Flange with Stop | | | | | | |
|-------------------------|---|------|------|------|--|--|
| HUBEND | | | | | | |
| SIZE | Α | В | С | D | | |
| 4 x 3 | 7 | 21/4 | 7/16 | 11/2 | | |


PART NO. 801


| Closet Flange, Reducing SPIGOT | | | | | | |
|-----------------------------------|--------------------------------|------|---------------------|------|--|--|
| SIZE | Α | В | C | D | | |
| 4 x 3 (PVC) | 7 | 23/4 | 1 ²¹ /32 | 7/16 | | |
| 4 x 3 (ABS) | 7 ¹ / ₃₂ | 23/4 | 1%16 | 7/16 | | |

* Part No. 800K, 4x4" is not available in ABS.











| Male Closet Flange | | | | | | 1 |
|--------------------|---|--------|-------------------------------|--|---|---|
| SIZE | A | В | С | | | |
| 4 x 3 (PVC) | 7 | 15⁄/8 | 7/16 | | | |
| 4 x 3 (ABS) | 7 | 211/16 | ¹⁵ / ₃₂ | | · | |

PART NO. PVC 810K

| Closet Flange, Adjustable with Plastic Ring | | | | | |
|---|---|------|------|--|--|
| HUB END | | | | | |
| SIZE | Α | В | С | | |
| 4 x 3 (PVC) | 7 | 11/8 | 7/16 | | |


PART NO. ABS 811P

Closet Flange, Adjustable with Plastic Ring HUB END SIZE A B C 4 x 3 (ABS) 7 11/8 7/46

11/8

7/16

7




PART NO. 811

4 x 4 (ABS)

Closet Flange, Adjustable with Metal Ring HUB END

| SIZE | Α | В | С | |
|-------|---|------|-----|--|
| 4 x 3 | 7 | 11⁄4 | 1⁄4 | |
| 4 x 4 | 7 | 11/8 | 1⁄4 | |



PART NO. PVC 811K


| Closet Flange, A | djusta | ble wit | h Metal Rir | ng |
|------------------|--------|---------|-------------|----|
| | HUB EN | ID | | |
| | | - | - | |


| SIZE | Α | В | С | |
|-------------|---|------|-----|--|
| 4 x 3 (PVC) | 7 | 11/4 | 1⁄4 | |

PART NO. 812

| Closet Flange, Adjustable wi | th Metal Ring |
|------------------------------|---------------|
| CDICOT | |

| 311001 | | | | | | |
|--------|---------------------------------|---|--|--|--|--|
| Α | В | С | | | | |
| 7 | 25/8 | 1/4 | | | | |
| 7 | 23/4 | 1⁄4 | | | | |
| 7 | 25/8 | 1⁄4 | | | | |
| 7 | 2 ¹³ /32 | 1/4 | | | | |
| | A 7 7 7 7 7 7 | A B 7 2 ⁵ / ₈ 7 2 ³ / ₄ 7 2 ⁵ / ₈ | A B C 7 25% 1/4 7 23/4 1/4 7 25% 1/4 | | | |





PART NO. 812P

Closet Flange, Adjustable with Plastic Ring

| SPIGOT | | | | | | |
|-------------|---|------|------|--|--|--|
| SIZE | Α | В | С | | | |
| 4 x 3 (PVC) | 7 | 25/8 | 1⁄4 | | | |
| 4 x 3 (ABS) | 7 | 23/4 | 1⁄4 | | | |
| 4 x 4 (PVC) | 7 | 25/8 | 7/16 | | | |

B

PART NO. 815

| Flush Closet Flange (Fits Over 3" Pipe or Inside 4" Pipe) HUB | | | | | |
|---|---|------|------|--|--|
| SIZE | Α | В | С | | |
| 4 x 4 / 4 x 3 | 7 | 27/2 | 7/16 | | |

Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and

с

С

R

PART NO. 815K

| Flush Close (Fits Ove | B J | | | |
|--------------------------|--------|-------|------|--|
| SIZE | Α | В | C | |
| 4 x 4 / 4 x 3 | 7 | 27/32 | 7/16 | |

PART NO. 820

Offset Closet Flange, Adjustable with Metal Ring (1¹/2" Offset) HUB SIZE A B C D E

1/4

11/2

25/16

45/16



E-D

'nН



PART NO. 820P

7

4 x 3

Offset Closet Flange , Adjustable with Plastic Ring (1 ¹/₂" Offset]

| | | HUB | | | |
|-------|---|-------|------|------|---------------|
| SIZE | Α | В | С | D | E |
| 4 x 3 | 7 | 45⁄16 | 7/16 | 11/2 | 2 5⁄16 |

PART NO. ABS 824

| C | Closet Flange, Adjustable with Metal Ring & 4'' Extended Spigot | | | | | |
|---|--|---|---------------------|-----|--|--|
| _ | SIZE | A | B | С | | |
| | 4 (ABS) | 7 | 4 ¹ 1⁄16 | 1/4 | | |



| Swiv | vel Tray P with Wa SPG X | asher | apter | A | |
|------|--------------------------------|-------------------------------|-------|---|---|
| SIZE | Α | В | | | I |
| 11/2 | 1 ²³ /32 | ¹⁵ / ₃₂ | | | |

PART NO. ABS 900X

Swivel Tray Plug Adapter with Washer, Extended SPG X FPT SIZE A B

15/32

27/16


| | | В |
|----------|------|---|
| A | | |
| <u> </u> | | |

PART NO. ABS 910

11/2 (ABS)

Swivel Tray Plug Adapter with Washer HX FPT

| SIZE | Α | В | |
|------------|----------------------------|------------------|--|
| 11⁄2 (ABS) | 1 ¹³ ⁄16 | ⁹ ⁄16 | |





Thin Wall PVC DWV Pipe

PVC Thin Wall Schedule 30 Pipe

| PVC SCHEDULE 30 (White) PLAIN END ASTM D 2949 | | | | | | |
|---|-----------|---|-------|------|------|------------------------------|
| PART NO. | NOM. SIZE | SIZE UPC # QTY. PER AVG. OD 611942- SKID (IN.) | | | | WT. PER 100 FT. (LBS.) |
| PVC 9300 | 3″x10′ | 03963 | 1250′ | 3.25 | .125 | 80.2 |

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTM D 2949.


All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

MADE IN

A WARRNING Testing with or use of compressed air or gas in PVC / ABS CVPC pipe or fittings can result in explosive failures and cause severe injury or death. NUTR test with or transport/store of the severe injury or death. NUTR test PVC / ABS / CPVC pipe or fittings. NUTR test PVC / ABS / CPVC pipe or fittings. NUTR test PVC / ABS / CPVC pipe or fittings for water or approved chemical. . 8 def to warnings on PPFA's website and ASTM D 1783.

PVC Thin Wall Schedule 30 Fittings

HUB DIMENSIONS



PVC Thin Wall SCH 30 Fittings Hub Dimensional Tolerances

| SIZE | A | В | C | D |
|-----------|-------|-------|-------|-------|
| 3.25 O.D. | 3.265 | 3.245 | 1.500 | 0.140 |
| 3.25 U.D. | ±.008 | ±.008 | MIN. | MIN. |

IPS Hub Dimensional Tolerances

| SIZE | A | В | C | D |
|--------------|-----------|-------|-------|-------|
| $1^{1}/_{2}$ | 1.915 | 1.894 | 0.750 | 0.156 |
| 1/2 | +.010/005 | ±.006 | MIN. | MIN. |
| 2 | 2.390 | 2.369 | 0.875 | 0.156 |
| 2 | +.010/005 | ±.006 | MIN. | MIN. |
| 3 | 3.520 | 3.498 | 1.500 | 0.218 |
| 0 | +.010/005 | ±.008 | MIN. | MIN. |
| 4 | 4.520 | 4.491 | 1.500 | 0.250 |
| 4 | +.010/005 | ±.009 | MIN. | MIN. |

| Coupling HUB X HUB | | | | | |
|-----------------------|------------------|-------|---------------------|--|--|
| SIZE | Α | В | С | | |
| 3 | ³ ⁄16 | 37/32 | 1 ¹⁷ /32 | | |

PART NO. PVC 1101

| Female Adapter | | | | | | |
|----------------|------------------|------|---------------------|--|--|--|
| FTP X HUB | | | | | | |
| SIZE | Α | В | C | | | |
| 3 | ³ ⁄16 | 11/2 | 1 ¹⁷ /32 | | | |

PART NO. PVC 1102

| Pipe Increaser-Reducer | | | | | |
|------------------------|-------------------|------|------|-------|--|
| • | HUB X | HUB | | | |
| SIZE | Α | В | C | N | |
| 1½x3 | 23/4 | 3⁄4 | 11/2 | 11/4 | |
| 2 x 3 | 2 ³ /4 | 7/8 | 11/2 | 11/4 | |
| 4 x 3 | 47/32 | 1%16 | 13⁄4 | 27/32 | |

PART NO. PVC 1105X

Fitting Cleanout Adapter with Cleanout Plug SPIGOT

| 3 7/32 117/32 | SIZE | Α | В | |
|---------------|------|------|--------|--|
| | 3 | 7/32 | 117/32 | |


PART NO. PVC 1109

| Male Adapter MPTX HUB | | | | | |
|--------------------------|------|------|------|--|--|
| SIZE | A | В | С | | |
| 3 | 5⁄16 | 11⁄2 | 11/2 | | |











| Reducer Bushing HUB X SPIGOT | | | | | |
|---------------------------------|---------------------------|------|-------------------------------|--|--|
| SIZE | Α | В | C | | |
| 3 x 1½ | 2 ⁵ /16 | 11/2 | 3⁄4 | | |
| 3 x 2 | 27/16 | 11/2 | ²⁹ / ₃₂ | | |
| 4 x 3 | 21⁄8 | 13⁄4 | 15⁄8 | | |



A -

PART NO. PVC 1116

| Сар ѕоскет | | | | |
|---------------|-------|----------------------------|--|--|
| SIZE | Α | С | | |
| 3 | 25/16 | 1 ¹⁵ /16 | | |

PART NO. PVC 1117

Adapter Coupling

| (Ac | lapts S&D Hub | to DWV Hub) | | | |
|-------|-----------------|-------------|--|--|--|
| | SPIGOT X SPIGOT | | | | |
| SIZE | Α | | | | |
| 4 x 3 | 9⁄16 | | | | |

PART NO. PVC 1129

Hub Adapter (Adapts 3" IPS Hub to 3" Thin Wall Pipe) SPIGOT X HUB

| SIZE | A | В |
|-------|------|---------------------|
| 3 x 3 | 11/2 | 1 ²⁵ /32 |

PART NO. PVC 1130

| Repair Coupling HUB X HUB | | | | |
|------------------------------|------|-------|--|---|
| | SIZE | Α | | |
| | 3 | 33⁄16 | | - |







Α



| 1/4 Bend | | | | | |
|-----------|------|--|--|--|--|
| HUB X HUB | | | | | |
| SIZE | Α | В | | | |
| 3 | 27/8 | 1 ¹⁷ / ₃₂ | | | |

PART NO. PVC 1302

| 1/4 Bend, Street SPIGOT X HUB | | | | | |
|----------------------------------|------|------|---------------------|--|--|
| SIZE A B C | | | | | |
| 3 | 27/8 | 4%22 | 1 ¹⁷ /32 | | |

PART NO. PVC 1319

| | 1/6 Ben | d |
|------|-----------|---|
| | HUB X HUB | |
| SIZE | Α | |
| 3 | 11/2 | |

PART NO. PVC 1321

| 1/8 Bend HUB X HUB | | | | |
|-----------------------|-------|---------------------|--|--|
| SIZE | Α | В | | |
| 3 | 11/32 | 1 ¹⁷ /32 | | |

PART NO. PVC 1323

| 1/8 Bend, Street SPIGOT X HUB | | | | | |
|----------------------------------|-------|---------------------|--------|--|--|
| SIZE | Α | В | С | | |
| 3 | 11/32 | 2 ¹⁷ /32 | 117/32 | | |













| 1/16 Bend нив х нив | | | | |
|-------------------------------|-------------------|--|--|--|
| SIZE | Α | | | |
| 3 | ¹¹ /16 | | | |

PART NO. PVC 1400

| Sanitary Tee HUB X HUB | | | | | |
|---------------------------|---------------------|------|---------------------|--|--|
| SIZE | | | | | |
| 3 | 2 ³¹ /32 | 41/2 | 1 ¹⁷ /32 | | |

PART NO. PVC 1401

| Sanitary Tee, Reducing HUB X HUB | | | | | | |
|-------------------------------------|-------|---------------------|---------------------|------|-----|--|
| SIZE | Α | В | С | D | E | |
| 3 x 1½ | 29/16 | 2 ¹¹ /16 | 1 ¹¹ /16 | 11/2 | 3⁄4 | |
| 3 x 2 | 27/32 | 33/8 | 1 ³¹ /32 | 11/2 | 7/8 | |

PART NO. PVC 1418

Sanitary Tee with Right & Left Side Inlets

| ALL HUB | | | | | | |
|---------------------|---------------------|---------------------------------|---------------------|--|--|--|
| SIZE | Α | В | С | | | |
| 3 x 3 x 3 x 1½ x 1½ | 2 ¹⁵ /16 | 4 ¹³ / ₃₂ | 2 ¹⁵ /16 | | | |
| 3 x 3 x 3 x 2 x 2 | 2 ¹⁵ /16 | 4 ¹³ / ₃₂ | 2 ¹⁵ /16 | | | |











| Double Sanitary Tee, Reducing HUB X HUB | | | | | | |
|--|------|---------------------|---------------------|---------------------|-------------------|--|
| SIZE | Α | В | С | D | E | |
| 3 x 1½ | 21/4 | 2 ²¹ /32 | 1 ²⁵ /32 | 1 ¹⁷ /32 | ²⁵ /32 | |

PART NO. PVC 1444X

| Cleanout Tee with Cleanout Plug | | | | | | |
|---------------------------------|-------------------|------|------|--|--|--|
| HUB X HUB X FTP | | | | | | |
| SIZE | Α | В | C | | | |
| 3 | 2 ³ /4 | 33⁄4 | 11/8 | | | |






See Part No. 106 for plug dimensions.

PART NO. PVC 1600

| Wye нив х нив | | | | | |
|-------------------------|------|-----|-------------------|---------------------|--|
| SIZE | Α | В | С | D | |
| 3 | 47/8 | 3/4 | 4 ¹ /8 | 1 ¹⁷ /32 | |





PART NO. PVC 1601

| Wye, Reducing HUB X HUB | | | | | | |
|----------------------------|---------------------------------|-----|------|---------------------|-------------------------------|--|
| SIZE | Α | В | С | D | Е | |
| 3 x 1½ | 3 ¹¹ /16 | 3⁄8 | 31/2 | 1 ¹⁷ /32 | ²⁵ / ₃₂ | |
| 3 x 2 | 3 ¹¹ / ₁₆ | 1⁄4 | 43⁄8 | 1 ¹⁷ /32 | 7⁄8 | |

PART NO. PVC 1611

| Double Wye HUB X HUB | | | | | |
|-------------------------|---------------------------------|-------------------|-------------------|---------------------|--|
| SIZE A B C | | | | | |
| 3 | 4 ²⁹ / ₃₂ | ¹³ ⁄16 | 4 ¹ /8 | 1 ¹⁷ /32 | |





| Closet Flange | | | | | |
|---------------|---|------|------|------|--|
| SIZE | Α | В | С | D | |
| 4 x 3 | 7 | 11/4 | 7/16 | 1%16 | |

PART NO. PVC 1800K


| Closet Flange | | | | | | | |
|---------------|---|------|------|------|--|--|--|
| SIZE | Α | В | С | D | | | |
| 4 x 3 | 7 | 11/4 | 7/16 | 1%16 | | | |


PART NO. PVC 1811


| Closet Flange, Adjustable with Metal Ring | | | | | | | | |
|---|------|------|-----|------|--|--|--|--|
| HUB | | | | | | | | |
| SIZE | Α | В | С | D | | | | |
| 4 x 3 | 63⁄4 | 11/4 | 1⁄4 | 11/2 | | | | |


PART NO. PVC 1812

| | Closet Flange | e, Adjust | able wi | th Met | al Ring | |
|--------|----------------------|-----------|---------|--------|---------|--|
| SPIGOT | | | | | | |
| Ĵ | SIZE | Α | В | С | D | |
| | 4 x 3 | 63⁄4 | 11/4 | 1⁄4 | 11/2 | |









This is to certify that all Plastic Pipe and Fittings manufactured by Charlotte Pipe and Foundry Company are manufactured in the United States and conform to the following standards:

PVC SCH. 40 SOLID WALL PIPE

ASTM D 1784, ASTM D 1785, ASTM D 2665 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14 AND 61

PVC SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 4396, ASTM F 891 NSF STANDARD NO. 14

RePVC[®] SCH. 40 DWV PIPE

ASTM D 4396, ASTM F 1760 NSF STANDARD NO. 14

PVC SCH. 40 DWV FITTINGS

ASTM D 1784, ASTM D 2665, ASTM D 3311, ASTM F 1866 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14

ConnecTite® PUSH-FIT DWV FITTINGS

ASME A112.4.4, IAPMO IGC 334 NSF STANDARD NO. 14

PVC SDR-21 AND SDR-26 PRESSURE PIPE

ASTM D 1784, ASTM D 2241 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 PRESSURE FITTINGS

ASTM D 1784, ASTM D 2466 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 WELL CASING PIPE

ASTM D 1784, ASTM F 480 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 PIPE

ASTM D 1784, ASTM D 1785, PVC 1120 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 FITTINGS

ASTM D 1784, ASTM D 2467, ASTM D 2464, ASTM F 1970 NSF STANDARD NO. 14 AND 61

PVC SDR 35 SEWER MAIN PIPE

ASTM D 1784, ASTM D 3034 SDR 35 ASTM D 3212, ASTM F 477

PVC SEWER AND DRAIN PIPE

ASTM D 1784, ASTM D 2729

PVC THIN WALL PIPE & FITTINGS

ASTM D 1784, ASTM D 2949 NSF STANDARD NO. 14

CPVC FLOWGUARD GOLD® CTS PIPE & FITTINGS

ASTM D 1784, ASTM D 2846 FHA UM-61a NSF STANDARD NO. 14. AND 61 CSA LISTED ON SPECIFIED ITEMS

CPVC REUZE® CTS PIPE

ASTM D 1784, ASTM D 2846 NSF STANDARD NO. 14.

CPVC CHEMDRAIN® SCH. 40 PIPE & FITTINGS

ASTM D 1784, ASTM F 2618 NSF STANDARD NO. 14

ABS SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM F 628 NSF STANDARD NO. 14

ABS PLUS[®] SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM D 4396, ASTM F 1488 NSF STANDARD NO. 14.

ABS SCH. 40 DWV FITTINGS

ASTM D 3965, ASTM D 2661, ASTM D 3311 FHA UM 79a FEDERAL SPECIFICATION L-P-322b NSF STANDARD NO. 14



I IMITED WARRANTY


Charlotte Pipe and Foundry Company[®] (Charlotte Pipe[®]) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF[®] International or with Heavy Duty Couplings meeting ASTM C 1540
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:



Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product proved to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/24/15

Charlotte and Charlotte Pipe are registered trademarks of Charlotte Pipe and Foundry Company.

This catalog accurately reflects dimensional information to the best of our knowledge. If the dimensions on your job are critical, please verify dimensional information with our factory.

This dimensional catalog accurately reflects our product line at the time the catalog was printed. However, we add and delete items on an ongoing basis to better serve our customers. Please refer to our current list price sheets for an accurate listing of items offered.

Charlotte Pipe[®] products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

CHARLOTTE PIPE AND FOUNDRY COMPANY

P0 B0X 35430 CHARLOTTE NORTH CAROLINA 28235 PHONE (704) 348-6450 (800) 572-4199 FAX (800) 553-1605 WWW.CHARLOTTEPIPE.COM

