

**GAUGES &
INSTRUMENTATION**

**W-R STANDARD
PRESSURE GAUGES**



- 1/4" NPT brass lower connection
- Black steel case
- For water, oil, & gas
- Not for use on oxygen

W-R#	Size	PSI	Increments
1712002	2"	15 psi	1/2 lb.
1712004	2"	30 psi	1/2 lb.
1712006	2"	60 psi	1 lb.
1712008	2"	100 psi	2 lb.
1712010	2"	160 psi	5 lb.
1712012	2"	200 psi	4 lb.
1712014	2"	300 psi	5 lb.
1712016	2"	400 psi	8 lb.
1712502	2 1/2"	15 psi	1/2 lb.
1712504	2 1/2"	30 psi	1/2 lb.
1712506	2 1/2"	60 psi	1 lb.
1712508	2 1/2"	100 psi	2 lb.
1712510	2 1/2"	160 psi	5 lb.
1712512	2 1/2"	200 psi	4 lb.
1712514	2 1/2"	300 psi	5 lb.
1712516	2 1/2"	400 psi	8 lb.
1712802	3 1/2"	15 psi	1/2 lb.
1712804	3 1/2"	30 psi	1/2 lb.
1712806	3 1/2"	60 psi	1 lb.
1712808	3 1/2"	100 psi	2 lb.
1712810	3 1/2"	160 psi	5 lb.
1712812	3 1/2"	200 psi	4 lb.
1712814	3 1/2"	300 psi	5 lb.
1712816	3 1/2"	400 psi	8 lb.
1712818	3 1/2"	600 psi	10 lb.
1713002	4 1/2"	15 psi	1/2 lb.
1713004	4 1/2"	30 psi	1/2 lb.
1713006	4 1/2"	60 psi	1 lb.
1713008	4 1/2"	100 psi	2 lb.
1713010	4 1/2"	160 psi	5 lb.
1713012	4 1/2"	200 psi	4 lb.
1713014	4 1/2"	300 psi	5 lb.
1713016	4 1/2"	400 psi	8 lb.
1713018	4 1/2"	600 psi	10 lb.



**W-R STANDARD
PRESSURE GAUGES
WITH 1/8" LOWER NPT**

W-R#	Size	PSI	Increments
1717002	2 1/2"	30 psi	1/2 lb.
1717004	2 1/2"	100 psi	2 lb.

**GAUGES &
INSTRUMENTATION**



VACUUM GAUGE

W-R#	Description	PSI
1720002	2" Vacuum	-30 psi
1720004	2½" Vacuum	-30 psi
1720006	3½" Vacuum	-30 psi

- ¼" NPT Lower Connection



COMPOUND GAUGE

W-R#	Description	PSI
1719002	2" Compound	30-0-30
1719004	2½" Compound	30-0-30
1719006	3½" Compound	30-0-30

- ¼" NPT Bottom Outlet



**1/4" NPT
BACK OUTLET
PRESSURE GAUGE**

W-R#	Description	PSI
1714002	2½" C.B.O.	30 psi
1714004	2½" C.B.O.	100 psi
1714202	3½" C.B.O.	30 psi



**WATER TEST GAUGE
WITH 3/4" FHT**

W-R#	Description	PSI
1721002	2½"	200 psi

- ¾" Female Garden Hose thread
- 2 psi increments



**2 1/2" SILICON
LIQUID-FILLED GAUGE**

Stainless Steel Case
1/4" NPT Lower Connection

W-R#	Description	PSI
1712600	2 1/2"	15 psi
1712601	2 1/2"	30 psi
1712602	2 1/2"	60 psi
1712604	2 1/2"	100 psi
1712606	2 1/2"	200 psi
1712608	2 1/2"	300 psi

1719000 30-0-30 Compound
1720000 - 30 psi Vacuum

GAUGES & INSTRUMENTATION



HOT WATER DIAL THERMOMETER

W-R# Description

- 1722011** Angle (Back Outlet)
- 1722013** Straight (Bottom Outlet)

SIZE: 3½" Face, ½" NPT
 CASE: Steel
 WINDOW: Glass
 SOCKET: Brass
 RANGE: 30° TO 248°F
 TEMPERATURE ELEMENT: Helical bi-metallic element enclosed in a brass bulb



"SNAP-WELL" THERMOMETERS

W-R# Description

- 1722014** Brass Probe
- 1722015** Aluminum Probe
- 1722016** 3/4" Sweat Well

- 2" Face
- ½" NPT connection
- Graduation from 40° to 240°
- Snaps out of its brass well for easy replacement or calibration.



W-R BRASS WELL THERMOMETER

W-R# Description

- 1722000** Straight (Bottom Mount)
- 1722001** Angle (Back Mount)

- 6" Non-corrosive Valox® case
- ½" NPT connection
- Graduation from 40° to 280°



ECONOMY HOT WATER THERMOMETERS

W-R# Description

- 1722002** Steel Well - Straight
- 1722004** Steel Well - Angle
- 1722006** Brass Well - Straight
- 1722008** Brass Well - Brass

- 6" steel case case with white lacquer finish
- ½" NPT connection
- Graduation from 40° to 280°

GAUGES & INSTRUMENTATION



7" ADJUSTABLE ANGLE THERMOMETER

W-R#	Description
------	-------------

1722020 7" Hot Water Thermometer

- Adjustable radius of 180 Degrees
- 1/2" Brass Connection
- 40-240° F



POCKET THERMOMETERS

W-R#	Description
------	-------------

1802214 0 - 220°F

- Plastic Sheath
- Pocket Clip



W-R TRIDICATORS

W-R#	Face	Shank	NPT	Outlet
------	------	-------	-----	--------

1711016 2½" (1") ¼" Angle

1711018 2½" (2 1/4") ¼" Angle

- 60° - 320°F
- 0 - 75 psi

W-R#	Face	NPT	Outlet
------	------	-----	--------

1711015 3 1/4" ¼" Straight

1711011 3 1/4" ½" Angle

1711009 3 1/4" ½" Straight

- 70° - 250°F
- 0 - 55 psi



MARSHALLTOWN® TRIDICATOR
SQUARE FACE



W-R#	Face	NPT	Outlet
------	------	-----	--------

1711010 3½" 1/2" Angle

1711012 3½" 1/2" Straight

- Made in USA
- 60°-260°F
- 0 - 60 psi



THERMOWELLS FOR AQUASTATS

W-R#	Diameter	Length
------	----------	--------

1751032 1/2" 3"

1751034 3/4" 3"

1751038 3/4" 6"

- Brass immersion well
- Fits Honeywell, White Rodgers