

PRODUCT GUIDE

Evaporator Coil // Air Handler // Unit Heater

Wall Mount

Compact Air Handler



Compact and Lightweight for Multi-family

ADP wall mount air handlers are the perfect replacement for multi-family applications, offering the premier ADP experience of custom solutions, availability and built-in quality.

With the variation of our wall mount air handlers, ADP brings an opportunity for distributors to meet the needs of low height and light weight solutions within the multi-family market. ADP offers short lead times, delivers reliable ratings, as well as having a no hassle 5-year limited warranty with a 10-year limited warranty with registration.




FEATURE	BENEFIT
Copper or Aluminum Coil	Increased internal volume for more match-ups
PSC or ECM Motor	PSC or optional high efficiency ECM motor
Factory Installed Heat	5, 7.5, 10 kW heat kits reduce complexity of installation
Factory Installed TXV	All threaded connections saves time in the field
Integrated Filter Frame	Slide-in design; no tools required for change out
Easy Motor Access	Flexible copper tubing for easy motor access



ADP wall mount air handlers are made for seamless and easy installation, ensuring quality through proprietary testing technology and optimal performance.


Low Height

At only 30" tall standard with optional 35.5" tall for heat pump match ups



Light Weight

Aluminum wall mount air handler Weighing 80 lbs. or less Can be a "one-man-job"



THE ADP ADVANTAGE

FLEXIBILITY ADP tailors custom solutions to meet your unique market needs.

QUALITY ADP proprietary testing technology ensures leak-free performance at the higher operating

pressures of R-410A systems.

SERVICE Healthy Solutions® coils are made for seamless installation and easy access.

ENERGY SAVINGS Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility

rebates, and federal tax credits.

WARRANTY Compact multi-family air handlers feature an available 10-year limited warranty.

Simply register online at www.ADPwarranty.com.



NOMENCLATURE

S	M2	2	24	05
Series	Slab Number	Metering Device	Unit Size	Electric Heat [2]
S: Compact Wall Mount	Aluminum: M2, M3, M5, M6, M7 Copper: K1, K2, K3, K6, K7, L1, L5, L6, L9	 Piston (R-410A) Piston (R-22) Non-bleed A/C TXV (R-410A) Bleed HP-A/C TXV (R-410A) [1] Bleed A/C TXV (R-410A) [1] Non-bleed HP-A/C TXV (R-410A) 	18, 24, 30, 36: PSC Motor 19, 25, 31, 37, 39: ECM high efficiency motor	05: 5 kW (all sizes) 07: 7.5 kW (all sizes) 10: 10 kW (all sizes)

^{[1] 7} and 8 valve options only for York family products

NOTE: Minimum order quantities of 4 per model number

Air Handler Size	18, 19	24, 25	30, 31	36, 37	39
Height (in)	30	30	30	30	35.5
Depth (in)	18 ¾	18 ¾	18 ¾	18 ¾	18 ¾
Width (in)	22	22	22	22	22

AVAILABLE ACCESSORIES







Float Switch

Wall Hanging Bracket

Decorative Wall Panel & Closet Panel

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087 www.adpnow.com



^[2] pull disconnect only