For Residential and Commercial Applications

Job Name	Engineer / Architect	
Job Location	Wholesaler	
Submittal Date	Contractor	_

KTBRPX19 1/4 Turn Angle Ball Stop – Barbed PEX x Compression

Use: For use in potable water distribution systems in accessible locations only.

Design Features:

- Precision-machined brass ball is specially engineered and mated with Fluorocarbon seats to provide smooth operation without freeze ups even after long periods of non-use
- Two high-performance o-rings withstand high temperatures and corrosion from harsh water environments
- Machined one-piece brass body provides strength, durability, and long-lasting performance
- Brass stem is assembled from the inside out with two o-rings to ensure safe, reliable performance
- Plated stem provides corrosion resistance and prevents o-ring damage after long periods of non-use
- Patented, chrome plated metal handle is designed for durability, corrosion resistance, and a sleek appearance
- Easy-to-remove handle with screw attachment helps protect against accidental stop operation during rough-ins
- PEX end designed to ASTM F1807
- For use with ASTM F876 PEX tubing, in ASTM F877 water distribution systems using ASTM F1807, and/or F2098 connection methods
- 100% Leak tested




Operating Specifications:

Temperature: 40°- 180° F

Pressure: 125 PSI maximum

MATERIAL SPECIFICATIONS			
Body	Brass, chrome plated		
Stem	Brass or brass, plated		
Seat	Fluorocarbon		
Ball	Brass, plated		
O-ring	Rubber		
Handle	Zinc, die cast plated		
Handle Screw	Steel, zinc plated		
Compression Nut	Brass, chrome plated		
Compression Sleeve	Brass		








KTBRPX19 1/4 Turn Angle Ball Stop – Barbed PEX x Compression

Part Listing:

	1/2" nom crimp barb (for PEX) x 3/8" OD compression, chrome plated
KTBRPX19X CM	1/2" nom crimp barb (for PEX) x $3/8$ " OD compression, chrome plated, contractor pack

KTBRPX19L1X CB 1/2" nom crimp barb (for PEX) x 3/8" OD compression, chrome plated, bulk

PART DIMENSIONS (Inches)				
Model	DIM. A	DIM. B		
KTBRPX19X	1.20	2.22		



Listings & Certifications:

- IAPMO listed to ASME A112.18.1 / CSA B125.1 (File # 0645)
- CSA listed to ASME A112.18.1 / CSA B125.1 (File # 204593)
- No-lead product CSA listed to NSF 372 (Class 6853-01)











This specification and all information contained herein is the confidential and exclusive property of Brasscraft Manufacturing Co., and shall not be disclosed to others without the written consent of Brasscraft Mfg Co. This specification must be returned to Brasscraft Mfg. Co. if requested.