For Residential and Commercial Applications			
Job Name		Engineer / Architect	
Job Location		Wholesaler	
Submittal Date		Contractor	

62 Series Compression x Compression Unions

Use: For use with potable and non-potable water, instrumentation, hydraulic, and pneumatic systems. Designed for use with aluminum, copper, and plastic tubing*. Not intended for use with steel tubing.

* Plastic tubing requires a plastic insert and sleeve (see 60PT & 63PT submittal forms for details)

Design Features:


- **Little to no tube preparation.** Compression fittings do not require flaring, soldering, or other types of tube preparation
- Available in a broad range of sizes
- **W** No-lead available

Operating Specifications:

Temperature: -65°- 250° F at maximum operating pressures

Working Pressure: See chart below

Vibration: Fair vibration resistance



WORKING PRESSURE			
PSI	Tube OD	Tube Wall (Inches)	
400	1/8	0.030	
400	3/16	0.030	
300	1/4	0.030	
300	5/16	0.032	
200	3/8	0.032	
200	1/2	0.032	
150	5/8	0.035	
100	3/4	0.035	
75	7/8	0.035	

Standard Product

MATERIAL SPECIFICATIONS		
Body	Brass	
Compression Sleeve	Brass	
Compression Nut	Brass	
Option	Chrome plating	




62 Series Compression x Compression Unions

Standard Part Listing:

62-2	1/8" OD tube, both ends
62-2 B	1/8" OD tube, both ends, bulk
62-2-1 B	1/8" OD tube, both ends - body only, bulk
62-3	3/16" OD tube, both ends
62-3 B	3/16" OD tube, both ends, bulk
62-3-1 B	3/16" OD tube, both ends - body only, bulk
62-4	1/4" OD tube, both ends
62-4 B	1/4" OD tube, both ends, bulk
62-4-1 B	1/4" OD tube, both ends - body only, bulk
62-4-1 CB	1/4" OD tube, both ends - body only, chrome plated, bulk
62-5	5/16" OD tube, both ends
62-5 B	5/16" OD tube, both ends, bulk
62-5-1 B	5/16" OD tube, both ends - body only, bulk
62-6	3/8" OD tube, both ends
62-6 B	3/8" OD tube, both ends, bulk
62-6 C	3/8" OD tube, both ends, chrome plated
62-6 CB	3/8" OD tube, both ends, chrome plated, bulk
62-6-1 B	3/8" OD tube, both ends - body only, bulk
62-6-1 CB	3/8" OD tube, both ends - body only, chrome plated, bulk
62-7	7/16" OD tube, both ends
62-7 B	7/16" OD tube, both ends, bulk
62-8	1/2" OD tube, both ends
62-8 B	1/2" OD tube, both ends, bulk
62-8 C	1/2" OD tube, both ends, chrome plated
62-8-1 B	1/2" OD tube, both ends - body only, bulk
62-8-1 CB	1/2" OD tube, both ends - body only, chrome plated, bulk
62-10	5/8" OD tube, both ends
62-10 B	5/8" OD tube, both ends, bulk
62-10 C	5/8" OD tube, both ends, chrome plated
62-10-1 B	5/8" OD tube, both ends - body only, bulk
62-12	3/4" OD tube, both ends
62-12 B	3/4" OD tube, both ends, bulk
62-12-1 B	3/4" OD tube, both ends - body only, bulk
62-14	7/8" OD tube, both ends
62-14 B	7/8" OD tube, both ends, bulk
62-14-1 B	7/8" OD tube, both ends - body only, bulk

62 Series Compression x Compression Unions



PART DIMENSIONS (Inches)			
Model	DIM. A	DIA. B	НЕХ. С
62-2	0.64	0.940	5/16
62-3	0.75	0.125	3/8
62-4	0.78	0.125	7/16
62-5	0.87	0.252	1/2
62-6	0.96	0.314	9/16

PART DIMENSIONS (Inches)			
Model	DIM. A	DIA. B	HEX. C
62-7	1.02	0.312	5/8
62-8	1.09	0.408	11/16
62-10	1.25	0.531	13/16
62-12	1.40	0.562	1
62-14	1.14	0.750	1-1/8