

# Builder CF700




## MODEL FEATURES

- 52" Blade Span
- 5 Reversible Blades
- Die Cast Hanger Ball & Bracket
- Light Fixture Adaptable
- 4.5" Downrod
- Adaptable up to 3" Downrod

## LIGHTING

AMPS	<b>0.60</b>
Lumens	<b>N/A</b>
Watts	<b>N/A</b>
CRI	<b>N/A</b>
CCT (K)	<b>N/A</b>
Dimming Light	<b>N</b>
Reverse Switch	<b>Manual</b>



- A. Total Fan Height: **12"**
- B. Bottom of Blade to Ceiling: **11"**
- C. Width of Canopy: **5.2"**
- D. Width of Housing: **11.5"**
- E. Total Fan Diameter: **52"**

## PERFORMANCE

Speed	<b>High</b>	<b>Low</b>	
Airflow	<b>4322</b>	<b>1491</b>	CUBIC FT. PER MIN.
Electricity Use	<b>65</b>	<b>10</b>	WATTS (EXCL. LIGHTS)
Airflow Efficiency	<b>67</b>	<b>150</b>	CUBIC FT. PER MIN. PER WATT
RPM	<b>155</b>	<b>50</b>	REVOLUTIONS PER MIN.

## CONTROLS

Optional

**SW90**  
Fan & Light Dual  
Slide Control



**SW46**  
4-Speed Slide  
Wall Control



LED Light  
Fixtures



## AVAILABLE FINISHES

**OIL RUBBED BRONZE**  
**CF700ORB** - Dark Cherry/Medium Oak Blades

**BRUSHED STEEL**  
**CF700BS** - Dark Cherry/Mahogany Blade

**APPLIANCE WHITE**  
**CF700WW** - Appliance White/Bleached Oak Blades

## FAN SPECIFICATIONS

Diameter	<b>52"</b>
Motor Lead Lengths	<b>42"</b>
Motor Size (mm)	<b>153 x 15</b>
Product Weight	<b>14.4</b> LBS
Blade Pitch	<b>11°</b>
Downrod Length	<b>4.5"</b> INCL.
Accepts 2.5" Downrod <b>Y</b>	

## SHIPPING SPECIFICATIONS

Carton Weight	<b>16.7</b> LBS
Length	<b>20.75"</b>
Width	<b>12.75"</b>
Depth	<b>8"</b>



## ENERGYGUIDE

<p>Estimated Yearly Energy Cost</p> <h1 style="font-size: 2em;">\$11</h1> <p>Cost Range of Similar Models (19" - 84")</p> <div style="border: 1px solid black; width: 100px; height: 15px; margin: 0 auto; position: relative;"> <span style="position: absolute; left: 0; top: -5px;">\$3</span> <span style="position: absolute; right: 0; top: -5px;">\$34</span> </div> <p><small>• Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • Energy Use: 39 Watts</small></p>	<p>Airflow</p> <h1 style="font-size: 2em;">2,995</h1> <p>Cubic Feet Per Minute</p> <p><small>• The higher the airflow, the more air the fan will move • Airflow Efficiency: 77 Cubic Feet Per Minute Per Watt</small></p>
---	---

All estimates based on typical use, excluding lights ftc.gov/energy

Energy information listed above is a weighted average of High and Low speeds tested with the downrod supplied.



**EMERSON**

A Division of Luminance Brands

1945 S. Tubeway Ave.  
Los Angeles, CA 90040

### CUSTOMER SERVICE

Tel: 800.346.1340  
Fax: 800.346.1381  
Email: Sales@LuminanceBrands.com

For our full line of products, visit [LuminanceBrands.com](http://LuminanceBrands.com)