

PRICE GROUP	DESCRIPTION	DISCOUNT MULTIPLIER
TM	CTS - CPVC	
VT	CTS - CPVC Ball Valves	

Orders shipped in full bag / carton quantities only



PRODUCTS | PRICE LIST

CTS-CPVC

CPVC COPPER TUBE SIZE FITTINGS

CTS | EFFECTIVE AUGUST 8, 2016

CTS-CPVC PRICE LIST

Orders shipped in full bag / carton quantities only

KEY:
 FPT..... Female Pipe Thread SP..... Spigot
 MPT..... Male Pipe Thread CTS..... Copper Tube Size
 SLIP..... Solvent Cement Socket IPS..... Iron Pipe Size



Slip

Tee					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4101-005	½	500	50	2.15	
4101-007	¾	250	50	3.81	
4101-010	1	100	10	19.99	
4101-012	1¼	100	10	30.68	
4101-015	1½	50	5	39.96	
4101-020	2	25	5	64.60	



Slip

Reducer Tee					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4101-074	½ X ½ X ¾	250	50	7.48	
4101-094	¾ X ½ X ½	250	50	3.94	
4101-095	¾ X ½ X ¾	250	50	5.40	
4101-101	¾ X ¾ X ½	250	50	4.15	
4101-102*	¾ X ¾ X 1	100	10	44.11	
4101-120*	1 X ½ X ½	100	10	47.53	
4101-121*	1 X ½ X ¾	100	10	46.74	
4101-122*	1 X ½ X 1	100	10	35.94	
4101-124*	1 X ¾ X ½	100	10	44.38	
4101-125	1 X ¾ X ¾	100	50	24.25	
4101-126*	1 X ¾ X 1	100	10	35.51	
4101-130	1 X 1 X ½	100	10	22.71	
4101-131	1 X 1 X ¾	100	10	21.67	
4101-158*	1¼ X 1 X 1	100	10	68.85	
4101-166*	1¼ X 1¼ X ½	60	10	55.44	
4101-167*	1¼ X 1¼ X ¾	60	10	49.31	
4101-168*	1¼ X 1¼ X 1	100	10	52.11	
4101-195*	1½ X 1 X 1	50	5	67.12	
4101-209*	1½ X 1½ X ½	50	5	59.65	
4101-210*	1½ X 1½ X ¾	50	5	49.74	
4101-211*	1½ X 1½ X 1	50	5	45.53	
4101-247*	2 X 2 X ½	25	5	83.61	
4101-248*	2 X 2 X ¾	25	5	68.40	
4101-249	2 X 2 X 1	25	5	64.82	
4101-251*	2 X 2 X 1½	25	5	73.09	

*Fabricated



Slip

90° Elbow					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4106-005	½	1000	50	1.59	
4106-007	¾	500	50	2.61	
4106-010	1	100	10	7.64	



Slip

90° Elbow (continued)					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4106-012	1¼	100	10	15.19	
4106-015	1½	100	10	27.41	
4106-020	2	50	5	52.59	
4106-101	¾ X ½	250	50	6.02	



Spigot x Slip

90° Street Elbow					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4109-005	½	500	50	1.98	
4109-007	¾	250	50	3.09	
4109-010	1	100	10	14.15	



Slip

45° Elbow					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4117-005	½	500	50	2.12	
4117-007	¾	250	50	3.68	
4117-010	1	100	10	8.84	
4117-012	1¼	100	10	19.80	
4117-015	1½	100	10	28.68	
4117-020	2	25	5	56.82	



Spigot x Slip

45° Street Elbow					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4127-005	½	500	50	4.26	
4127-007	¾	250	50	6.04	
4127-010	1	100	10	17.34	



Slip

Coupling					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4129-005	½	1000	50	1.38	
4129-007	¾	500	50	1.73	
4129-010	1	100	10	7.75	
4129-012	1¼	100	10	10.59	
4129-015	1½	100	10	14.96	
4129-020	2	50	10	26.96	



Slip x Slip

Reducer Coupling					
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)	
4129-101	¾ X ½	250	50	3.21	
4129-131	1 X ¾	100	10	9.69	
4129-168*	1¼ X 1	60	10	33.91	

*Fabricated

CTS-CPVC PRICE LIST

Orders shipped in full bag / carton quantities only



FPT x Slip

Threaded Female Adapter - Stainless Steel*				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4135-005SS	½	100	10	51.26
4135-007SS	¾	50	5	55.31
4135-010SS	1	25	5	168.72

* Suitable for Hot and Cold water applications. 304 Stainless Steel is galvanically compatible with Brass and Copper in potable water plumbing systems.



MPT x Slip

Male Adapter				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4136-005	½	1000	50	1.74
4136-007	¾	500	50	2.96
4136-010	1	100	10	13.27
4136-012	1¼	100	10	21.73
4136-015	1½	100	10	26.79
4136-020	2	50	10	44.18

* CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot and Cold water applications.



MPT x Slip

Threaded Male Adapter - Stainless Steel*				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4136-005SS	½	100	10	51.26
4136-007SS	¾	50	5	55.31
4136-010SS	1	25	5	168.72

* Suitable for Hot and Cold water applications. 304 Stainless Steel is galvanically compatible with Brass and Copper in potable water plumbing systems.



MPT x Slip

Reducing Male Adapter				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4136-074	½ X ¾	250	50	7.05

* CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot and Cold water applications.



Spigot x Slip

Reducer Bushing				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4137-101	¾ X ½	500	50	2.08
4137-130	1 X ½	100	10	6.82
4137-131	1 X ¾	100	10	6.82
4137-166	1¼ X ½	100	10	9.81
4137-167	1¼ X ¾	100	10	8.86
4137-168	1¼ X 1	100	10	7.75
4137-209	1½ X ½	100	10	11.53
4137-210	1½ X ¾	100	10	11.53
4137-211	1½ X 1	100	10	10.93
4137-212	1½ X 1¼	100	10	10.93
4137-247	2 X ½	50	10	27.38
4137-248	2 X ¾	50	10	25.56
4137-249	2 X 1	50	10	24.69
4137-250	2 X 1¼	50	10	29.09
4137-251	2 X 1½	50	10	24.69



Spigot x Slip

IPS to CTS Transition Bushing				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4140-005	½	100	10	9.14
4140-007	¾	100	10	9.24
4140-010	1	100	10	10.19
4140-012	1¼	100	10	13.06
4140-015	1½	100	10	16.46
4140-020	2	50	10	17.34



Slip x Slip

IPS to CTS Transition Coupling				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4141-007	¾	250	50	6.22
4141-010	1	100	10	11.78



Slip

Cap				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4147-005	½	500	50	1.44
4147-007	¾	250	50	1.92
4147-010	1	100	10	7.01
4147-012	1¼	100	10	9.96
4147-015	1½	100	10	15.32
4147-020	2	50	10	30.92



MPT x Spigot

Street Male Adapter				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
4161-005	½	1000	50	5.58

* CPVC threaded fittings are recommended for cold water applications only. 304 Stainless Steel threaded fittings are suitable for Hot and Cold water applications.



Slip

Drop Ear 90° Elbow				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
DE4106-005	½	250	50	4.99



FPT x Slip

Drop Ear 90° Elbow - Stainless Steel*				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
DE4107-005SS	½	50	10	63.74

* Suitable for Hot and Cold water applications. 304 Stainless Steel is galvanically compatible with Brass and Copper in potable water plumbing systems.



Slip x Slip

Ball Valve				
Part No	Size (in)	Ctn Qty	Bag Qty	List Price (\$)
V07491CE	½	100	—	8.32
V08491CE	¾	100	—	10.76
V10491CE	1	100	—	18.75
V14491CE	1¼	100	—	33.91
V17491CE	1½	48	—	40.16
V20491CE	2	24	—	53.21

CTS-CPVC Ball Valves have discount code VT



CUSTOMER SERVICE
Phone: (800) 776-2756 | Fax: (731) 772-0835
Email: customerservice@lascofittings.com
www.lascofittings.com

LIMITED WARRANTY

LASCO Fittings, Inc. products are warranted to be free from manufacturing defects in materials and workmanship. They are warranted against rot, rust, and electrolytic corrosion for a period of three years from date of installation. If LASCO products prove defective due to manufacturing defects in material or workmanship during that period, the manufacturer will provide new replacement units of the same type and size. No remedy will be granted under this warranty if LASCO products are not used strictly in accordance with LASCO's directions with respect to use and storage or if the products have been modified in any way.

THE MANUFACTURER'S LIABILITY UNDER EXPRESSED OR IMPLIED WARRANTY OR FOR ANY REASON IS LIMITED TO FURNISHING REPLACEMENT UNITS OR GRANTING A CREDIT FOR DEFECTIVE UNITS. NO LABOR EXPENSE OR CONSEQUENTIAL DAMAGES WILL BE PAID BY LASCO. THIS WARRANTY IS IN LIEU OF ALL OTHER GUARANTEES AND WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE, EXCEPT FOR ANY WARRANTIES IMPLIED BY LAW FOR NONCOMMERCIAL CONSUMERS. ANY SUCH WARRANTIES ARE LIMITED TO THE DURATION OF THIS WRITTEN WARRANTY.

DO NOT USE LASCO FITTINGS FOR COMPRESSED AIR OR GASES.
DO NOT TEST PVC PIPING SYSTEMS WITH COMPRESSED AIR OR GASES.
DO NOT USE FITTINGS WITH LIQUIDS NOT RECOMMENDED BY LASCO.
MODIFICATIONS OF FITTINGS VOIDS THE WARRANTY.

STANDARDS AND SPECIFICATIONS – CTS - CPVC

- ASTM D 1784 – Rigid Poly (Vinyl Chloride) (PVC) Compounds and Chlorinated Poly (Vinyl Chloride) (CPVC) Compounds, Class 23447.
- ASTM D 2846 – CPVC Plastic Hot and Cold Water Distribution System
- ASTM F 493 – Solvent Cements for CPVC Pipe and Fittings
- MATERIAL – Fittings are produced from CPVC Type IV, Grade I.
- LISTINGS – NSF/ANSI Standard 14: Plastics Piping system Components and Related Materials. Includes ANSI Standard 61, Annex G
- CSA (Canadian Standards Association) B137.6

STANDARD TERMS AND CONDITIONS OF SALE

1. Terms: 2% 35 days, net 45 days.
2. Freight: FOB LASCO warehouses. Prepaid on orders for products only totaling \$1500 net for one shipment to single destination within the contiguous United States.
3. Minimum Order: \$50 net. Smaller orders billed at this minimum charge.
4. Claims for shipping errors must be made within 15 days to LASCO. Claims for damage or shortages should be directed promptly to the common carrier by the consignee.
5. Returns will be accepted only by prior authorization and if shipped freight prepaid. Returned merchandise subject to a 25% handling/restocking charge.
6. Pricing is subject to change without prior notice. However, prior notification will be given in the event of price changes in the period between order placement and scheduled shipment.
7. Offer to sell is not implied by possession of this or other LASCO price lists.