
SPECIFICATION AND SUBMITTAL

GB2 35/50 GPM Grease Interceptor for Indoor Use





This unit is certified to ASME A112.14.3 (Type C) and CSA B481.1 at two different flow rates and includes the internal flow controls for both. External flow control with vent not required.

Satisfies Miami DERM 99% efficiency requirements when at least 2 units are installed in series

SUBMITTAL

Standard

Location: indoor Installation: above/below grade Flow Rates / Grease Capacities: 35 GPM (2.2 L/s) / 130.5 lbs. (59.2 kg) 50 GPM (3.2 L/s) / 127.6 lbs. (57.9 kg) Solids Capacity: 1.8 gal. (6.8 L) Liquid Capacity: 20 gal. (75.7 L) Weight: 49 lbs. (22.2 kg) Connections: 3" (75 mm) and 4" (100 mm) plain end Cover: bolted gas/water tight polypropylene with 1,000 lb. load rating when unit is buried with FCRI riser

Options

-FO: fixed outlet diffuser
FCR1 (x1): > 2-1/8" - 12" field cut riser
FCR1 (x2): > 12" - 24" field cut risers
CCI: membrane clamping collar kit (requires FCR1 riser)
PP1: pumpout port kit
SGK2: support gusset kit
PLAIN-EA-24: 2" (50 mm) plain end fitting
FPT-EA-34: 4" x 3" (100 mm x 75 mm) FPT fitting
FPT-EA-23: 3" x 2" (75 mm x 50 mm) FPT fitting

Approval

Signature:	Date:		Company:
Specifying Engineer:		Engine	ering Firm:

SCHIER LIFETIME GUARANTEED		DESCRIPTION: 35/50 GPM Polyethylene Grease Interceptor				
GREASE INTERCEPTORS	PART #: 4065-001-05	DWG BY: B.	Karrer	DATE: 4/10/2019	REV:	ECO:

9500 Woodend Road | Edwardsville, KS 66111 | Tel: 913-951-3300 | www.schierproducts.com

© Copyright 2019 Schier, All Rights Reserved



SPECIAL PRECAUTIONS

For Schier Grease Interceptor Installations - Failure to follow this guidance voids your warranty


WARNING! DO NOT AIR TEST UNIT OR RISER SYSTEM!

Doing so may result in property damage, personal injury or death.

CAUTION! Do not install this unit in any manner except as described in these instructions.


Installation Instructions

Installation instructions and additional components are included with the interceptor. Read all instructions prior to installation. This interceptor is intended to be installed by a licensed plumber in conformance with all local codes.



When Installing Interceptor Inside

If your dishwashing sink(s) discharges into a floor drain/sink (drain), you must regulate the flow into the drain to avoid an overflow of water onto the kitchen floor. This can be done by installing a valve or flow restriction cap on the sink piping that discharges into the drain.



webtools.schierproducts.com/Technical_Data/Indirect_Connections.pdf

K)


rubber flow

Fernco or similar

restriction end cap

Hydrostatic Slabs (or Pressure Slabs)

When installed under a hydrostatic slab (slab designed to withstand upward lift, usually caused by hydrostatic pressure) interceptor must be enclosed in a watertight concrete vault.




1

Intercepto

FLOW

Ш


High Temperature Kitchen Water



If water is entering the interceptor at excessive temperature (over 150° F), a drain water tempering valve (DTV) and approved backflow prevention assembly must be installed. Most state and local plumbing codes prohibit water above 150° F being discharged into the sanitary sewer. Water above 150° F will weaken or deform PVC Schedule 40 pipe, poly drainage fixtures like interceptors and erode the coating of cast iron (leading to eventual failure).

ODOR ALERT!

Do not install air gap on outlet side of interceptor.








High Water Table Installations

Interceptors and risers are not designed to withstand water table height in excess of the top of the unit when buried (see figure). If it is possible for this to occur, install the interceptor and risers in a water-tight concrete vault or backfill with concrete or flowable fill (wet concrete and flowable backfill should be poured in stages to avoid crushing the



interceptor). At risk areas include but are not limited to tidal surge areas, floodplains and areas that receive storm water. Great Basin[™] models that are direct buried in high water table scenarios must be installed with an anchor kit. Models GB-50, GB-75, and GB-250 use model AK1 anchor kit. Model GB-500 uses model AK2 anchor kit for use with deadmen anchors. Models GB-1000, GGI-750 and GGI-1500 use model AK3 anchor kit for use with deadmen anchors.


Flush-to-Grade Burials

Flush-to-Grade buried installations (without a riser) are not recommended for heavy foot traffic areas without the use of an internal gusset support kit **SGK2** (for GB2) or **SGK3** (for GB3).

		\mathbb{Z}		
• • • • •			<u>.</u>	° (
	• • • • • • • • •			***
	 			°°° (


Fully Support Base of Unit


Install unit on solid, level surface in contact with the entire footprint of unit base; for suspended installations design trapeze to support the wet weight of the unit. Do not partially support unit or suspend unit using metal U-channel to create a trapeze.



Support Inlet and Outlet Piping

For above grade installations ensure heavy inlet and outlet piping (such as cast iron or long runs) is properly supported or suspended during the entire installation process to prevent connection failure or damage to bulkhead fittings.







SPECIFICATIONS

Notes

- 4" FPT inlet/outlet with 3" and 4" plain end fittings.
 Unit weight 49 lbs. (wet weight 216 lbs.)
- 3. Capacities Liquid: 20 gal. @35 GPM- Grease: 130 lbs. (17.8 gal.) @50 GPM- Grease: 127 lbs. (17.3 gal.) Solids: 1.8 gal.
- 4. Built-in flow control.
- 5. For gravity drainage applications only.
- 6. Do not use for pressure applications.
- 7. Cover placement allows full access to tank for proper maintenance.
- 8. Vent not required unless per local code.
- 9. Engineered inlet and outlet diffusers are
- removable to inspect/clean piping. **10.** Integral air relief / anti-siphon.


Engineer Specification Guide


Schier Great Basin™ grease interceptor model #GB2 shall be lifetime guaranteed and made in USA of seamless, rotationally-molded polyethylene. Interceptor shall be furnished for above or below grade installation. Interceptor shall be certified to ĂSME A112.14.3 (type C) and CSA B481.1, with field cut riser system, built-in flow control and three outlet options. Interceptor flow rate shall be 35 or 50 GPM. Interceptor grease capacity shall be 130 lbs. @ 35 GPM or 127 lbs. @ 50 GPM. Cover shall provide water/gas-tight seal and have minimum 450 lbs. load capacity.


Certified Performance

Great Basin™ hydromechanical grease interceptors are third party performance-tested and listed by IAPMO to ASME #A112.14.3 and CSA B481.1 grease interceptor standards and greatly exceed requirements for grease separation and storage. They are compliant to the Uniform Plumbing Code, the National Standard Plumbing Code, the National Plumbing Code of Canada, and the International Plumbing Code.









Rated Grease Capacites for Units Piped in Series

No. of Units	Removal Efficiency			
in Series	97.8%	99%*		
2	274 lbs.	180 lbs.		

NOTE: Flow rate for 2 GB2 units piped in series is 35 GPM only

* Satisfies Miami DERM 99%

efficiency requirements



© Copyright 2019 Schier, All Rights Reserved