

PRODUCT GUIDE

Wall Mount

Compact Air Handler



Advanced Distributor Products[™]

Compact and Light Weight for Multi-family

ADP wall mount air handlers are designed to meet the needs of low height and light weight requirements within the multi-family market. Our air handlers are thoroughly tested to ensure quality and deliver reliable ratings, as well as designed to save customers time on installation. ADP air handlers are the perfect replacement for multi-family applications.



CU & AL Coils	A/C and heat pump match-ups
PSC or ECM Motor	Available high efficiency ECM motor for enhanced performance
Factory Installed Heat	5, 7.5, 10 kW heat kits reduce complexity of installation
Installation Options	In a closet, over the water heater, hanging on the wall, or recessed into the wall for flexibility
Integrated Filter Frame	Slide-in design; no tools required for change out



Low Height

ADP provides options for a variety of applications to meet industry needs.



30" tall for heat pump match-ups (35" option also available)

Light Weight

The compact wall mount air handler allows for ease of installation and simple servicing.



- Aluminum wall mount air handler
- Weighing 80 lbs. or less
- Can be a "one-man-job"

THE ADP ADVANTAGE

FLEXIBILITY ADP tailors custom solutions to meet your unique market needs.

QUALITY ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems.

- SERVICE ADP air handlers are made for seamless installation and easy access.
- ENERGY SAVINGS Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits.
- WARRANTY ADP air handlers come with a no hassle 5-year warranty and feature an available 10-year limited warranty. Simply register online at www.ADPwarranty.com.




NOMENCLATURE

S	M2	2	24	05
Series	Slab Number	Metering Device	Unit Size	Electric Heat
S: Compact Wall Mount	Aluminum: M2, M3, M5, M6, M7 Copper: K1, K2, K3, K6, K7, L1, L5, L6, L9	1: Piston (R-410A) 9: Non-bleed HP-A/C TXV (R-410A)	PSC Motor: 18, 24, 30, 36 ECM High Efficiency Motor: 19, 25, 31, 37, 39	05: 5 kW (all sizes) 07: 7.5 kW (all sizes) 10: 10 kW (all sizes)

* See Spec Guide for additional nomenclature details.

Air Handler Size	18, 19	24, 25	30, 31	36, 37	39
Height (in)	30	30	30	30	35.5
Depth (in)	18 3⁄4	18 3⁄4	18 3⁄4	18 3⁄4	18 ¾
Width (in)	22	22	22	22	22

AVAILABLE ACCESSORIES



Wall Hanging Bracket

Decorative Wall Panel & Closet Panel TXV with all threaded connections

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087 www.adpnow.com



 $^{\odot}$ by Advanced Distributor Products. All rights reserved. We reserve the right to make changes in specification, at any time, without notice and without liability to purchasers or owners of previously sold equipment.

SL-SAH-09 February 2020