

# WE MAKE WATER WORK

---



---

## Plumbing Catalog / Price List

June 2018



# Table of Contents

| Page                            |     |
|---------------------------------|-----|
| Mission State / Who's the Boss? | 4-5 |
| Trade Customs & Freight Program | 6-7 |

## Domestic

|                                   |       |
|-----------------------------------|-------|
| Square Head Plug Valve            | 10    |
| Lever Handle Plug Valve           | 10-11 |
| Flat / Tee Head Plug Valve        | 10-11 |
| Flat Head Tamperproof             | 10-11 |
| Square Head Wrenches              | 10-11 |
| Square Head Plug Valve less Check | 12    |
| Square Head Plug Valve with Check | 12    |
| Throttle Gate Valves              | 13    |
| Lock Lever Barrel Faucet          | 14    |
| Utility Fill Cap & Vent           | 14    |
| Tee Head Plug Valve               | 15    |
| Stop & Drain Plug Valves          | 15    |
| In-Line Dual Check Valves         | 15-16 |

## No-Lead Ball Valves

|                           |       |
|---------------------------|-------|
| Full Port Ball Valves     | 18-20 |
| Press Fit Ball Valves     | 19    |
| Pex Ball Valves           | 21    |
| Expansion Pex Ball Valves | 21    |
| Repair Handles            | 22    |

## No-Lead Hose Bibbs

|                    |       |
|--------------------|-------|
| Hose Bibb          | 24    |
| Garden Hose Bibb   | 24    |
| No-Kink Hose Bibb  | 24-25 |
| Angle Sillcock     | 25    |
| Boiler Drain       | 26    |
| Gate Valves        | 26    |
| Vacuum Breaker     | 27    |
| Hose Bibb Adapters | 27    |

## No-Lead Gate & Stop Valves

|                       |    |
|-----------------------|----|
| Full Port Gate Valves | 30 |
| Stop Valves           | 30 |

## No-Lead Stop & Angle Valve

|                   |    |
|-------------------|----|
| Stop Valves       | 32 |
| Angle Stop Valves | 32 |
| Repair Handles    | 32 |

## No-Lead Check Valves & Strainers

|                              | Page |
|------------------------------|------|
| Y-Pattern Swing Check Valves | 34   |
| Bronze Y-Strainer            | 34   |
| Swing Check Valves           | 34   |
| Iron Y-Strainer              | 35   |
| In-Line Check Valves         | 35   |
| Anti-Sweat Valve             | 35   |
| Bronze Foot Valve            | 35   |

## No-Lead Frost Proof Sillcocks

|                            |       |
|----------------------------|-------|
| Frost Proof Sillcocks      | 38-39 |
| Vacuum Breaker Repair Kits | 39    |
| Repair Handle              | 39    |

## No-Lead Supply Stops

|                                    |       |
|------------------------------------|-------|
| Angle Quarter Turn Supply Stops    | 42-43 |
| Loose Key Supply Stops             | 42-45 |
| Straight Quarter Turn Supply Stops | 44-45 |
| Expansion Pex Supply Stops         | 45    |
| Transition Supply Stops            | 45    |
| Dual Outlet Supply Stops           | 46-47 |
| Icemaker Supply Stops              | 48-49 |
| Washing Machine Valves             | 49    |
| Stainless Steel Supply Hoses       | 50-51 |

## No-Lead Specialty Valves / Fittings

|                               |       |
|-------------------------------|-------|
| Drop Ear Elbows               | 54    |
| Pressure Relief Valves        | 55    |
| Washing Machine Valves        | 55-56 |
| Dielectric Union              | 56    |
| Ductile Iron Meter Flange Kit | 57    |
| Meter Couplings               | 57    |

## No-Lead Pressure Reducing Valves

|                                     |       |
|-------------------------------------|-------|
| Pressure Reducing Valves            | 60-61 |
| Pressure Reducing Valves End Pieces | 61    |

## No-Lead Press Fit Fittings

|                                     |       |
|-------------------------------------|-------|
| General Information                 | 64-65 |
| Couplings, Adapters, Elbows, & Caps | 66-71 |

| <b>No-Lead Push-Fit</b>                       |       | Page |
|---|-------|------|
| Couplings, Adapters, .....                    | 74    |      |
| Drop Ear Elbow, Cap, Ball Valves, & Tees..... | 74-75 |      |
| Supply Stops, Connectors, & Tools .....       | 75    |      |
| Copper Push-Fittings.....                     | 76-77 |      |

| <b>No-Lead Sump &amp; Sewage Check Valves</b> |       |  |
|---|-------|--|
| Full Flow Sump Check Valve .....              | 80    |  |
| Union Check Valve .....                       | 80    |  |
| Silent Union .....                            | 80-81 |  |
| Union Swing Check Ball Valve Combo.....       | 80-81 |  |
| Compression Swing Check.....                  | 81    |  |
| Silent / Clear Compression .....              | 81    |  |

| <b>No-Lead PVC / CPVC</b> |       |  |
|---------------------------|-------|--|
| PVC Ball Valves .....     | 84-85 |  |
| CPVC Ball Valves .....    | 85    |  |
| PVC Unions .....          | 84    |  |
| Transition Fittings.....  | 85    |  |

| <b>No-Lead Pex / Poly / Expansion</b> |         |  |
|---------------------------------------|---------|--|
| Poly Pex Fittings.....                | 88-89   |  |
| Couplings, Adapters .....             | 90-91   |  |
| Plug & Tee.....                       | 91      |  |
| Elbow / Swivel Elbow .....            | 92      |  |
| Pex Ball Valves w/Drain .....         | 92-93   |  |
| Angle Sillcock .....                  | 93      |  |
| Boiler Drain.....                     | 93      |  |
| Chrome Supply Stops.....              | 94      |  |
| Expansion Pex .....                   | 95-99   |  |
| Pex Manifolds .....                   | 100     |  |
| Pex Stub-Out Elbows.....              | 100     |  |
| Crimp Tools.....                      | 101-102 |  |
| Angle Crimp Tools .....               | 101     |  |
| Crimp Tool - Composite Handle.....    | 102     |  |
| Crimp Tool Kit .....                  | 103     |  |
| Crimp Ring Cutter.....                | 103     |  |
| Ratchet Tool - Oetiker Clamps .....   | 103     |  |
| Oetiker Pex Clamp.....                | 103     |  |
| Copper Crimp Ring .....               | 103     |  |
| Pex Tube Cutter.....                  | 103     |  |

| <b>No-Lead Nipples &amp; Threaded Fittings</b> |         |  |
|--|---------|--|
| 125# Pipe Nipples.....                         | 106-107 |  |
| Chrome Plated Nipples .....                    | 108     |  |
| Brass Caps, Cored, & Solid Plugs.....          | 109     |  |
| Brass Couplings, Flanges, & Unions.....        | 110     |  |
| Brass Tees & Crosses.....                      | 111     |  |
| Elbows .....                                   | 111-112 |  |
| Domestic Pipe Nipples .....                    | 113-114 |  |
| Domestic Threaded Fittings .....               | 115-117 |  |
| Stainless Steel Pipe Nipples .....             | 118-119 |  |
| Stainless Steel Threaded Fittings .....        | 120-122 |  |

| <b>No-Lead Tank Tees / Insert Fittings</b> |         | Page |
|--|---------|------|
| Tank Tees Packages .....                   | 124     |      |
| Bronze Tank Tees.....                      | 125-126 |      |
| Bronze Hydrant Elbow .....                 | 126     |      |
| Insert x Insert.....                       | 126     |      |
| Bronze Insert Fittings.....                | 127-128 |      |
| Galvanized Male Adapter .....              | 128     |      |
| Galvanized Insert Coupling.....            | 128     |      |
| Insert Ball Valve .....                    | 128     |      |
| Pitless Adapter .....                      | 128     |      |
| Stainless Steel Hose Clamp .....           | 129     |      |

| <b>Non-Potable Valves &amp; Fittings</b> |         |  |
|--|---------|--|
| Full Port Ball Valves.....               | 132     |  |
| Full Port Flange Ball Valves & Kits..... | 133     |  |
| Repair Handles .....                     | 134     |  |
| Gate Valves Handles .....                | 134     |  |
| Gas Ball Valves.....                     | 135     |  |
| Square Head Gas Ball Valves.....         | 135     |  |
| Log Lighter Valves .....                 | 136     |  |
| Radiator Valves .....                    | 137     |  |
| Hydronic Balancing Ball Valves .....     | 137     |  |
| Non-Potable 125# Threaded Fittings ..... | 138     |  |
| Brass Caps, Solid Plugs.....             | 138-139 |  |
| Brass Couplings .....                    | 138     |  |
| Brass Tees, Elbows .....                 | 139     |  |

| <b>Chicago Fittings</b>                                      |     |  |
|--|-----|--|
| Flexible Anodeless Risers for Natural Gas Applications ..... | 142 |  |
| Plastic Service Fittings .....                               | 143 |  |
| Flexible Anodeless Risers for Propane Gas Applications ..... | 144 |  |
| X-Riser Installation Procedures .....                        | 145 |  |

|                             |         |
|-----------------------------|---------|
| Outside Diameter Chart..... | 146-147 |
|-----------------------------|---------|

A.Y. McDonald Mfg. Co. is a leading manufacturer of Water Works Brass, Plumbing Valves, Pumps and Water Systems, and High Pressure Gas Valves and Meter Bars. The Company has distinguished itself with a proud tradition of quality and reliability since its founding in 1856.

## MISSION STATEMENT

The mission of A.Y. McDonald Mfg. Co., in the words of our founder, is "to make good products and sell them honestly." We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers' needs.

## PEOPLE

A.Y. McDonald Mfg. Co. has a long tradition of trusted quality and dependable service, and it's thanks to the committed people who work here. Every employee is challenged to look for ways to improve our products or our processes and look to exceed our customer's expectations on a daily basis.

## Customers like to buy from A.Y. McDonald Mfg. Co. because?

- \* The customer is the boss, and every effort is exerted to exceed expectations.
- \* Customer service is the number one priority.
- \* Customers find quality products and work with outstanding people.



## DEVELOPMENT

The latest design manufacturing technology and product research and development are continually at work at A.Y. McDonald Mfg. Co. Our engineers design using PRO/E 3-D modeling and CADKEY software. State-of-the art CAD/CAM equipment is used throughout our plants to produce products to the most precise specifications and tolerances. Research and development is a primary focus as we seek to not only meet and exceed our customers' current needs, but also anticipate future industry trends.

A.Y. McDonald Mfg. Co. continues to be committed to the industries it serves by investing the necessary capital expenditures to continually meet the evolving needs of our customers.

## FACILITIES

A.Y. McDonald Mfg. Co. Corporate headquarters, brass foundry and main manufacturing plant are located in Dubuque, Iowa. We also have locations in Albia, IA; Elizabethton, TN; and Reno, NV.



## MISSION STATEMENT

*The mission of A.Y. McDonald Mfg. Co. in the words of our founder is*

**“To make good products and to sell them honestly.”**

*We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers’ needs.*

## WHO’S THE BOSS?

Here’s a question I’ll bet you could ask a thousand working people and never get the right answer. The question is: **“Who’s The Boss?”**

There’s only one boss, and whether a person shines shoes for a living or heads up the largest corporation in the world, the boss remains the same. **It’s The Customer!**

The customer is the person who pays everyone’s salary and who decides whether a business is going to succeed or fail. The customer doesn’t care if a business has been around a hundred years. The minute it starts treating them badly, the customer will put it out of business.

This boss, the customer, has bought and will buy everything you have or will ever have. The customer has bought all of your clothes, your home, your car, your children’s education, and your vacation. They pay all of your bills and they pay them in exact proportion to the way you treat them.

The man who works deep inside a big plant on an assembly line might think he’s working for the company that writes his pay check, but he is not. He’s working for the person who buys the product at the end of the line, the customer. In fact, this customer can fire everyone in the company from the president on down. And they can do it by simply spending their money someplace else. This is one of the reasons why taking pride in the work we do is so important to us personally. Doing an exceptionally good job will not only bring joy and satisfaction, it will help get more customers, keep the ones we’ve got, and ensure that we continue to get a pay check from our bosses.

Some of the largest companies that had flourishing businesses a few years ago are no longer in existence. They couldn’t - or didn’t - satisfy the customer. They forgot who the boss really was!

**At A.Y. McDonald we remind ourselves every day that the customer is the boss. It’s one of our core values and the reason we provide the best customer service in the business.**





**CONTROLLING PROVISIONS:** These terms and conditions supersede all previous terms and conditions and shall control any sale by A.Y. McDonald Mfg. Co. ("Seller"). No alteration or waiver of these terms and conditions shall be valid unless specifically accepted in writing by an authorized representative of Seller.

**PRICES:** Billing prices are those in effect at the time the order is shipped. All prices are subject to change without notice. Possession of a price sheet shall not be construed as an offer to sell. Seller reserves the right to reject any order.

**TERMS: 2% 10th Prox., Net 25th** (A 2% cash discount can be taken on the 10th of the month following the shipment. The month is defined as the 26th through the 25th. For example, a February 25th invoice is due 2% on March 10th, a February 26th invoice is due 2% April 10th, and all invoices are due net the 11th and considered past due on the 26th of the month). Without open credit terms, payment may be required prior to shipping. A 2% monthly service charge (or the maximum amount permitted by law) may be applied to the balance of any past-due invoice. Buyer shall pay any necessary collection fees, including reasonable attorney fees.

**TAXES:** Any sales tax, use tax, manufacturer tax, duty, or other cost imposed by any government entity shall, at Seller's option, be added to the purchase price and payable by buyer. Buyer must certify any tax exemption and agree to indemnify Seller against any tax imposed contrary to such certification.

**FREIGHT:** All prices are F.O.B. Seller's factory, with full freight allowed within the contiguous United States and Canada on the orders that qualify pursuant to the Freight Program schedule. Seller reserves the right to select the carrier and route of shipment and to ship at the most economical rate. All extra charges for special handling or delivery services will be paid for by the buyer. Terms for shipment outside the contiguous United States and Canada shall be established on a case-by-case basis.

**"LIMITED WARRANTY** Subject to the limitations stated herein, A.Y. McDonald Mfg. Co. ("Seller") warrants that plumbing products manufactured by Seller shall be free from defects in material and workmanship and shall perform the services for which they are intended when properly installed, under normal use, and under ordinary conditions, for a period of one (1) year from the date of shipment from Seller's factory. This Limited Warranty does not cover or apply to water service products, high pressure gas products, or pumps or pump accessories manufactured by Seller. Buyer must notify Seller in writing of a potentially defective product as soon as possible and not later than one (1) year from the date of shipment from Seller's factory. Upon receipt of such notice, Seller shall, at its option and at its expense, examine such product at Seller's factory or such other location as Seller shall determine. Should Seller agree to a return of the product, buyer shall follow in every respect the packaging and transportation instructions provided by Seller. In no case shall a product be returned without first obtaining the permission of Seller. If a product is proven to the satisfaction of Seller to be defective, then Seller shall, at its option and at its expense, repair or replace such product or reimburse buyer for the price paid by buyer for such product. The cost of shipping to buyer a repaired or replaced product shall be paid by Seller on the same shipping terms as the original shipment of such product to buyer. Except as stated herein, buyer shall assume all responsibility and expense for any dismantling, removal, reinstallation, and shipping in connection with this Limited Warranty, and no claims will be allowed for labor, shipping, materials, or other costs incident to the repair, replacement, or return of a product.

**THIS LIMITED WARRANTY IS THE ONLY WARRANTY PROVIDED BY SELLER AND IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.**

**SELLER'S LIABILITY IS LIMITED TO REPAIR, REPLACEMENT, OR REIMBURSEMENT AS PROVIDED ABOVE, AND IN NO EVENT SHALL SELLER'S LIABILITY EXCEED THE PURCHASE PRICE OF THE PRODUCT(S) INVOLVED. THIS LIMITED WARRANTY PROVIDES THE EXCLUSIVE REMEDY AGAINST SELLER FOR CLAIMS RELATING TO PRODUCTS, WHETHER IN CONTRACT, IN TORT (INCLUDING NEGLIGENCE), OR UNDER ANY OTHER LEGAL THEORY, AND WHETHER ARISING OUT OF WARRANTIES, REPRESENTATIONS, INSTRUCTIONS, OR DEFECTS FROM ANY CAUSE. IN NO EVENT SHALL SELLER BE LIABLE FOR OR OBLIGATED TO PAY ANY CONSEQUENTIAL, INCIDENTAL, SPECIAL, INDIRECT, OR PUNITIVE DAMAGES OF ANY KIND.**

**THIS LIMITED WARRANTY EXTENDS ONLY TO BUYERS WHO PURCHASE SELLER'S PRODUCT(S) DIRECTLY FROM SELLER ("ORIGINAL PURCHASERS"), INCLUDING DISTRIBUTORS, WHOLESALERS, UTILITIES, AND CONTRACTORS. THIS LIMITED WARRANTY IS NOT ASSIGNABLE OR OTHERWISE TRANSFERABLE BY THE ORIGINAL PURCHASER TO ANY OTHER PARTY. SELLER EXTENDS NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, TO "CONSUMERS," AS THAT TERM IS DEFINED IN THE MAGNUSON-MOSS WARRANTY ACT (15 U.S.C. SECTIONS 2301 ET SEQ.) AND THE REGULATIONS PROMULGATED THEREUNDER. IN NO EVENT SHALL THE DURATION OF ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BE LONGER THAN THE ONE (1) YEAR PERIOD PRESCRIBED HEREIN.**

This Limited Warranty shall not apply to product failure or defect: due to a defect in the design, engineering, or installation of any water, gas, or other system; where the product has been modified without the prior written authority of Seller; caused by the failure to install or use the product in conformity with any instructions or specifications provided by Seller; caused by the improper installation, use, application, maintenance, repair, transportation, handling, or storage of the product; caused by the fault or negligence of anyone other than Seller or any other act or event beyond the control of Seller. Seller makes no warranties as to any products or product parts or components that are not manufactured by Seller. The limitations of liability contained in this Limited Warranty shall be effective without regard to Seller's performance or failure or delay of performance under any other term or condition of any trade customs, warranty, or other agreement. No employee, representative, or agent of Seller, nor any other person, has authority to assume or incur on behalf of Seller any liability, obligation, or responsibility in place of or in addition to this Limited Warranty."

**CLAIMS:** Inspect all shipments immediately upon receipt, examining products for damage and verifying quantity. Any claim of damage, shortage, or non-conformance must be made in writing within 5 business days of receipt of goods (any claim of damage or shortage must be noted on the Freight Carrier's signed delivery receipt).

**ORDERS:** Seller is not responsible for and shall not be held liable for damages resulting from delays or failures in shipment, nor shall Seller be liable for any delay or failure to provide goods where occasioned by any force majeure event, including without limitation: strikes and other labor disputes; fires; acts of God; floods, snowstorms, tornados, and other storms; unusually severe inclement weather conditions; fuel, energy, carrier, or material shortages or embargoes; war; terrorism; civil disturbances; acts of civil or military authority; court order or decree; partial or complete destruction of factory or other facility; acts of buyer; inability to obtain or retain fuel, energy, carriers, materials, facilities, or labor without litigation or the payment of penalties or unreasonable prices or the acceptance of unreasonable terms and conditions; and any other cause beyond Seller's control.

**RETURNS:** Goods cannot be returned without the prior written approval of Seller. Return freight must be prepaid by buyer. After inspecting the returned goods, Seller may impose upon buyer: (1) a handling and restocking charge equal to a minimum of 25% of the invoiced cost of the returned goods; and, in addition thereto, (2) any costs required to put the goods in like-new condition. All credit memos are subject to cash discount terms as defined in our standard terms.

**CANCELLATION:** The contract resulting from Seller's acceptance of Buyer's order cannot be cancelled, terminated, or modified by Buyer, in whole or in part, except upon Seller's prior written approval.

**INVOICING:** Minimum invoice charge of \$50.00 (does not apply to Plumbing Products).

**NON-STOCK PRODUCTS:** Non-stock products (i.e., customized or non-standard products) may require a minimum order and buyer should make prior inquiry to Seller. Once production has begun, orders for non-stock products cannot be cancelled without the prior written approval of Seller. Seller will not accept the return of non-stock products.

**CONSTRUCTION:** All sales, contracts, and offers to buy or sell, all rights, remedies and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Iowa.



**WARNING:** It is unlawful in CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014) to use any product in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption if the wetted surface area of the product has a weighted average lead content greater than 0.25%. This prohibition does not extend to service saddles used in California, Louisiana or under USA Public Law 111-380. **WARNING:** This product can expose you to chemicals including lead, which is known to the State of CALIFORNIA to cause cancer and birth defects or other reproductive harm. For more information go to: [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## I. PRODUCT GROUP QUALIFICATION LEVELS

Freight will be prepaid and allowed by Seller on orders that meet or exceed the following net prices or unit qualifiers (net prices reflect list prices less applicable discounts):

1. Natural Gas (may be combined with plumbing Valves) ..... \$2,500 Net
2. Water Service Products (may be combined with Curb Boxes, Pumps, Pump Accessories, Plumbing Valves, Frames & Covers, Natural Gas, and Yoke Boxes) ..... \$6,000 Net
3. Pumps ..... 12+ units
4. Plumbing Products (may be combined with Pump Accessories) ..... \$1,300 Net
5. Tanks ..... 24+ units (may be 24 units in combination with Jets and Submersibles)
6. Pit Setters . . .
  - 15" diameter – 144 units
  - 18" diameter – 96 units
  - 21" diameter – 72 units
  - 24" diameter – 48 units
  - 30" and 36" diameter – 24 units

## II. ADDITIONS

Once an order qualifies for freight in **any** product group, other products on your order ride free (excluding Tanks and Pit Setters). However, additions to freight allowed orders will **NOT** be allowed once the original order is on board or a partial shipment has been made against the original order.

**Freight qualifiers are subject to change without notice.**

NON-POTABLE  
USE ONLY



**WARNING:** It is unlawful in **CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014)** to use **THIS PRODUCT** in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption. The wetted surface area of **THIS PRODUCT** has a weighted average lead content greater than 0.25%.







Domestic



# Domestic


Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.



## 10584

### Square Head Plug Valve w/Check (with double stake nut)


- FNPT x FNPT
- 2 PSI (\*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| * 1/2" | \$ 19.29  | 50         |
| * 3/4" | \$ 23.67  | 50         |
| 1"     | \$ 45.63  | 25         |
| 1 1/4" | \$ 65.57  | 15         |
| 1 1/2" | \$ 92.88  | 10         |
| 2"     | \$ 151.67 | 5          |

## 10604

### Square Head Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (\*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/4"   | \$ 21.58  | 25         |
| 3/8"   | \$ 21.58  | 25         |
| * 1/2" | \$ 19.29  | 50         |
| * 3/4" | \$ 23.69  | 50         |
| 1"     | \$ 45.63  | 25         |
| 1 1/4" | \$ 65.57  | 15         |
| 1 1/2" | \$ 92.88  | 10         |
| 2"     | \$ 151.67 | 5          |

## 10598

### Lever Handle Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (\*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/4"   | \$ 22.99  | 25         |
| 3/8"   | \$ 22.99  | 25         |
| * 1/2" | \$ 21.23  | 50         |
| * 3/4" | \$ 26.10  | 50         |
| 1"     | \$ 47.76  | 25         |
| 1 1/4" | \$ 70.05  | 10         |
| 1 1/2" | \$ 102.30 | 10         |
| 2"     | \$ 169.19 | 5          |

## 10552

### Flat/Tee Head Plug Valve w/Top Check


- FNPT x FNPT
- 1/4"-3" (2 1/2"-3" less check)
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



| Size    | List      | Carton Qty |
|---------|-----------|------------|
| 1/4"    | \$ 43.13  | 50         |
| 3/8"    | \$ 43.13  | 25         |
| 1/2"    | \$ 45.57  | 50         |
| 3/4"    | \$ 53.42  | 50         |
| 1"      | \$ 76.76  | 25         |
| 1 1/4"  | \$ 90.23  | 15         |
| 1 1/2"  | \$ 149.81 | 10         |
| 2"      | \$ 235.32 | 5          |
| *2 1/2" | \$ 401.47 | 3          |
| *3"     | \$ 636.12 | 1          |

## 10596

### Flat/Tee Head Plug Valve w/Check

- FNPT x FNPT
- 2 PSI (\*5 PSIG 1/2" & 3/4")
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1
- CSA certified 1/2" & 3/4" 



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/4"   | \$ 21.58  | 25         |
| 3/8"   | \$ 21.58  | 25         |
| * 1/2" | \$ 19.29  | 50         |
| * 3/4" | \$ 23.69  | 50         |
| 1"     | \$ 45.63  | 25         |
| 1 1/4" | \$ 65.57  | 15         |
| 1 1/2" | \$ 92.88  | 10         |
| 2"     | \$ 151.67 | 5          |

## 10554

### Square Head Plug Valve w/Top Check

- FNPT x FNPT
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20.1



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/2"   | \$ 45.57  | 50         |
| 3/4"   | \$ 53.42  | 50         |
| 1"     | \$ 76.76  | 25         |
| 1 1/4" | \$ 90.23  | 15         |
| 1 1/2" | \$ 149.81 | 10         |
| 2"     | \$ 235.32 | 5          |



## 10558

### Lever Handle Plug Valve w/Top Check

- FNPT x FNPT
- 25 PSI
- Natural and LP Gas Only
- Threads conform to ANSI B1.20



| Size | List     | Carton Qty |
|------|----------|------------|
| 1/4" | \$ 47.20 | 25         |
| 3/8" | \$ 47.20 | 25         |
| 1/2" | \$ 48.97 | 50         |
| 3/4" | \$ 58.55 | 25         |
| 1"   | \$ 85.83 | 25         |

## 10687B

### Flat Head Plug Valve Lockwing - Tamperproof - Black - Relubable Plug

- FNPT x FNPT
- 175 PSI



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/2"   | \$ 40.46  | 25         |
| 3/4"   | \$ 40.46  | 25         |
| 1"     | \$ 51.03  | 15         |
| 1 1/4" | \$ 75.99  | 10         |
| 1 1/2" | \$ 116.05 | 5          |
| 2"     | \$ 160.38 | 5          |

## 10621

### Flat/Tee Head Plug Valve w/Lockwing - Less Check

- FNPT x FNPT
- 25 PSI



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/2"   | \$ 35.43  | 50         |
| 3/4"   | \$ 44.85  | 50         |
| 1"     | \$ 64.45  | 25         |
| 1 1/4" | \$ 97.77  | 15         |
| 1 1/2" | \$ 122.82 | 10         |
| 2"     | \$ 196.75 | 5          |

## 10687G

### Flat Head Plug Valve Lockwing - Tamperproof - Black - Relubable Plug

- FNPT x FNPT
- 175 PSI



| Size | List     | Carton Qty |
|------|----------|------------|
| 1/2" | \$ 43.15 | 25         |
| 3/4" | \$ 43.15 | 25         |
| 1"   | \$ 53.87 | 15         |

## 10685B

### Flat Head Plug Valve Tamperproof - Black

#### \*Relubable Plug

- FNPT x FNPT
- 175 PSI



| Size    | List      | Carton Qty |
|---------|-----------|------------|
| 1/2"    | \$ 33.55  | 25         |
| 3/4"    | \$ 36.74  | 25         |
| 1"      | \$ 47.03  | 15         |
| *1 1/4" | \$ 62.52  | 10         |
| *1 1/2" | \$ 86.88  | 5          |
| *2"     | \$ 123.33 | 5          |

## Square Head Wrench



| STOP NUMBER | STOP SIZE |      |      |      |    |        |        |    |
|-------------|-----------|------|------|------|----|--------|--------|----|
|             | 1/4"      | 3/8" | 1/2" | 3/4" | 1" | 1 1/4" | 1 1/2" | 2" |
| 10554       | 2S        | 2S   | 3S   | 4S   | 5S | 6S     | 7S     | 8S |
| 10584       |           |      | 2S   | 3S   | 3S | 5S     | 6S     | 7S |
| 10604       | 2S        | 2S   | 2S   | 3S   | 3S | 5S     | 6S     | 7S |

## 10685G

### Flat Head Plug Valve Tamperproof - Zinc

#### \*Relubable Plug

- FNPT x FNPT
- 175 PSI



| Size | List     | Carton Qty |
|------|----------|------------|
| 1/2" | \$ 37.27 | 25         |
| 3/4" | \$ 37.27 | 25         |
| 1"   | \$ 50.70 | 15         |

| Size | List     | Carton Qty |
|------|----------|------------|
| 02S  | \$ 21.21 | 1          |
| 03S  | \$ 21.21 | 1          |
| 04S  | \$ 26.39 | 1          |
| 05S  | \$ 32.81 | 1          |
| 06S  | \$ 32.81 | 1          |
| 07S  | \$ 47.88 | 1          |
| 08S  | \$ 67.63 | 1          |



## 9702

### Square Head Plug Valve Less Check

- FNPT x FNPT
- 125 PSI Steam at 250°
- Cast Bronze Construction
- Threads conform to ANSI B1.20
- Steam Only



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/8"   | \$ 35.40  | 25         |
| 1/2"   | \$ 35.40  | 50         |
| 3/4"   | \$ 44.02  | 50         |
| 1"     | \$ 64.06  | 25         |
| 1 1/4" | \$ 86.93  | 15         |
| 1 1/2" | \$ 134.59 | 10         |
| 2"     | \$ 190.97 | 5          |

## 9711

### Square Head Plug Valve with Check - Three Port

- FNPT x FNPT x FNPT
- Steam Only
- Three Way - Three Port
- 150 PSI Steam at 250°
- Threads conform to ANSI B1.20
- Cast Bronze Construction



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/2"   | \$ 61.17  | 24         |
| 3/4"   | \$ 105.09 | 12         |
| 1"     | \$ 126.71 | 10         |
| 1 1/4" | \$ 190.18 | 10         |
| 1 1/2" | \$ 220.42 | 6          |
| 2"     | \$ 326.11 | 3          |

## 9710

### Square Head Plug Valve with Check - Two Port

- FNPT x FNPT x FNPT
- Steam Only
- Three Way - Two Port
- 150 PSI Steam at 250°
- Threads conform to ANSI B1.20
- Cast Bronze Construction



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/4"   | \$ 99.10  | 10         |
| 1"     | \$ 123.96 | 10         |
| 1 1/4" | \$ 181.69 | 10         |

## 845

### Quick Opening Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- (1" Bushed down from 1 1/4")
- Intended for liquid based petroleum applications



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1"     | \$ 213.47 | 1          |
| 1 1/4" | \$ 197.98 | 1          |

## 845 & 848 Repair Kit

Repair Kit includes: gland, cam, stem, and o-rings

- 7213-139 845RK Repair Kit



| Size       | List     | Carton Qty |
|------------|----------|------------|
| 1", 1 1/4" | \$ 52.28 | 1          |

## 848

### Self-Closing Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- (1" Bushed down from 1 1/4")
- Intended for liquid based petroleum applications
- Spring loaded self-closing handle



| Size | List      | Carton Qty |
|------|-----------|------------|
| *1"  | \$ 212.21 | 1          |

## Repair Handle

- 7213-208 848R Repair Handle and grip



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/4" | \$ 13.36 | 1          |

- 7118-309 Spring and Gland  
Includes Spring & Spacing Gland



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/4" | \$ 12.69 | 1          |

## 848R

### Self-Closing Throttle Gate Valves

- FNPT x FNPT
- 125 PSI
- Cast Bronze Construction
- Intended for liquid based petroleum applications
- Spring loaded self-closing handle



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1 1/4" | \$ 212.21 | 1          |





## 11001

### Lock Lever Barrel Faucet

- MNPT x Plain End, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



| Size | List     | Carton Qty |
|------|----------|------------|
| 3/4" | \$ 48.97 | 25         |
| 1"   | \$ 55.79 | 15         |

## 882M

### Utility Fill Cap & Vent

- MNPT
- For above ground fill pipes
- Cast Iron
- Can be padlocked
- Intended for liquid based petroleum applications



| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 31.58 | 1          |

## 11002

### Lock Lever Barrel Faucet

- MNPT x NPSH, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



| Size | List     | Carton Qty |
|------|----------|------------|
| 3/4" | \$ 56.90 | 25         |
| 1"   | \$ 64.33 | 15         |

## 882

### Utility Fill Cap & Vent

- MNPT
- For above ground fill pipes
- Cast Iron
- Can be padlocked
- Intended for liquid based petroleum applications



| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 29.39 | 1          |
| 3"   | \$ 66.33 | 1          |
| 4"   | \$ 88.57 | 1          |

## 11003

### Lock Lever Barrel Faucet

- MNPT x FNPT, 25 PSI
- Brass construction with hinged lever
- Intended for gravity flow petroleum products



| Size | List     | Carton Qty |
|------|----------|------------|
| 3/4" | \$ 49.50 | 25         |
| 1"   | \$ 63.02 | 15         |

## 908

### Vent

- FNPT
- Double outlet design
- Iron body, brass screens
- Screen = Brass 16 mesh



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 3/4"   | \$ 18.72 | 1          |
| 1"     | \$ 18.72 | 1          |
| 1 1/4" | \$ 32.60 | 1          |
| 1 1/2" | \$ 33.86 | 1          |
| 2"     | \$ 39.35 | 1          |

## 2915S

### Square Head Plug Valve\*Relubable Plug

- MNPT x FNPT, 40 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- (1/2" has square head without handle)
- Brine Stop



| Size | List     | Carton Qty |
|------|----------|------------|
| 1/2" | \$ 37.44 | 50         |



## 72892

### Tee Head Stop & Drain Plug Valve with Check - No-Lead

- FNPT x FNPT
- 40 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 1/2"   | \$ 56.93  | 25         |
| 3/4"   | \$ 75.68  | 20         |
| 1"     | \$ 117.11 | 15         |
| 1 1/4" | \$ 165.35 | 15         |
| 1 1/2" | \$ 261.78 | 10         |
| *2"    | \$ 402.49 | 3          |

## 72832T

### Stop & Drain Plug Valve with Check, Tee Handle - No-Lead

- FNPT x FNPT
- 3/4" - 1" rated 100 PSI
- 1 1/4" rated 80 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/4"   | \$ 72.59  | 25         |
| 1"     | \$ 114.06 | 20         |
| 1 1/4" | \$ 204.49 | 10         |

## 72832

### Stop & Drain Plug Valve with Check, Less Handle - No-Lead

- FNPT x FNPT
- 3/4" - 1" rated 100 PSI
- 1 1/4" rated 80 PSI
- Cast Bronze Construction
- Threads conform to ANSI B1.20.1
- Water Only
- For above ground use only



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/4"   | \$ 66.44  | 25         |
| 1"     | \$ 106.18 | 15         |
| 1 1/4" | \$ 189.90 | 10         |

## 711X3FE 33

### In-Line Dual Check - No-Lead

- FNPT Union Inlet & FNPT Integral Outlet
- Lay length - 3.55"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



| Size | List     | Carton Qty |
|------|----------|------------|
| 3/4" | \$ 39.60 | 16         |

## 711X3ME 33

### In-Line Dual Check - No-Lead

- MNPT Union Inlet & FNPT Integral Outlet
- Lay length - 4.61"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



| Size | List     | Carton Qty |
|------|----------|------------|
| 3/4" | \$ 43.34 | 16         |

# No-Lead Domestic / Specialty Valves

Domestic

## 711X4FE 44

### In-Line Dual Check - No-Lead

- FNPT Union Inlet & FNPT Integral Outlet
- Lay length - 4.28"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



| Size | List      | Carton Qty |
|------|-----------|------------|
| 1"   | \$ 111.18 | 12         |

## 711X4ME 44

### In-Line Dual Check - No-Lead

- MNPT Union Inlet & FNPT Integral Outlet
- Lay length - 5.36"
- Pressure rated to 175 PSI
- Temperature range 34° F to 180°F
- Designed to hold 1 PSI in the direction of flow
- Cast brass components meet AWWA C800
- Designed and tested ANSI/ASSE 1024 and CSA B64.6 requirements



| Size | List      | Carton Qty |
|------|-----------|------------|
| 1"   | \$ 117.22 | 12         |

**Accessories - THIS PRODUCT does not come in contact with consumable water.**

## 618

### Tee Handle for 72832

| Size        | List     | Carton Qty |
|-------------|----------|------------|
| 1/2" & 3/4" | \$ 6.70  | 25         |
| 1"          | \$ 8.64  | 50         |
| 1" x 5/16"  | \$ 8.64  | 50         |
| 1 1/4"      | \$ 11.35 | 10         |





No-Lead Ball Valves



# No-Lead Ball Valves

Plumbing Catalog / Price List - June 2018


MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Full Port / Specialty Ball Valves

## 72032T

### Full Port Ball Valve - No-Lead

- FNPT, 600 WOG, 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- 72032T 1/2"-2" certified to:



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 14.81  | 10         | 180        |
| 3/8"   | \$ 14.81  | 10         | 180        |
| 1/2"   | \$ 11.95  | 10         | 120        |
| 3/4"   | \$ 19.48  | 10         | 90         |
| 1"     | \$ 28.70  | 6          | 60         |
| 1 1/4" | \$ 55.13  | 4          | 36         |
| 1 1/2" | \$ 71.05  | 4          | 24         |
| 2"     | \$ 93.27  | 2          | 12         |
| 2 1/2" | \$ 344.52 | 2          | 8          |
| 3"     | \$ 527.91 | 2          | 6          |

## 72117S

### Full Port Ball Valve - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowoff proof stem
- NSF / ANSI 61-4



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/8"   | \$ 10.96  | 10         | 100        |
| 1/2"   | \$ 10.96  | 10         | 80         |
| 3/4"   | \$ 16.43  | 10         | 60         |
| 1"     | \$ 25.83  | 6          | 36         |
| 1 1/4" | \$ 44.68  | 6          | 24         |
| 1 1/2" | \$ 59.53  | 2          | 16         |
| 2"     | \$ 86.13  | 2          | 12         |
| 2 1/2" | \$ 222.60 | 1          | 6          |
| 3"     | \$ 306.52 | 1          | 4          |

## 72032S

### Full Port Ball Valve - No-Lead

- SWT, 600 WOG, 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/8"   | \$ 14.81  | 10         | 180        |
| 1/2"   | \$ 11.95  | 10         | 120        |
| 3/4"   | \$ 19.48  | 10         | 90         |
| 1"     | \$ 28.70  | 6          | 60         |
| 1 1/4" | \$ 55.13  | 4          | 36         |
| 1 1/2" | \$ 71.05  | 4          | 24         |
| 2"     | \$ 93.27  | 2          | 12         |
| 2 1/2" | \$ 344.52 | 2          | 8          |
| 3"     | \$ 527.91 | 2          | 6          |

## 72117T

### Full Port Ball Valve - No-Lead

- FNPT 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowoff proof stem
- NSF / ANSI 61-4
- 72117T 1/2"-2" certified to:



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 10.96  | 10         | 120        |
| 3/8"   | \$ 10.96  | 10         | 100        |
| 1/2"   | \$ 10.96  | 10         | 80         |
| 3/4"   | \$ 16.43  | 10         | 60         |
| 1"     | \$ 25.83  | 6          | 36         |
| 1 1/4" | \$ 44.68  | 6          | 24         |
| 1 1/2" | \$ 59.53  | 2          | 16         |
| 2"     | \$ 86.13  | 2          | 12         |
| 2 1/2" | \$ 222.60 | 1          | 6          |
| 3"     | \$ 306.52 | 1          | 4          |
| 4"     | \$ 524.70 | 1          | 2          |

## 72032TX

### Full Port Ball Valve with T-Handle - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.51 | 10         | 120        |
| 3/4" | \$ 20.22 | 10         | 90         |
| 1"   | \$ 31.08 | 6          | 60         |

## 72032SX

### Full Port Ball Valve with T-Handle - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.51 | 10         | 120        |
| 3/4" | \$ 20.22 | 10         | 90         |
| 1"   | \$ 31.08 | 6          | 60         |

## 72032TL

### Full Port Ball Valve with Locking Handle - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 22.29  | 10         | 180        |
| 3/8"   | \$ 22.29  | 10         | 180        |
| 1/2"   | \$ 22.21  | 10         | 120        |
| 3/4"   | \$ 34.44  | 10         | 90         |
| 1"     | \$ 45.26  | 6          | 60         |
| 1 1/4" | \$ 75.00  | 4          | 36         |
| 1 1/2" | \$ 90.04  | 4          | 24         |
| 2"     | \$ 138.00 | 2          | 12         |

## 72028PF

### Forged Brass Body Full Port Ball Valve with Press End - No-Lead

- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 27.89  | 5          | 75         |
| 3/4"   | \$ 32.61  | 10         | 50         |
| 1"     | \$ 60.05  | 6          | 12         |
| 1 1/4" | \$ 89.46  | 5          | 10         |
| 1 1/2" | \$ 129.43 | 4          | 8          |
| 2"     | \$ 197.58 | 2          | 4          |
| 2 1/2" | \$ 314.56 | 1          | 1          |
| 3"     | \$ 429.36 | 1          | 1          |
| 4"     | \$ 712.08 | 1          | 1          |

## 72036T

### Full Port Bronze Body Valve - No-Lead

- Lever Handle
- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 26.00  | 10         | 120        |
| 3/4"   | \$ 40.14  | 10         | 90         |
| 1"     | \$ 55.97  | 6          | 60         |
| 1 1/4" | \$ 84.43  | 4          | 36         |
| 1 1/2" | \$ 98.47  | 4          | 24         |
| 2"     | \$ 157.35 | 2          | 12         |

## 72028PFD

### Forged Brass Body Full Port Ball Valve with Press End with Drain - No-Lead

- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 37.87 | 10         | 40         |

## 72028PFGH

### Forged Brass Body Full Port Ball Valve with Press End and Removable Cap - No-Lead

- 3/4" Press x 3/4" MGHT
- 250 PSI CWP
- Conforms to NSF/ANSI 61-2012, NSF/ANSI 14-2010a, and NSF/ANSI 372-2010



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 38.11 | 5          | 40         |

## 72036TX

### Full Port Bronze Body Valve - No-Lead

- Stainless Steel Tee Handle
- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/4"   | \$ 42.15  | 10         | 60         |
| 1"     | \$ 58.77  | 6          | 36         |
| 1 1/4" | \$ 89.54  | 4          | 20         |
| 1 1/2" | \$ 113.84 | 4          | 16         |
| 2"     | \$ 187.05 | 2          | 12         |

## 72033T

### Full Port Ball Valve with Drain - No-Lead

- FNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.34 | 10         | 120        |
| 3/4" | \$ 28.79 | 10         | 60         |
| 1"   | \$ 41.30 | 6          | 36         |

No-Lead Ball Valves



# No-Lead Full Port / Specialty Ball Valves

## 72033S

### Full Port Ball Valve with Drain - No-Lead

- SWT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.34 | 10         | 120        |
| 3/4" | \$ 28.79 | 10         | 60         |
| 1"   | \$ 41.30 | 6          | 36         |

## 72030FP

### Pex Ball Valve - No-Lead

- Pex x FNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- \*Lever handle only



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.04 | 10         | 120        |
| 3/4" | \$ 20.61 | 10         | 120        |
| *1"  | \$ 29.17 | 6          | 60         |

## 72030C

### Standard Port Ball Valve with Drain - No-Lead

- COMP x COMP, 400 WOG
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 22.67 | 10         | 120        |
| 3/4" | \$ 32.56 | 10         | 90         |
| 1"   | \$ 44.76 | 6          | 60         |

## 72030P

### Pex Ball Valve - Heavy Pattern - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.45 | 10         | 120        |
| 3/4" | \$ 18.61 | 10         | 120        |
| 1"   | \$ 34.46 | 6          | 54         |

## 72031

### Full Port Ball Valve - No-Lead

- SWT x MNPT, 600 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 24.50 | 10         | 60         |

## 72030EP

### Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-4
- Blowout proof stem



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 9.75  | 10         | 120        |
| 3/4"   | \$ 14.69 | 10         | 100        |
| 1"     | \$ 24.13 | 10         | 60         |
| 1 1/4" | \$ 33.78 | 10         | 40         |

## 72030MP

### Pex Ball Valve - No-Lead

- Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.04 | 10         | 120        |
| 3/4" | \$ 20.61 | 10         | 120        |

## 72030PC

### Pex Ball Valve - No-Lead

- SWT x Pex, 400 WOG, 150 WSP
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 19.78 | 10         | 120        |
| 3/4" | \$ 25.90 | 10         | 120        |



## 72030DEP

### Pex Ball Valve Drop Ear - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.72 | 8          | 80         |
| 3/4" | \$ 16.14 | 8          | 64         |

## 72033DEEXP

### Expansion Pex Ball Valve Drop Ear w/Drain - No-Lead

- Expansion Pex x Expansion Pex
- Blowout proof stem
- Ends conform to ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.17 | 10         | 100        |
| 3/4" | \$ 22.33 | 10         | 100        |
| 1"   | \$ 37.41 | 6          | 48         |

## 72030EXPX

### Expansion Pex Ball w/ Tee Handle

- No-Lead
- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.72 | 10         | 100        |
| 3/4" | \$ 16.14 | 10         | 100        |
| 1"   | \$ 26.56 | 6          | 48         |

## 72030EPX

### Pex Ball w/ Tee Handle - No-Lead

- Pex x Pex
- Pex ends conform to ASTM F1807



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 9.75  | 10         | 100        |
| 3/4" | \$ 14.69 | 10         | 100        |
| 1"   | \$ 24.13 | 6          | 48         |

## 72033P

### Pex Ball Valve with Drain - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.88 | 10         | 120        |
| 3/4" | \$ 21.24 | 10         | 120        |

## 72030TCL

### Test Cock with Lever Handle - No-Lead

- 1/4" MNPT x 1/4" FNPT
- NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/4" | \$ 7.17 | 50         | 200        |

## 72030TC

### Test Cock - No-Lead

- 1/4" MNPT x 1/4" FNPT
- 1/8" MNPT x 1/4" FNPT
- NSF / ANSI 372



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/4"        | \$ 6.37 | 50         | 200        |
| 1/4" x 1/8" | \$ 6.37 | 50         | 200        |

## 72030EXMP

### Expansion Pex Ball Valve - No-Lead

- Expansion Pex x MNPT, 400 WOG,
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 20.61 | 10         | 100        |
| 1"   | \$ 22.65 | 6          | 100        |

## 72030EXP

### Full Port Expansion Pex Ball Valve - No-Lead

- Expansion Pex x Expansion Pex, 400 WOG
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.72 | 10         | 100        |
| 3/4" | \$ 16.14 | 10         | 100        |
| 1"   | \$ 26.56 | 6          | 48         |

## 72087BV

### Full Port Ball Valve Insert - No-Lead

- Insert x Insert, 600 WOG
- NSF 372 / 61



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 21.41 | 10         | 60         |
| 1"     | \$ 36.10 | 5          | 30         |
| 1 1/4" | \$ 49.08 | 5          | 20         |

# No-Lead Full Port / Specialty Ball Valves

Accessories - THIS PRODUCT does not come in contact with consumable water.

## 72032EH

### Extended Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 15.77 | 1          |
| 3/4" - 1"       | \$ 22.54 | 1          |
| 1 1/4" - 1 1/2" | \$ 29.89 | 1          |
| 2"              | \$ 73.57 | 1          |

## 72032TH

### Tee Handles - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 3.90  | 1          |
| 3/4" - 1"       | \$ 5.16  | 1          |
| 1 1/4" - 1 1/2" | \$ 8.95  | 1          |
| 2"              | \$ 16.50 | 1          |

## 72032H

### Repair Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 2.82  | 1          |
| 3/4" - 1"       | \$ 3.90  | 1          |
| 1 1/4" - 1 1/2" | \$ 5.16  | 1          |
| 2"              | \$ 11.40 | 1          |

## 2033CAP

### Replacement Drain Cap



| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 0.67 | 1          |

## 72032SSH

### Stainless Steel Handles for Ball Valves - No-Lead

- For models 72032 & 72033
- 2" will work for 2 1/2" & 3" valves



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 6.81  | 1          |
| 3/4" - 1"       | \$ 12.01 | 1          |
| 1 1/4" - 1 1/2" | \$ 18.01 | 1          |
| 2"              | \$ 30.03 | 1          |



No-Lead Hose Bibbs



# No-Lead Hose Bibbs

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Hose Bibbs

## 72002

### Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination\*
- NSF / ANSI 372 & NSF / ANSI 61




| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| * 1/2" | \$ 9.34  | 10         | 100        |
| 3/4"   | \$ 10.45 | 10         | 100        |

## 72005QT

### Quarter Turn Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.46 | 12         | 72         |
| 3/4" | \$ 13.80 | 12         | 72         |

## 72002HD

### Hose Bibb - Heavy Duty - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination\*
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| * 1/2" | \$ 13.55 | 10         | 60         |
| 3/4"   | \$ 14.94 | 10         | 60         |

## 72006

### No-Kink Hose Bibb - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.09 | 10         | 80         |
| 3/4" | \$ 10.60 | 10         | 80         |

## 72002NT

### Hose Bibb - No Thread - No-Lead

- MNPT x Plain End, 125 WOG
- 1/2" is MNPT or Copper Combination\*
- NSF / ANSI 61



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| * 1/2" | \$ 10.39 | 10         | 100        |
| 3/4"   | \$ 11.16 | 10         | 100        |

## 72006S

### No-Kink Hose Bibb - No-Lead

- SWT x G.H.T., 125 WOG
- 1/2" is SWT or 3/4" CLPG x G.H.T.\*
- NSF / ANSI 372 & NSF / ANSI 61



| Size          | List     | Carton Qty | Master Qty |
|---------------|----------|------------|------------|
| *1/2" or 3/4" | \$ 14.25 | 10         | 80         |

## 72003

### Garden Hose Bibb - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.53 | 10         | 60         |
| 3/4" | \$ 14.53 | 10         | 40         |
| 1"   | \$ 16.15 | 10         | 40         |

## 72007

### No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or Copper Combination\*
- NSF / ANSI 372 & NSF / ANSI 61



| Size  | List     | Carton Qty | Master Qty |
|-------|----------|------------|------------|
| *1/2" | \$ 10.02 | 10         | 80         |
| 3/4"  | \$ 11.35 | 10         | 80         |

## 72005

### Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.46 | 25         | 100        |
| 3/4" | \$ 13.80 | 10         | 60         |

## 72007BV

### Quarter Turn No-Kink Hose Bibb Ball Valve - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.49 | 25         | 100        |
| 3/4" | \$ 13.80 | 10         | 60         |



## 72007BL

### Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI AB1953



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 15.93 | 6          | 36         |
| 3/4" | \$ 14.31 | 6          | 36         |

## 72014PWF

### Angle Sillcock w/Wide Flange - No-Lead

- Pex x G.H.T., 125 WOG
- End conforms to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.74 | 6          | 60         |
| 3/4" | \$ 17.44 | 6          | 60         |

## 72007CA

### Angle Sillcock - No-Lead

- Comp x G.H.T., 125 WOG
- 5/8" Comp x 3/4" MGHT
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 5/8" | \$ 11.79 | 10         | 80         |

## 72014QT

### Angle Sillcock Quarter Turn - No-Lead

- SWT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 15.32 | 12         | 72         |
| 3/4" | \$ 18.60 | 12         | 72         |

## 72007QT

### Quarter Turn No-Kink Hose Bibb - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.18 | 12         | 72         |
| 3/4" | \$ 14.00 | 12         | 72         |

## 72015

### Angle Sillcock - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.60 | 10         | 60         |
| 3/4" | \$ 13.43 | 10         | 60         |

## 72014

### Angle Sillcock - No-Lead

- SWT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.00 | 10         | 60         |
| 3/4" | \$ 14.17 | 10         | 60         |

## 72015F

### Angle Sillcock - Heavy Duty - No-Lead

- FNPT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.59 | 10         | 60         |
| 3/4" | \$ 17.83 | 10         | 60         |

## 72014F

### Angle Sillcock - Heavy Duty - No-Lead

- SWT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.59 | 10         | 60         |
| 3/4" | \$ 17.83 | 10         | 60         |

# No-Lead Hose Bibbs

## 72015WF

### Angle Sillcock w/Wide Flange - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.73 | 4          | 40         |
| 3/4" | \$ 15.57 | 4          | 40         |

## 72015VB

### Angle Sillcock - w/Vacuum Breaker - No-Lead

- FNPT x G.H.T., 125 WOG
- 2" Flange diameter
- Rubber coated oval handle
- Vacuum Breaker is non-removable
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.39 | 10         | 40         |
| 3/4" | \$ 16.39 | 10         | 40         |

## 72015QT

### Angle Sillcock Quarter Turn - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.14 | 12         | 72         |
| 3/4" | \$ 18.26 | 12         | 72         |

## 72004

### Boiler Drain - No-Lead

- FNPT x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61




| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.55 | 10         | 80         |
| 3/4" | \$ 12.08 | 10         | 80         |

## 72004QT

### Boiler Drain Quarter Turn - No-Lead

- FNPT x G.H.T.
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.04 | 12         | 72         |
| 3/4" | \$ 15.51 | 12         | 72         |

## 72008

### Boiler Drain - No-Lead

- MNPT x G.H.T., 125 WOG
- 1/2" is MNPT or SWT Combination\*
- NSF / ANSI 372 & NSF / ANSI 61



| Size  | List     | Carton Qty | Master Qty |
|-------|----------|------------|------------|
| *1/2" | \$ 9.08  | 10         | 80         |
| 3/4"  | \$ 10.76 | 10         | 80         |

## 72008P

### Boiler Drain - No-Lead

- Pex or MNPT x G.H.T., 125 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.23 | 10         | 60         |

## 72008QT

### Boiler Drain Quarter Turn - No-Lead

- MNPT x G.H.T., 125 WOG
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.40 | 12         | 72         |
| 3/4" | \$ 15.32 | 12         | 72         |

## 72034SP

### Standard Port Gate Valve - No-Lead

- Pex x Pex, 200 WOG
- Non-rising stem
- Pex ends conform to ASTM F1807
- NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.07 | 10         | 100        |
| 3/4" | \$ 24.02 | 10         | 60         |



## 72001

### Vacuum Breaker - No-Lead

- F.G.H.T. x M.G.H.T
- ASSE 1011
- \* Flat washer seat
- NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 8.25 | 20         | 180        |

## 72009MM

### Hose Bibb Adapter - No-Lead

- M.G.H.T x M.G.H.T



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 5.07 | 20         | 200        |

## 72041

### Hose Swivel Adapter - No-Lead

- FNPT x F.G.H.T Swivel
- NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 5.33 | 20         | 200        |

## 72009FF

### Hose Bibb Adapter - No-Lead

- FNPT x F.G.H.T



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 5.33 | 15         | 150        |

## 72009

### Hose Bibb Adapter - No-Lead

- MNPT x M.G.H.T
- NSF / ANSI 372



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/4" | \$ 4.36 | 50         | 200        |
| 3/4"        | \$ 5.07 | 50         | 200        |

## 72009MF

### Hose Bibb Adapter - No-Lead

- MNPT x F.G.H.T



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 5.07 | 20         | 200        |

## 72009FM

### Hose Bibb Adapter - No-Lead

- FNPT x M.G.H.T



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 5.07 | 20         | 200        |





# No-Lead Gate & Stop Valves

No-Lead Gate & Stop Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Gates & Stop Valves

## 72035T

### Full Port Gate Valve - No-Lead

- FNPT x FNPT, 300 WOG
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/8"   | \$ 14.72  | 10         | 60         |
| 1/4"   | \$ 14.72  | 10         | 60         |
| 1/2"   | \$ 14.72  | 10         | 60         |
| 3/4"   | \$ 19.60  | 10         | 40         |
| 1"     | \$ 26.13  | 5          | 30         |
| 1 1/4" | \$ 37.16  | 5          | 20         |
| 1 1/2" | \$ 47.81  | 4          | 16         |
| 2"     | \$ 72.91  | 2          | 12         |
| 2 1/2" | \$ 145.74 | 6          | 6          |
| 3"     | \$ 205.21 | 4          | 4          |
| 4"     | \$ 367.58 | 2          | 2          |

## 72017

### Stop Valve with Drain - No-Lead

- FNPT x FNPT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.01 | 10         | 60         |
| 3/4" | \$ 13.09 | 10         | 60         |

## 72035S

### Full Port Gate Valve - No-Lead

- SWT x SWT, 300 WOG
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 14.72 | 10         | 60         |
| 3/4"   | \$ 19.60 | 10         | 40         |
| 1"     | \$ 26.13 | 5          | 30         |
| 1 1/4" | \$ 37.16 | 5          | 20         |
| 1 1/2" | \$ 47.81 | 4          | 16         |
| 2"     | \$ 72.91 | 2          | 12         |

## 72018

### Stop Valve - No-Lead

- FNPT x FNPT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.30 | 10         | 60         |
| 3/4" | \$ 12.48 | 10         | 60         |

## 72019

### Stop Valve with Drain - No-Lead

- Comp x Comp, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.21 | 10         | 100        |
| 3/4" | \$ 23.17 | 10         | 100        |

## 72038T

### Bronze Full Port Gate Valve - No-Lead

- FNPT x FNPT, 300 WOG, 125 WSP
- Non-rising stem
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 24.52  | 10         | 60         |
| 3/4"   | \$ 31.39  | 10         | 40         |
| 1"     | \$ 41.54  | 5          | 30         |
| 1 1/4" | \$ 60.83  | 5          | 20         |
| 1 1/2" | \$ 78.87  | 4          | 16         |
| 2"     | \$ 107.37 | 2          | 8          |

## 72022

### Stop Valve with Drain - No-Lead

- SWT x SWT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 9.84  | 10         | 80         |
| 3/4" | \$ 11.85 | 10         | 60         |





No-Lead Stop & Angle Valves



# No-Lead Stop & Angle Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.



# No-Lead Stop & Angle Valves

No-Lead Stop & Angle Valves

## 72022P

### Stop Valve with Drain - No-Lead

- Pex x Pex, 125 WOG
- Pex ends conform to ASTM F1807
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.11 | 10         | 100        |
| 3/4" | \$ 19.83 | 10         | 100        |

## 72023

### Stop Valve - No-Lead

- SWT x SWT, 125 WOG
- Non-rising stem
- Soft seat design
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 9.75  | 10         | 80         |
| 3/4" | \$ 11.32 | 10         | 60         |

## 72024

### Angle Stop Valve - No-Lead

- Flare x FNPT, 125 WOG
- Soft seat design
- NSF / ANSI 372 & NSF / ANSI 61



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/4" x 1/2" | \$ 40.17 | 6          | 36         |
| 3/4" x 3/4" | \$ 43.42 | 6          | 36         |
| 1" x 3/4"   | \$ 69.02 | 6          | 24         |
| 1" x 1"     | \$ 83.48 | 5          | 20         |

## 72025

### Angle Stop Valve with Drain - No-Lead

- Flare x FNPT, 125 WOG
- Soft seat design
- NSF / ANSI 372 & NSF / ANSI 61



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/4" x 1/2" | \$ 40.71 | 6          | 36         |
| 3/4" x 3/4" | \$ 44.26 | 6          | 24         |
| 1" x 3/4"   | \$ 69.99 | 6          | 24         |
| 1" x 1"     | \$ 85.01 | 5          | 20         |

## 2015FH

### Repair Handle

- For 72014F and 72015F



| Size        | List    | Carton Qty |
|-------------|---------|------------|
| 1/2" - 3/4" | \$ 1.48 | 1          |

## 2035CH

### Cross Handles

- For 72035T, 72035S, 72038T, and 2035T Gate Valves



| Size            | List    | Carton Qty |
|-----------------|---------|------------|
| 1/2" - 3/4"     | \$ 2.73 | 1          |
| 1"              | \$ 2.73 | 1          |
| 1 1/4" - 1 1/2" | \$ 2.73 | 1          |
| 2"              | \$ 3.89 | 1          |

## 2035H

### Repair Handles

- For Gate Valves made in Taiwan




| Size   | List     | Carton Qty |
|--------|----------|------------|
| 3/4"   | \$ 1.69  | 1          |
| 1"     | \$ 2.34  | 1          |
| 1 1/2" | \$ 3.74  | 1          |
| 2"     | \$ 4.59  | 1          |
| 2 1/2" | \$ 8.43  | 1          |
| 3"     | \$ 14.76 | 1          |
| 4"     | \$ 31.23 | 1          |

## 2035HW

### Gate Valve Handwheel

- For Gate Valves made in Indonesia



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 3/4"   | \$ 1.69  | 1          |
| 1"     | \$ 2.34  | 1          |
| 1 1/2" | \$ 3.74  | 1          |
| 2"     | \$ 4.59  | 1          |
| 2 1/2" | \$ 8.43  | 1          |
| 3"     | \$ 14.76 | 1          |
| 4"     | \$ 31.23 | 1          |



No-Lead Check Valves & Strainers



# No-Lead Check Valve & Strainers

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Check Valves & Strainers

## 72051S

### Y-Pattern Swing Check Valve - No-Lead

- SWT x SWT, 300 WOG, 125 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 34.32  | 10         | 80         |
| 3/4"   | \$ 45.47  | 10         | 40         |
| 1"     | \$ 60.89  | 10         | 30         |
| 1 1/4" | \$ 86.45  | 5          | 20         |
| 1 1/2" | \$ 108.33 | 4          | 16         |
| 2"     | \$ 151.18 | 2          | 8          |

## 72051T

### Y-Pattern Swing Check Valve - No-Lead

- FNPT x FNPT, 300 WOG, 125 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 34.32  | 10         | 60         |
| 3/4"   | \$ 45.47  | 10         | 40         |
| 1"     | \$ 60.89  | 10         | 30         |
| 1 1/4" | \$ 86.45  | 5          | 20         |
| 1 1/2" | \$ 108.33 | 4          | 16         |
| 2"     | \$ 151.18 | 2          | 8          |

## 72052S

### Bronze Y-Strainer - No-Lead

- SWT x SWT, 300 WOG, 150 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- 20 Mesh SS screen
- Closure plug included
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 35.29  | 12         | 48         |
| 3/4"   | \$ 50.98  | 6          | 36         |
| 1"     | \$ 67.71  | 8          | 24         |
| 1 1/4" | \$ 103.77 | 6          | 12         |
| 1 1/2" | \$ 131.27 | 2          | 12         |
| 2"     | \$ 211.45 | 2          | 8          |

## 72052T

### Bronze Y-Strainer - No-Lead

- FNPT x FNPT, 300 WOG, 150 WSP
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- 20 Mesh SS screen
- Closure plug included
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 35.29  | 12         | 48         |
| 3/4"   | \$ 50.98  | 8          | 32         |
| 1"     | \$ 67.71  | 8          | 16         |
| 1 1/4" | \$ 103.77 | 6          | 12         |
| 1 1/2" | \$ 131.27 | 2          | 12         |
| 2"     | \$ 211.45 | 2          | 8          |

## 72050S

### Swing Check Valve - No-Lead

- SWT x SWT, 200 WOG
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Metal to metal seat
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 16.66 | 10         | 100        |
| 3/4"   | \$ 20.91 | 10         | 60         |
| 1"     | \$ 29.28 | 5          | 40         |
| 1 1/4" | \$ 41.99 | 5          | 30         |
| 1 1/2" | \$ 57.87 | 5          | 20         |
| 2"     | \$ 89.93 | 2          | 12         |

## 72050T

### Swing Check Valve - No-Lead

- FNPT x FNPT, 200 WOG
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Metal to metal seat
- Directional
- NSF / ANSI 372 & NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 16.66  | 10         | 100        |
| 3/4"   | \$ 20.91  | 10         | 60         |
| 1"     | \$ 29.28  | 10         | 40         |
| 1 1/4" | \$ 41.99  | 5          | 30         |
| 1 1/2" | \$ 57.87  | 5          | 20         |
| 2"     | \$ 89.93  | 2          | 16         |
| 2 1/2" | \$ 176.70 | 8          | 8          |
| 3"     | \$ 238.24 | 1          | 4          |
| 4"     | \$ 393.55 | 1          | 2          |

## 2053T

### Iron Y-Strainer - No-Lead

- FNPT x FNPT, 500 WOG, 250 WSP
- Threads conform to ANSI B1.20.1
- 20 Mesh SS screen
- Directional



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 13.35 | 10         | 10         |
| 3/4"   | \$ 16.98 | 12         | 12         |
| 1"     | \$ 24.35 | 10         | 10         |
| 1 1/4" | \$ 36.93 | 12         | 12         |
| 1 1/2" | \$ 40.66 | 8          | 8          |
| 2"     | \$ 69.10 | 5          | 5          |

## 72057T

### Bronze In-Line Check Valve - No-Lead

- FNPT x FNPT, 200 WOG
- Spring loaded check
- Directional
- NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 28.37  | 10         | 100        |
| 3/4"   | \$ 32.76  | 10         | 60         |
| 1"     | \$ 40.24  | 10         | 40         |
| 1 1/4" | \$ 54.55  | 5          | 30         |
| 1 1/2" | \$ 71.76  | 5          | 20         |
| 2"     | \$ 125.65 | 5          | 10         |
| 3"     | \$ 470.79 | 4          | 4          |
| 4"     | \$ 840.47 | 2          | 2          |

## 72054S

### In-Line Check Valve - No-Lead

- SWT x SWT, 250 WOG, 125 WSP
- Spring loaded check
- Rubber seats for silent operation
- Directional



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 38.04  | 34         | 204        |
| 3/4"   | \$ 52.53  | 30         | 120        |
| 1"     | \$ 72.21  | 18         | 72         |
| 1 1/4" | \$ 89.71  | 12         | 48         |
| 1 1/2" | \$ 117.83 | 14         | 28         |
| 2"     | \$ 168.33 | 4          | 16         |

## 72115T

### Anti-Sweat Valve - No-Lead

- MNPT, 125 WOG
- Used to mix hot and cold water supply to avoid condensation buildup on the water closet
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 64.94 | 1          | 60         |

## 72054T

### In-Line Check Valve - No-Lead

- FNPT x FNPT, 250 WOG, 125 WSP
- Spring loaded check
- Rubber seats for silent operation
- Directional



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 38.04  | 28         | 168        |
| 3/4"   | \$ 52.53  | 18         | 108        |
| 1"     | \$ 72.21  | 18         | 72         |
| 1 1/4" | \$ 89.71  | 12         | 48         |
| 1 1/2" | \$ 117.83 | 8          | 32         |
| 2"     | \$ 168.33 | 6          | 18         |







No-Lead Frostproof Sillcocks



# No-Lead Frostproof Sillcocks

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Frostproof Sillcocks

## 72010

### Frostproof Sillcock - Multi-Turn Operation - No-Lead

- 1/2" MNPT or 1/2" SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 30.08 | 1          | 24         |
| 1/2" x 6"  | \$ 31.25 | 1          | 24         |
| 1/2" x 8"  | \$ 33.00 | 1          | 24         |
| 1/2" x 10" | \$ 34.05 | 1          | 24         |
| 1/2" x 12" | \$ 35.99 | 1          | 24         |

## 72011P

### Frostproof Sillcock with Vacuum Breaker - Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 39.20 | 1          | 24         |
| 1/2" x 6"  | \$ 40.76 | 1          | 24         |
| 1/2" x 8"  | \$ 42.27 | 1          | 24         |
| 1/2" x 10" | \$ 43.91 | 1          | 24         |
| 1/2" x 12" | \$ 45.37 | 1          | 24         |

## 72010P

### Frostproof Sillcock - Multi-Turn Operation - No-Lead

- 1/2" Pex, 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 31.61 | 1          | 24         |
| 1/2" x 6"  | \$ 32.82 | 1          | 24         |
| 1/2" x 8"  | \$ 34.66 | 1          | 24         |
| 1/2" x 10" | \$ 35.76 | 1          | 24         |
| 1/2" x 12" | \$ 37.78 | 1          | 24         |
| 1/2" x 14" | \$ 37.92 | 1          | 24         |

## 72011QT

### Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Thread End - No-Lead

- 1/2" MNPT or SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 52.95 | 1          | 20         |
| 1/2" x 6"  | \$ 54.08 | 1          | 20         |
| 1/2" x 8"  | \$ 54.69 | 1          | 20         |
| 1/2" x 10" | \$ 57.89 | 1          | 20         |
| 1/2" x 12" | \$ 61.06 | 1          | 20         |
| 1/2" x 14" | \$ 62.26 | 1          | 20         |

## 72011

### Frostproof Sillcock with Vacuum Breaker - Antisiphon Multi-Turn Operation - No-Lead

- 1/2" MNPT or 1/2" SWT x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 2", 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 2"  | \$ 36.40 | 1          | 24         |
| 1/2" x 4"  | \$ 37.57 | 1          | 24         |
| 1/2" x 6"  | \$ 39.04 | 1          | 24         |
| 1/2" x 8"  | \$ 39.64 | 1          | 24         |
| 1/2" x 10" | \$ 42.06 | 1          | 24         |
| 1/2" x 12" | \$ 43.50 | 1          | 24         |
| 1/2" x 14" | \$ 45.04 | 1          | 24         |

## 72011EXP

### Frostproof Sillcock with Vacuum Breaker Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Expansion Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ends conforms to ASTM F1960



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 39.20 | 1          | 24         |
| 1/2" x 6"  | \$ 40.76 | 1          | 24         |
| 1/2" x 8"  | \$ 42.27 | 1          | 24         |
| 1/2" x 10" | \$ 43.91 | 1          | 24         |
| 1/2" x 12" | \$ 45.37 | 1          | 24         |

No-Lead Frostproof Sillcocks

## 72011EXPQT

**Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Expansion Pex End - No-Lead**

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Pex ends conform to ASTM F1960
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 54.13 | 1          | 20         |
| 1/2" x 8"  | \$ 55.90 | 1          | 20         |
| 1/2" x 12" | \$ 62.43 | 1          | 20         |

## 72011PQT

**Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Pex End - No-Lead**

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 54.13 | 1          | 20         |
| 1/2" x 6"  | \$ 55.32 | 1          | 20         |
| 1/2" x 8"  | \$ 55.90 | 1          | 20         |
| 1/2" x 10" | \$ 59.20 | 1          | 20         |
| 1/2" x 12" | \$ 62.43 | 1          | 20         |
| 1/2" x 14" | \$ 63.66 | 1          | 20         |

## 72011VBKT

**Vacuum Breaker Repair Kit - No-Lead**

- For 2011, 72011, or 72011QT



| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 9.78 | 1          |

## 72011RK

**Stem Seat Repair Kit - No-Lead**



| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 2.11 | 1          |

## 72011QTC

**Quarter Turn Cartridge - No-Lead**

- Only fits no-lead quarter turn model 72011QT



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 15.16 | 1          |

## 72011MS

**Stem Repair Kit - No-Lead**



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 11.91 | 1          | 50         |
| 1/2" x 6"  | \$ 11.91 | 1          | 50         |
| 1/2" x 8"  | \$ 11.91 | 1          | 50         |
| 1/2" x 10" | \$ 11.91 | 1          | 50         |
| 1/2" x 12" | \$ 11.91 | 1          | 50         |
| 1/2" x 14" | \$ 11.91 | 1          | 50         |

## 72011QTMS

**Frostproof Sillcock - Quarter Turn Repair Kit - No-Lead**



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 18.21 | 1          | 25         |
| 1/2" x 6"  | \$ 18.21 | 1          | 25         |
| 1/2" x 8"  | \$ 18.21 | 1          | 25         |
| 1/2" x 10" | \$ 18.21 | 1          | 25         |
| 1/2" x 12" | \$ 18.21 | 1          | 25         |
| 1/2" x 14" | \$ 18.21 | 1          | 25         |

## 2010H

**Repair Handle for 2010 and 2011**



| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 2.61 | 1          |

## 2011R & 2011HTR

**Sillcock Repair Handle Repair Kit**

- Bag Complete - Includes Sillcock Handle, vacuum, breaker cap, and vacuum breaker repair kit.



| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 9.78 | 1          |







# No-Lead Supply Stops

No-Lead Supply Stops

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.



# No-Lead Quarter Turn Supply Stops

## 72082C

### Angle Quarter Turn Supply Stop - No-Lead

- Comp x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 3/8" O.D.

| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 5/8" x 3/8" | \$ 9.37 | 20         | 240        |



## 72082SLK

### Angle Quarter Turn Supply Stop Loose Key - No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D.

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 13.03 | 20         | 160        |



## 72082CLK

### Angle Quarter Turn Supply Stop Loose Key - No-Lead

- Comp x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 3/8" O.D.

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 3/8" | \$ 12.84 | 20         | 160        |



## 72082P

### Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807

| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.47 | 20         | 240        |



## 72082M

### Angle Quarter Turn Supply Stop - No-Lead

- FNPT x Slip Joint
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 1/2" Slip Joint

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 13.98 | 20         | 240        |



## 72082PLK

### Angle Quarter Turn Supply Stop Loose Key - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 12.96 | 20         | 160        |



## 72082M

### Angle Quarter Turn Supply Stop - No-Lead

- Comp x Slip Joint
- NSF / ANSI 61-8 & NSF / ANSI 372
- 5/8" O.D. x 1/2" Slip Joint

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 1/2" | \$ 16.72 | 20         | 240        |



## 72082Q

### Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.
- 1/2" CTS x 1/4" O.D.

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 15.98 | 10         | 100        |
| 1/2" x 1/4" | \$ 15.98 | 10         | 100        |



## 72082S

### Angle Quarter Turn Supply Stop - No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D.

| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.51 | 20         | 240        |



No-Lead Supply Stops

## 72082T

### Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.
- 3/8" FNPT x 3/8" O.D.

| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 8.38 | 20         | 240        |
| 3/8" x 3/8" | \$ 9.00 | 20         | 240        |



## 72082EXP

### Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960

| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.47 | 20         | 240        |



## 72082TLK

### Angle Quarter Turn Supply Stop Loose Key - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 11.49 | 20         | 160        |



## 72082EXPI

### Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |



## 72082V

### Angle Quarter Turn Supply Stop - No-Lead

- CPVC x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CPVC x 3/8" O.D.

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 13.35 | 20         | 240        |



## 72082EXPD

### Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 3/8" Comp
- Pex ASTM F1960

| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 15.76 | 20         | 240        |



## 72082S5

### Angle Quarter Turn Supply Stop - No-Lead

- SWT x Comp
- 1/2" SWT x 3/8" O.D. - with 5" Extension

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 20.17 | 10         | 120        |



## 72082EXPDI

### Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 1/4" Comp
- Pex ASTM F1960

| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 1/4" | \$ 15.76 | 20         | 240        |



# No-Lead Quarter Turn Supply Stops

## 72080C

- Straight Quarter Turn Supply Stop - No-Lead**  
 - Comp x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 5/8" O.D. x 3/8" O.D.



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 5/8" x 3/8" | \$ 9.51 | 20         | 240        |

## 72080S

- Straight Quarter Turn Supply Stop - No-Lead**  
 - SWT x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 1/2" SWT x 3/8" O.D.



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 8.75 | 20         | 240        |

## 72080CLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**  
 - Comp x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 5/8" O.D. x 3/8" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 3/8" | \$ 13.03 | 20         | 160        |

## 72080SLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**  
 - SWT x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 1/2" SWT x 3/8" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 11.98 | 20         | 160        |

## 72080M

- Straight Quarter Turn Supply Stop - No-Lead**  
 - FNPT x Slip Joint  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 1/2" FNPT x 1/2" Slip Joint



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 12.24 | 20         | 240        |

## 72080P

- Straight Quarter Turn Supply Stop - No-Lead**  
 - Pex x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 1/2" Pex x 3/8" O.D.  
 - Pex ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.57 | 20         | 240        |

## 72080M

- Straight Quarter Turn Supply Stop - No-Lead**  
 - Comp x Slip Joint  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 5/8" O.D. x 1/2" Slip Joint



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 1/2" | \$ 15.07 | 20         | 240        |

## 72080PLK

- Straight Quarter Turn Supply Stop Loose Key - No-Lead**  
 - Pex x Comp  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - 1/2" Pex x 3/8" O.D.  
 - Pex ASTM F1960



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 13.11 | 20         | 160        |

No-Lead Supply Stops

## 72080Q

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 15.98 | 10         | 200        |
| 1/2" x 1/4" | \$ 15.98 | 10         | 200        |

## 72080V

### Straight Quarter Turn Supply Stop - No-Lead

- CPVC x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CPVC x 3/8" Comp



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 14.71 | 20         | 240        |

## 72080PP

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 12.84 | 20         | 240        |

## 72080S5

### Straight Quarter Turn Supply Stop No-Lead

- SWT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" SWT x 3/8" O.D. - with 5" Extension



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 19.48 | 10         | 120        |

## 72080T

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.
- 3/8" FNPT x 3/8" O.D.



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.03 | 20         | 240        |
| 3/8" x 3/8" | \$ 8.48 | 20         | 240        |

## 72081REPL

### Transition Supply Stop - No-Lead

- Female Swivel x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 3/8" Female Swivel inlet x 3/8" O.D. Comp. outlet attaches to the 3/8" outlet of any supply stop. Add this Valve instead of replacing a stop that will not positively shut off.



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/8" | \$ 14.52 | 20         | 240        |

## 72080TLK

### Straight Quarter Turn Supply Stop Loose Key - No-Lead

- FNPT x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" FNPT x 3/8" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 12.90 | 20         | 160        |

## 72080EXP

### Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.57 | 20         | 240        |

# No-Lead Dual Outlet Dual Handle Supply Stops

## 72080DD

Straight Supply Stop

Dual Outlet Dual Handle Chrome - No-Lead

- Comp x Comp
- 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 5/8" x 3/8" x 3/8" | \$ 20.77 | 10         | 80         |
| 5/8" x 3/8" x 1/4" | \$ 20.59 | 10         | 80         |

## 72080VDD

Straight Supply Stop CPVC

Dual Outlet Dual Handle Chrome - No-Lead

- CPVC x Comp
- 1/2" CPVC x 3/8" Comp



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 24.70 | 10         | 80         |

## 72080DDB

Straight Supply Stop

Dual Outlet Dual Handle Brass - No-Lead

- Comp x Comp
- 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 5/8" x 3/8" x 3/8" | \$ 18.88 | 10         | 80         |
| 5/8" x 3/8" x 1/4" | \$ 18.71 | 10         | 80         |

## 72080VDDB

Straight Supply Stop CPVC

Dual Outlet Dual Handle Brass - No-Lead

- CPVC x Comp
- 1/2" CPVC x 3/8" Comp



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 22.45 | 10         | 80         |

## 72080PDD

Straight Supply Stop

Pex Dual Outlet Dual Handle Chrome - No-Lead

- Pex x Comp
- 1/2" Pex x 3/8" or 1/4" Comp
- Pex ASTM F1807



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 29.38 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 29.38 | 10         | 80         |

## 72080PDDB

Straight Supply Stop Pex

Dual Outlet Dual Handle Brass - No-Lead

- Pex x Comp
- 1/2" Pex x 3/8" or 1/4" Comp
- Pex ASTM F1807



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 26.71 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 26.71 | 10         | 80         |

## 72080EXPDD

Straight Supply Stop Expansion Pex

Dual Outlet Dual Handle Chrome - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 3/8" or 1/4" Comp
- Pex ASTM F1960



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 30.59 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 30.59 | 10         | 80         |

## 72080EXPDDB

Straight Supply Stop Expansion Pex

Dual Outlet Dual Handle Brass - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 3/8" or 1/4" Comp
- Pex ASTM F1960



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 26.71 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 26.71 | 10         | 80         |



## 72082DD

**Angle Supply Stop**  
**Dual Outlet Dual Handle Chrome - No-Lead**  
 - Comp x Comp  
 - 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 5/8" x 3/8" x 3/8" | \$ 20.77 | 10         | 80         |
| 5/8" x 3/8" x 1/4" | \$ 20.59 | 10         | 80         |

## 72082VDD

**Angle Supply Stop CPVC**  
**Dual Outlet Dual Handle Chrome - No-Lead**  
 - CPVC x Comp  
 - 1/2" CPVC x 3/8" Comp



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 24.70 | 10         | 80         |

## 72082DDB

**Angle Supply Stop**  
**Dual Outlet Dual Handle Brass - No-Lead**  
 - Comp x Comp  
 - 5/8" O.D. x 3/8" O.D. or 1/4" O.D.



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 5/8" x 3/8" x 3/8" | \$ 18.88 | 10         | 80         |
| 5/8" x 3/8" x 1/4" | \$ 18.71 | 10         | 80         |

## 72082VDDB

**Angle Supply Stop CPVC**  
**Dual Outlet Dual Handle Brass - No-Lead**  
 - CPVC x Comp  
 - 1/2" CPVC x 3/8" Comp



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 22.45 | 10         | 80         |

## 72082PDD

**Angle Supply Stop**  
**Pex Dual Outlet Dual Handle Chrome - No-Lead**  
 - Pex x Comp  
 - 1/2" Pex x 3/8" or 1/4" Comp  
 - Pex ASTM F1807



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 29.68 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 29.68 | 10         | 80         |

## 72082PDDB

**Angle Supply Stop Pex**  
**Dual Outlet Dual Handle Brass - No-Lead**  
 - Pex x Comp  
 - 1/2" Pex x 3/8" or 1/4" Comp  
 - Pex ASTM F1807



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 26.71 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 26.71 | 10         | 80         |

## 72082EXPDD

**Angle Supply Stop Expansion Pex**  
**Dual Outlet Dual Handle Chrome - No-Lead**  
 - Expansion Pex x Comp  
 - 1/2" Expansion Pex x 3/8" or 1/4" Comp  
 - Pex ASTM F1960



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 30.89 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 30.89 | 10         | 80         |

## 72082EXPDDB

**Angle Supply Stop Expansion Pex**  
**Dual Outlet Dual Handle Brass - No-Lead**  
 - Expansion Pex x Comp  
 - 1/2" Expansion Pex x 3/8" or 1/4" Comp  
 - Pex ASTM F1960




| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 26.71 | 10         | 80         |
| 1/2" x 3/8" x 1/4" | \$ 26.71 | 10         | 80         |

# No-Lead Quarter Turn Supply Stops

## 72080EXPI

### Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372




| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72080PI

### Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- 1/2" Pex x 1/4" Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72080K

### Replacement Key Only - No-Lead

- 2" Key Length



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
|      | \$ 3.05 | 50         | 150        |

## 72082I

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- FNPT x Comp
- 1/2" FNPT x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 10.82 | 20         | 240        |

## 72083D

### Quarter Turn Supply Stop - Dual Outlet - No-Lead

- FNPT x Comp x Comp
- 1/2" FNPT x 3/8" O.D. x 1/4" O.D.
- 1/2" FNPT x 3/8" O.D. x 3/8" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 1/4" | \$ 15.76 | 20         | 240        |
| 1/2" x 3/8" x 3/8" | \$ 15.94 | 20         | 240        |

## 72082CI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Comp x Comp
- 5/8" O.D. x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 1/4" | \$ 13.32 | 20         | 240        |

## 72082PI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- 1/2" Pex x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72084D

### Quarter Turn Supply Stop - Dual Outlet - No-Lead

- Comp x Comp x Comp
- 5/8" O.D. x 3/8" O.D. x 1/4" O.D.
- 5/8" O.D. x 3/8" O.D. x 3/8" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 5/8" x 3/8" x 1/4" | \$ 18.39 | 20         | 240        |
| 5/8" x 3/8" x 3/8" | \$ 17.18 | 20         | 240        |

## 72082SI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- SWT x Comp
- 1/2" SWT x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 11.30 | 20         | 240        |

## 72082VI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- CPVC x Comp
- 1/2" CPVC x 1/4" O.D.
- NSF / ANSI 61-8 & NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 14.85 | 20         | 240        |



## 72082WS

### Quarter Turn Washing Machine Valves - No-Lead

- 1/2" MNPT or SWT x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/4" | \$ 16.03 | 20         | 240        |



## 72082W

### Washing Machine Valves - No-Lead

- FNPT x G.H.T.
- 1/2" FNPT x 3/4" G.H.T.
- Must be ordered in Quantities of 2 (One red, one blue)
- NSF / ANSI 61-8 & NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/4" | \$ 13.57 | 20         | 240        |



## 72082WV

### Quarter Turn Washing Machine Valves - No-Lead

- 1/2" CPVC x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/4" | \$ 19.42 | 20         | 240        |



## 72082W

### Washing Machine Valves - No-Lead

- Comp x G.H.T.
- 5/8" Comp x 3/4" G.H.T.
- Must be ordered in Quantities of 2 (One red, one blue)
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 3/4" | \$ 16.03 | 20         | 240        |



## 72082WSLR

### Quarter Turn Long Washing Machine Valves w/Red Handle - No-Lead

- 1/2" MNPT or 1/2" SWT x M.G.H.T.
- Plastic nut included
- NSF 61-8 & NSF 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 19.05 | 1          | 80         |



## 72082WP

### Quarter Turn Washing Machine Valves - No-Lead

- 1/2" MNPT or Pex x 3/4" G.H.T.
- Bag includes two stops (one red and one blue handle).
- Order in multiples of two.
- Pricing per each
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/4" | \$ 16.03 | 20         | 240        |



## 72082WSLB

### Quarter Turn Long Washing Machine Valves w/Blue Handle - No-Lead

- 1/2" MNPT or 1/2" SWT x M.G.H.T.
- Plastic nut included
- NSF 61-8 & NSF 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 19.05 | 1          | 80         |



# No-Lead Stainless Steel Hoses

## 2107FCF

### Stainless Steel Faucet Hose - No-Lead

- Comp x FNPT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List    | Carton Qty | Master Qty |
|-------------------|---------|------------|------------|
| 3/8" x 1/2" x 12" | \$ 3.45 | 25         | 100        |
| 3/8" x 1/2" x 16" | \$ 3.71 | 25         | 100        |
| 3/8" x 1/2" x 20" | \$ 4.23 | 25         | 100        |
| 3/8" x 1/2" x 30" | \$ 4.93 | 25         | 100        |
| 3/8" x 1/2" x 36" | \$ 6.25 | 25         | 50         |
| 1/2" x 1/2" x 12" | \$ 3.82 | 25         | 100        |
| 1/2" x 1/2" x 20" | \$ 4.77 | 25         | 100        |

## 2107TB

### Toilet Hose - No-Lead

- Comp x Ballcock - Brass Nut
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List    | Carton Qty | Master Qty |
|-------------------|---------|------------|------------|
| 3/8" x 7/8" x 9"  | \$ 3.71 | 25         | 100        |
| 3/8" x 7/8" x 12" | \$ 4.14 | 25         | 100        |
| 3/8" x 7/8" x 16" | \$ 4.42 | 25         | 100        |
| 3/8" x 7/8" x 20" | \$ 4.66 | 25         | 100        |

## 2107FFF

### Stainless Steel Faucet Hose - No-Lead

- FNPT x FNPT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List    | Carton Qty | Master Qty |
|-------------------|---------|------------|------------|
| 1/2" x 1/2" x 12" | \$ 3.64 | 25         | 100        |
| 1/2" x 1/2" x 20" | \$ 4.61 | 25         | 100        |

## 2107DW

### Stainless Steel Dishwasher Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List     | Carton Qty | Master Qty |
|-------------------|----------|------------|------------|
| 3/8" x 3/8" x 48" | \$ 8.03  | 25         | 50         |
| 3/8" x 3/8" x 60" | \$ 9.07  | 25         | 50         |
| 3/8" x 3/8" x 72" | \$ 10.10 | 25         | 25         |

## 2107FCC

### Stainless Steel Faucet Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List    | Carton Qty | Master Qty |
|-------------------|---------|------------|------------|
| 3/8" x 3/8" x 12" | \$ 3.29 | 25         | 100        |
| 3/8" x 3/8" x 20" | \$ 3.93 | 25         | 100        |

## 2107WM

### Stainless Steel Washing Machine Hose - No-Lead

- FGHT x FGHT
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List     | Carton Qty | Master Qty |
|-------------------|----------|------------|------------|
| 3/4" x 3/4" x 48" | \$ 7.57  | 25         | 50         |
| 3/4" x 3/4" x 60" | \$ 16.53 | 25         | 50         |
| 3/4" x 3/4" x 72" | \$ 25.47 | 25         | 25         |

## 2107TP

### Toilet Hose - No-Lead

- Comp x Ballcock - Plastic Nut
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size              | List    | Carton Qty | Master Qty |
|-------------------|---------|------------|------------|
| 3/8" x 7/8" x 9"  | \$ 3.03 | 25         | 100        |
| 3/8" x 7/8" x 12" | \$ 3.58 | 25         | 100        |
| 3/8" x 7/8" x 16" | \$ 3.76 | 25         | 100        |
| 3/8" x 7/8" x 20" | \$ 3.98 | 25         | 100        |

## 2107IM

### Stainless Steel Icemaker Hose - No-Lead

- Comp x Comp
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/4" x 1/4" x 60"  | \$ 6.46  | 25         | 50         |
| 1/4" x 1/4" x 72"  | \$ 15.64 | 25         | 25         |
| 1/4" x 1/4" x 84"  | \$ 24.81 | 25         | 25         |
| 1/4" x 1/4" x 120" | \$ 33.48 | 25         | 25         |

No-Lead Supply Stops

## 2107DWK

### Stainless Steel Dishwasher Hose - No-Lead

- Comp x Comp w/Elbow
- NSF / ANSI 61 & NSF / ANSI 372
- ASME A112.18.6-2009 / CSA B125.6-09 (R2014)



#### Kit Includes:

- 1 - 3/8" x 3/8" Supply Hose
- 1 - 3/8" Comp x 3/8" MNPT Dishwasher Elbow
- 1 - 3/8" Comp x 3/4" FGHT Dishwasher Swivel Elbow

| Size              | List     | Carton Qty | Master Qty |
|-------------------|----------|------------|------------|
| 3/8" x 3/8" x 48" | \$ 10.62 | 25         | 50         |
| 3/8" x 3/8" x 60" | \$ 19.58 | 25         | 50         |
| 3/8" x 3/8" x 72" | \$ 28.54 | 25         | 25         |







No-Lead Specialty Valves / Fittings



# No-Lead Specialty Valves / Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Specialty Valves / Fittings

No-Lead Specialty Valves / Fittings

## 72101

- Drop Ear Elbow - No-Lead**  
 - FNPT x SWT  
 - Three Ear design  
 - NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 4.87 | 50         | 300        |

## 72101P

- Drop Ear Elbow - No-Lead**  
 - Pex x FNPT  
 - Three Ear design  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 6.03  | 50         | 300        |
| 1/2" x 3/8" | \$ 7.42  | 50         | 200        |
| 3/4"        | \$ 11.52 | 25         | 100        |

## 72101EXP

- Drop Ear Elbow - No-Lead**  
 - Expansion Pex x FNPT  
 - Three Ear design  
 - NSF / ANSI 61-8 & NSF / ANSI 372  
 - Pex ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.61  | 25         | 200        |
| 3/4" | \$ 10.24 | 20         | 80         |

## 72101S

- Drop Ear Elbow - No-Lead**  
 - SWT x SWT  
 - Two Ear design  
 - NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 4.02 | 25         | 250        |
| 3/4" | \$ 5.57 | 25         | 150        |

## 72330PDE

- Drop Ear Elbow - No-Lead**  
 - Pex  
 - Two Ear design  
 - Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 4.78 | 15         | 150        |
| 3/4" | \$ 7.61 | 10         | 100        |

## 72330EXPDE

- Tee Drop Ear Expansion Pex - No-Lead**  
 - Expansion Pex x Expansion Pex - Two Ear  
 - Ends conform to ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.00 | 10         | 100        |
| 3/4" | \$ 17.66 | 10         | 80         |

## 72101BBTC

- Base Board Tee - No-Lead**  
 - SWT x SWT  
 - 3/4" SWT x 1/8" MNPT x 3/4" SWT  
 - NSF / ANSI 372



| Size               | List    | Carton Qty | Master Qty |
|--------------------|---------|------------|------------|
| 3/4" x 1/8" x 3/4" | \$ 5.14 | 25         | 200        |

## 72131T

- Tee - No-Lead**  
 - SWT x SWT x FNPT  
 - NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 8.75  | 25         | 200        |
| 3/4"        | \$ 13.25 | 25         | 100        |
| 3/4" x 1/2" | \$ 11.89 | 25         | 150        |
| 1" x 1/2"   | \$ 16.70 | 8          | 80         |
| 1" x 3/4"   | \$ 17.91 | 8          | 80         |

## 72101V

- Drop Ear Elbow - No-Lead**  
 - FNPT x CPVC  
 - Three Ear design  
 - NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.49 | 50         | 250        |

## 72102

### Bronze Drop Ear Elbow - No-Lead

- FNPT x SWT
- Two Ear design
- NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 5.25 | 25         | 250        |
| 3/4" | \$ 9.22 | 25         | 150        |

## 72111VF

### Transition Fittings - No-Lead

- FNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 8.05  | 24         | 432        |
| 3/4"   | \$ 8.71  | 30         | 360        |
| 1"     | \$ 14.48 | 25         | 150        |
| 1 1/2" | \$ 22.74 | 10         | 80         |
| 1 1/4" | \$ 30.86 | 10         | 60         |
| 2"     | \$ 47.45 | 5          | 20         |

## 72111VM

### Transition Fittings - No-Lead

- MNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 8.05  | 24         | 432        |
| 3/4"   | \$ 8.71  | 30         | 360        |
| 1"     | \$ 14.48 | 25         | 150        |
| 1 1/4" | \$ 22.74 | 10         | 80         |
| 1 1/2" | \$ 30.86 | 10         | 60         |
| 2"     | \$ 47.45 | 5          | 20         |

## 72048

### Pressure Relief Valve - No-Lead

- MNPT x FNPT, 100 PSI
- Non-adjustable



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 14.71 | 10         | 100        |
| 3/4" x 1/2" | \$ 15.68 | 10         | 100        |

## 72049

### Pressure Relief Valve - No-Lead

- MNPT x FNPT, 75 PSI
- Non-adjustable



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 14.71 | 10         | 100        |
| 3/4" x 1/2" | \$ 15.68 | 10         | 100        |

## 72016DW

### Dishwasher Elbow - No-Lead

- Comp x F.G.H.T. Swivel



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 3/8" x 3/4" | \$ 5.12 | 1          | 100        |

## 2048SS

### Stainless Steel Pressure Relief Valve - No-Lead

- MNPT x FNPT, 100 PSI
- Non-adjustable



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 14.71 | 10         | 100        |
| 3/4" x 1/2" | \$ 15.68 | 10         | 100        |

## 2049SS

### Stainless Steel Pressure Relief Valve - No-Lead

- MNPT x FNPT, 75 PSI
- Non-adjustable



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 14.71 | 10         | 100        |
| 3/4" x 1/2" | \$ 15.68 | 10         | 100        |

## 72113T

### Washing Machine Valve - No-Lead

- MNPT x G.H.T., 150 PSI
- Used to manually control hot and cold water flow and pressure to flexible hoses feeding washing machines.
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 64.85 | 1          | 30         |

# No-Lead Specialty Valves / Fittings

No-Lead Specialty Valves / Fittings

## 72113S

### Washing Machine Valve - No-Lead

- SWT x G.H.T., 150 PSI
- Used to manually control hot and cold water flow and pressure to flexible hoses feeding washing machines.
- NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 64.85 | 1          | 30         |

## 72110FFB

### Dielectric Union - No-Lead

- Steel FNPT x Brass FNPT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.04  | 10         | 100        |
| 3/4" | \$ 7.04  | 10         | 80         |
| 1"   | \$ 11.05 | 5          | 40         |

## 72110

### Dielectric Union - No-Lead

- FNPT Union x SWT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 7.46  | 10         | 100        |
| 3/4"        | \$ 7.46  | 10         | 100        |
| 3/4" x 1/2" | \$ 8.41  | 10         | 100        |
| 1"          | \$ 11.71 | 10         | 80         |
| 1 1/2"      | \$ 18.32 | 10         | 40         |
| 1 1/4"      | \$ 27.74 | 5          | 30         |
| 2"          | \$ 37.75 | 5          | 20         |

## 72112

### Dielectric Union - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 10.17 | 10         | 100        |
| 3/4"        | \$ 9.37  | 10         | 80         |
| 3/4" x 1/2" | \$ 10.58 | 10         | 80         |

## 72110FF

### Dielectric Union - No-Lead

- Steel FNPT x Steel FNPT, 200 PSI at 180°F
- For use whenever dissimilar metals are used in a piping system to prevent deterioration from corrosion due to stray currents.
- For repair gaskets order 2110R



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.04  | 10         | 100        |
| 3/4" | \$ 7.04  | 10         | 80         |
| 1"   | \$ 11.05 | 5          | 40         |

## 2110R

### Dielectric Union Gasket - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F



| Size   | List    | Carton Qty |
|--------|---------|------------|
| 1/2"   | \$ 0.98 | 50         |
| 3/4"   | \$ 1.03 | 50         |
| 1"     | \$ 1.13 | 50         |
| 1 1/2" | \$ 1.24 | 50         |
| 1 1/4" | \$ 1.40 | 50         |
| 2"     | \$ 1.67 | 50         |



## 72114

### Brass Union - No-Lead

- SWT x SWT, 200 PSI at 180°F



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 7.72  | 20         | 200        |
| 3/4"   | \$ 11.60 | 9          | 108        |
| 1"     | \$ 19.66 | 5          | 60         |
| 1 1/4" | \$ 26.13 | 5          | 30         |
| 1 1/2" | \$ 31.96 | 5          | 30         |
| 2"     | \$ 56.63 | 2          | 16         |

## 74620Z


### Bronze Meter Coupling with Wire Hole & Gaskets - No-Lead

- MNPT Union x SWT, 200 PSI at 180°F

- Package includes two nuts, two tail pieces and two rubber gaskets in plastic bag.

- NSF / ANSI 372

- Conforms to AWWA Standard



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 13.50 | 2          | 50         |
| 3/4"   | \$ 10.50 | 2          | 50         |
| 1"     | \$ 20.19 | 2          | 30         |
| 1 1/2" | \$ 41.00 | 2          | 24         |
| 2"     | \$ 54.95 | 2          | 20         |

## 72114SM

### Brass Union - No-Lead

- SWT x MNPT, 200 PSI at 180°F




| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 8.23  | 20         | 200        |
| 3/4" | \$ 11.21 | 9          | 108        |
| 1"   | \$ 16.41 | 2          | 16         |

## 74620ZP

### Bronze Meter Coupling with Wire Hole & Gaskets - No-Lead

- Pex x Meter Nut

- Pex ASTM F1807



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 13.64 | 10         | 100        |

## 72114SF

### Brass Union - No-Lead

- SWT x FNPT, 200 PSI at 180°F



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 8.06  | 20         | 200        |
| 3/4" | \$ 10.81 | 9          | 108        |
| 1"   | \$ 15.64 | 2          | 16         |

## 609FKIT

### Ductile Iron Meter Flange Kit - No-Lead

- SWT x FNPT, 200 PSI at 180°F



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 32.18 | 1          |
| 2"     | \$ 36.03 | 1          |

## 72073

### Bronze Compression Coupling - No-Lead

- 125 WOG

- Rubber Gaskets

- Used for repair applications on galvanized or copper tubing.



| Part #   | IPS/CTS         | List     | Carton Qty | Master Qty |
|----------|-----------------|----------|------------|------------|
| 5420-410 | 3/8" / 1/2"     | \$ 14.38 | 10         | 60         |
| 5420-411 | 1/2" / 3/4"     | \$ 19.01 | 10         | 40         |
| 5420-412 | 3/4" / 1"       | \$ 44.29 | 5          | 30         |
| 5421-413 | 1" / 1 1/4"     | \$ 45.24 | 5          | 30         |
| 5420-414 | 1 1/4" / 1 1/2" | \$ 46.97 | 3          | 18         |
| 5420-415 | 1 1/2"          | \$ 52.47 | 3          | 18         |
| 5424-358 | 2" IPS          | \$ 78.10 | 3          | 12         |
| 5424-359 | 2" CTS          | \$ 63.68 | 3          | 18         |





No-Lead Pressure Reducing Valves



# No-Lead Pressure Reducing Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

## Pressure Reducing Valves

These compact valves are designed to protect a water supply system and its components by reducing water pressure to a reasonable and safe level. With their versatility of installation and many design features, the A.Y. McDonald Water Pressure Reducing Valves can be used in numerous water system applications.

### Features:

- Factory preset at 50 psi outlet pressure
- Adjustable outlet pressure range: 25 to 75 psi
- Installed vertically or horizontally
- Equipped with an Thermal Expansion Bypass
- Integral strainer
- Cold Working Pressure (CWP) - 300 PSI
- Maximum Service Temperature - 180°F

### 72600T

#### Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 1/2" | \$ 129.77 | 1          | 16         |
| 3/4" | \$ 151.83 | 1          | 16         |
| 1"   | \$ 196.08 | 1          | 12         |

### 72601T

#### Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 1/2" | \$ 91.71  | 1          | 24         |
| 3/4" | \$ 98.60  | 1          | 24         |
| 1"   | \$ 149.98 | 1          | 16         |

### 72602T

#### Pressure Reducing Valve - No-Lead

- FNPT Union x FNPT Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 98.93  | 1          | 20         |
| 3/4"   | \$ 105.82 | 1          | 20         |
| 1"     | \$ 157.20 | 1          | 12         |
| 1 1/4" | \$ 474.88 | 1          | 6          |
| 1 1/2" | \$ 544.84 | 1          | 6          |
| 2"     | \$ 617.98 | 1          | 6          |

### 72602P

#### Pressure Reducing Valve - No-Lead

- Pex Union x Pex Union Brass Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 3/4" | \$ 105.80 | 1          | 24         |
| 1"   | \$ 157.18 | 1          | 16         |

## 72601TPC

### Pressure Reducing Valve - No-Lead

- FNPT x FNPT Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 1/2" | \$ 81.62  | 1          | 24         |
| 3/4" | \$ 88.21  | 1          | 24         |
| 1"   | \$ 134.19 | 1          | 16         |

## 72602TPC

### Pressure Reducing Valve - No-Lead

- FNPT Union x FNPT Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 3/4" | \$ 94.18  | 1          | 20         |
| 1"   | \$ 139.91 | 1          | 12         |

## 72602PPC

### Pressure Reducing Valve - No-Lead

- Pex Union x Pex Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 3/4" | \$ 93.63  | 1          | 24         |
| 1"   | \$ 139.89 | 1          | 16         |

## 72602EXPE

### Pressure Reducing Valve Expansion Pex End Piece Only

- Pex ASTM F1960

| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 9.99  | 10         | 100        |
| 1"   | \$ 10.29 | 10         | 100        |



## 72602EXPC

### Pressure Reducing Expansion Pex Valve - No-Lead

- Expansion Pex Union x Expansion Pex Union PVC Cap
- Threads conform to ANSI B1.20.1
- Maximum working pressure 300 PSI
- Reduced pressure range 25 PSI to 75 PSI
- Factory preset 50 PSI
- ASSE 1003 (ANSI A112.26.2)
- ANSI / NSF 372, ANSI / NSF 61-G
- CSA Standard B356
- Pex ASTM F1807



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 3/4" | \$ 93.63  | 1          | 16         |
| 1"   | \$ 139.89 | 1          | 10         |

## 72602CPVC

### Pressure Reducing CPVC Valve with Brass Cap - No-Lead

- CPVC x CPVC Double Union



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 3/4" | \$ 105.82 | 1          | 24         |
| 1"   | \$ 157.76 | 1          | 12         |

## 72602TE

### Pressure Reducing Valve End Piece Only

- FNPT Thread



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.02 | 10         | 100        |
| 3/4" | \$ 10.87 | 10         | 100        |
| 1"   | \$ 12.03 | 10         | 100        |

## 72602PE

### Pressure Reducing Valve CPVC End Piece Only

- Pex ASTM F1807



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 10.59 | 10         | 100        |
| 1"   | \$ 10.91 | 10         | 100        |

## 72602CPVCE

### Pressure Reducing Valve CPVC End Piece Only

| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 0.31 | 10         | 100        |
| 1"   | \$ 0.31 | 10         | 100        |









No-Lead Press Fit Fittings



# No-Lead Press Fit Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

## Press Fit Fittings

A.Y. McDonald copper press fittings are for use in plumbing or mechanical applications. Sizes range from 1/2" - 4" and the fittings are designed to join ASTM B88 (Types K, L, M) hard-drawn copper tube (1/2" - 4") and soft copper tube (1/2" - 1 1/4").

### Features and Benefits

- 350 line items available, including elbows, couplings, fitting reducers, tees, adapters, unions, caps, flanges, and accessories.
- All fittings are made of either wrought copper or lead-free brass.

### Applications

- All tubing must comply with the ASTM B88 standard.
- Approved for installations in above and below ground applications as allowed by local code.

### Operating Parameters

- Operating pressure: 200 PSI CWP max
- Operating temperature range: -20°F - 250°F

### System Benefits

- Fast and easy to use
- Flameless
- Permanent connections
- Size range from 1/2" to 4"
- Large selection of fittings
- Consistent professional appearance
- Less equipment required
- Environmentally friendly system
- Compatibility of fittings and tools

### Approved Applications

- Potable water
- Hydronic heating w/ glycol
- Chilled water
- Compressed air (200 PSI max)
- Non-medical gases (140 PSI max)
- Low pressure steam (15 PSI max)
- Vacuum (24.5" mercury max @ 68°F)

### Approvals & Certifications

- ASME B16.51
- IAPMO PS-117
- NSF / ANSI 61
- NSF / ANSI 372
- CSA TIL-MSE-13
- ABS



### Engineering Data

| Types of Service                      | Comments   | Pressure                   | Temperature    | Compatible with EPDM Seal |
|---------------------------------------|--|----------------------------|----------------|---------------------------|
| <b>Fluids/Water Potable</b>           |  |                            |                |                           |
| Hot and Cold Water                    | -  | 200 PSI                    | 32°F to 250°F  | •                         |
| Rainwater / Gray Water                | -  | 200 PSI                    | -20°F to 250°F | •                         |
| Chilled Water                         | Ethylene Glycol / Propylene Glycol                     | 200 PSI                    | -20°F to 250°F | •                         |
| Hydronic Heating                      | Ethylene Glycol / Propylene Glycol                     | 200 PSI                    | -20°F to 250°F | •                         |
| Cooling Water                         | Up to 50% Ethylene Glycol or Propylene Glycol solution | 200 PSI                    | -20°F to 250°F | •                         |
| Low-Pressure Steam                    | -  | Up to 15 PSI               | 248°F          | •                         |
| <b>Fuel, Oil and Lubricant</b>        |  |                            |                |                           |
| Ethanol                               | Pure Grain Alcohol                                     | 200 PSI                    |                | •                         |
| <b>Gases</b>                          |  |                            |                |                           |
| Compressed Air                        | Less than 25mg/m <sup>3</sup> oil content              | 200 PSI                    | Up to 140°F    | •                         |
| Oxygen - O <sub>2</sub> (non medical) | Keep oil and fat free / non-liquid O <sub>2</sub>      | 140 PSI                    | Up to 140°F    | •                         |
| Nitrogen - N <sub>2</sub>             | -  | 200 PSI                    | Up to 140°F    | •                         |
| Argon                                 | Welding Use  | 200 PSI                    | Up to 140°F    | •                         |
| Hydrogen - H <sub>2</sub>             | -  | 125 PSI                    | Up to 140°F    | •                         |
| Vacuum                                | -  | Max 29.2 inches of Mercury | Up to 140°F    | •                         |
| Carbon Dioxide - CO <sub>2</sub>      | Dry  | -                          | Up to 140°F    | •                         |

Contact Customer Service for information on applications not listed and applications outside the temperature and pressure ranges listed above. Fluids containing hydrocarbon-based oils are not compatible with the EPDM seal.

# Press Fit Fittings

## Installation Guidelines

### Tube Selection

A.Y. McDonald copper press fittings are designed to be joined with ASTM B88 (Types K, L, M) hard-drawn copper tube (1/2" - 4") and soft copper tube (1/2" - 1 1/4"). Copper tubing made to ASTM B88 may contain surface imperfections, which are specifically defined and allowed by the standard. This product is handled and stored multiple times before reaching the actual point of installation, potentially leading to further scratches, nicks or dents. ASTM B88 copper tube was designed for joining with solder and braze alloys – both of which are excellent gap-fill materials. Those who specify and/or install press systems must be aware of the inherent trade-offs that accompany the decision to utilize press technology and o-ring seals. Installers should recognize surface scratches and deep incise marks (identification stamping) on the tube and avoid placing o-ring seals directly over these surface irregularities in order to reduce the risk of leaks. Sanding and cleaning the surface may or may not eliminate this concern.

### Storage and Handling

A.Y. McDonald copper press fittings are packaged in polybags to keep them clean and free from debris. While unlikely to be needed, the polybag also serves to keep fittings and o-ring seals together in the event that one were to be dislodged in transit. Prior to installation, it is highly recommended that a thorough visual inspection of the fittings be performed. Fittings should be handled with care and opened just prior to use, to ensure their cleanliness. The tubing and fittings should be carefully handled during shipment and unloaded with reasonable care.

Protect the stored product from moisture and dirt. Elevation above grade and away from concrete is desirable. In the event press fittings are dropped, exercise the utmost care in visually inspecting them to assure that fittings have not been damaged or deformed.

### Tools & Jaws


Installer shall be qualified and licensed within the jurisdiction, and familiar with the installation of copper press joint systems. A.Y. McDonald copper press fittings shall be installed using the proper tool, jaws, actuator, and rings as instructed by the respective press fitting and press tool manufacturer.

Minimum Distance Between A.Y. McDonald Joints

| Tube Diameter | Minimum Distance Required |    |
|---------------|---------------------------|----|
|               | Inch                      | MM |
| 1/2"          | 1/2"                      | 13 |
| 3/4"          | 1/2"                      | 13 |
| 1"            | 1/2"                      | 13 |
| 1 1/4"        | 1/2"                      | 13 |
| 1 1/2"        | 5/8"                      | 16 |
| 2"            | 3/4"                      | 20 |
| 2 1/2"        | 3/4"                      | 20 |
| 3"            | 3/4"                      | 20 |
| 4"            | 3/4"                      | 20 |

### Distance Between Joints

Mechanical joint pressing causes some degree of deformity to the tubing. To prevent leaks, minimal distances between press joints are set forth in the table.



For more information, please reference the Press Fittings Instruction Booklet.

# No-Lead Press Fit Fittings

## 71900

Coupling - Press x Press - No-Lead

- CTS x CTS



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 3.69  | 10         | 550        |
| 3/4"   | \$ 5.59  | 10         | 260        |
| 1"     | \$ 11.27 | 5          | 170        |
| 1 1/4" | \$ 13.98 | 1          | 80         |
| 1 1/2" | \$ 26.03 | 1          | 50         |
| 2"     | \$ 33.19 | 1          | 35         |
| 2 1/2" | \$106.14 | 1          | 32         |
| 3"     | \$135.16 | 1          | 18         |
| 4"     | \$187.66 | 1          | 12         |

## 71900F

Adapter - Press x FNPT - No-Lead

- CTS x FNPT



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/2"            | \$ 5.81   | 10         | 300        |
| 1/2" x 3/8"     | \$ 6.00   | 10         | 300        |
| 1/2" x 3/4"     | \$ 11.91  | 10         | 180        |
| 3/4"            | \$ 9.43   | 10         | 150        |
| 3/4" x 1/2"     | \$ 8.69   | 10         | 180        |
| 1"              | \$ 17.39  | 10         | 180        |
| 1" x 1/2"       | \$ 30.24  | 10         | 120        |
| 1" x 3/4"       | \$ 30.67  | 10         | 200        |
| 1" x 1 1/4"     | \$ 32.21  | 10         | 60         |
| 1 1/4"          | \$ 39.21  | 1          | 80         |
| 1 1/4" x 1"     | \$ 38.86  | 1          | 100        |
| 1 1/4" x 1 1/2" | \$ 52.47  | 1          | 70         |
| 1 1/2"          | \$ 56.99  | 1          | 55         |
| 1 1/2" x 1 1/4" | \$ 54.71  | 1          | 70         |
| 2"              | \$ 96.73  | 1          | 40         |
| 2 1/2"          | \$ 227.64 | 1          | 36         |
| 3"              | \$ 372.84 | 1          | 24         |

## 71900

Reducing Coupling - Press x Press - No-Lead

- CTS x CTS



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 3/4" x 1/2"     | \$ 16.69  | 10         | 300        |
| 1" x 1/2"       | \$ 29.13  | 10         | 200        |
| 1" x 3/4"       | \$ 19.14  | 10         | 200        |
| 1 1/4" x 1/2"   | \$ 67.76  | 1          | 100        |
| 1 1/4" x 3/4"   | \$ 43.05  | 1          | 80         |
| 1 1/4" x 1"     | \$ 27.77  | 1          | 80         |
| 1 1/2" x 1/2"   | \$ 90.36  | 1          | 70         |
| 1 1/2" x 3/4"   | \$ 51.45  | 1          | 70         |
| 1 1/2" x 1"     | \$ 46.16  | 1          | 70         |
| 1 1/2" x 1 1/4" | \$ 40.90  | 1          | 60         |
| 2" x 1/2"       | \$ 120.46 | 1          | 50         |
| 2" x 3/4"       | \$ 48.06  | 1          | 50         |
| 2" x 1"         | \$ 69.95  | 1          | 50         |
| 2" x 1 1/4"     | \$ 58.21  | 1          | 40         |
| 2" x 1 1/2"     | \$ 46.03  | 1          | 40         |
| 2 1/2" x 1"     | \$ 198.66 | 1          | 40         |
| 2 1/2" x 1 1/4" | \$ 206.56 | 1          | 40         |
| 2 1/2" x 1 1/2" | \$ 208.71 | 1          | 40         |
| 2 1/2" x 2"     | \$ 210.06 | 1          | 30         |
| 3" x 1 1/2"     | \$ 230.95 | 1          | 24         |
| 3" x 2"         | \$ 231.53 | 1          | 24         |
| 3" x 2 1/2"     | \$ 271.45 | 1          | 24         |
| 4" x 2"         | \$ 287.96 | 1          | 10         |
| 4" x 2 1/2"     | \$ 317.92 | 1          | 10         |
| 4" x 3"         | \$ 349.99 | 1          | 10         |

## 71900M

Adapter - Press x MNPT - No-Lead

- CTS x MNPT



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/2"            | \$ 4.64   | 10         | 300        |
| 1/2" x 3/8"     | \$ 7.28   | 10         | 300        |
| 1/2" x 3/4"     | \$ 8.58   | 10         | 180        |
| 3/4"            | \$ 8.69   | 10         | 160        |
| 3/4" x 1/2"     | \$ 9.89   | 10         | 180        |
| 3/4" x 1"       | \$ 22.13  | 10         | 200        |
| 1"              | \$ 15.93  | 10         | 160        |
| 1" x 3/4"       | \$ 24.82  | 10         | 180        |
| 1" x 1 1/4"     | \$ 30.92  | 10         | 100        |
| 1 1/4"          | \$ 34.86  | 1          | 100        |
| 1 1/4" x 1"     | \$ 35.61  | 1          | 95         |
| 1 1/4" x 1 1/2" | \$ 38.02  | 1          | 75         |
| 1 1/2"          | \$ 48.88  | 1          | 50         |
| 1 1/2" x 1 1/4" | \$ 47.77  | 1          | 55         |
| 1 1/2" x 2"     | \$ 104.64 | 1          | 40         |
| 2"              | \$ 94.09  | 1          | 35         |
| 2" x 1 1/2"     | \$ 86.77  | 1          | 40         |
| 2 1/2"          | \$ 213.08 | 1          | 28         |
| 3"              | \$ 268.07 | 1          | 18         |
| 4"              | \$ 310.30 | 1          | 12         |



## 71900FSA

Street Adapter - Fitting x FNPT - No-Lead  
- Fitting x FNPT



| Size        | List      | Carton Qty | Master Qty |
|-------------|-----------|------------|------------|
| 1/2"        | \$ 18.26  | 5          | 250        |
| 1/2" x 3/4" | \$ 19.61  | 5          | 160        |
| 3/4"        | \$ 26.93  | 5          | 150        |
| 3/4" x 1/2" | \$ 22.70  | 5          | 160        |
| 1"          | \$ 40.45  | 1          | 110        |
| 1" x 3/4"   | \$ 38.04  | 5          | 250        |
| 1 1/4"      | \$ 70.47  | 1          | 100        |
| 1 1/2"      | \$ 78.58  | 1          | 55         |
| 2"          | \$ 133.12 | 1          | 40         |

## 71900ROR

Seal - O-ring Leak Detection EPDM - No-Lead  
- CTS x CTS



| Size   | List    | Carton Qty | Master Qty |
|--------|---------|------------|------------|
| 1/2"   | \$ 1.99 | 3          | 3          |
| 3/4"   | \$ 1.99 | 3          | 3          |
| 1"     | \$ 2.35 | 3          | 3          |
| 1 1/4" | \$ 2.35 | 3          | 3          |
| 1 1/2" | \$ 3.32 | 3          | 3          |
| 2"     | \$ 3.32 | 3          | 3          |
| 2 1/2" | \$ 5.26 | 3          | 3          |
| 3"     | \$ 5.26 | 3          | 3          |
| 4"     | \$ 7.02 | 3          | 3          |

## 71900MSA

Street Adapter - Fitting x MNPT - No-Lead  
- Fitting x MNPT



| Size        | List      | Carton Qty | Master Qty |
|-------------|-----------|------------|------------|
| 1/2"        | \$ 16.39  | 5          | 250        |
| 1/2" x 3/4" | \$ 26.13  | 5          | 200        |
| 3/4"        | \$ 27.38  | 5          | 160        |
| 3/4" x 1/2" | \$ 26.40  | 5          | 200        |
| 1"          | \$ 40.21  | 5          | 200        |
| 1" x 3/4"   | \$ 40.45  | 5          | 200        |
| 1 1/4"      | \$ 53.34  | 1          | 100        |
| 1 1/2"      | \$ 79.55  | 1          | 60         |
| 2"          | \$ 117.11 | 1          | 40         |

## 71900SM

Adapter - Press x Fitting - No-Lead  
- CTS x Fitting



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/2" x 3/4"     | \$ 3.97   | 10         | 400        |
| 1/2" x 1"       | \$ 10.31  | 10         | 300        |
| 1/2" x 1 1/4"   | \$ 12.64  | 5          | 180        |
| 1/2" x 1 1/2"   | \$ 36.44  | 5          | 130        |
| 1/2" x 2"       | \$ 46.42  | 1          | 50         |
| 3/4" x 1"       | \$ 10.51  | 10         | 240        |
| 3/4" x 1 1/4"   | \$ 12.89  | 5          | 170        |
| 3/4" x 1 1/2"   | \$ 21.54  | 1          | 70         |
| 3/4" x 2"       | \$ 46.88  | 1          | 50         |
| 1" x 1 1/4"     | \$ 14.26  | 5          | 150        |
| 1" x 1 1/2"     | \$ 20.94  | 1          | 70         |
| 1" x 2"         | \$ 23.73  | 1          | 50         |
| 1" x 2 1/2"     | \$ 103.18 | 1          | 40         |
| 1 1/4" x 1 1/2" | \$ 21.06  | 1          | 70         |
| 1 1/4" x 2"     | \$ 29.54  | 1          | 50         |
| 1 1/4" x 2 1/2" | \$ 144.97 | 1          | 40         |
| 1 1/4" x 3"     | \$ 167.87 | 1          | 25         |
| 1 1/2" x 2"     | \$ 28.25  | 1          | 40         |
| 1 1/2" x 2 1/2" | \$ 145.83 | 1          | 40         |
| 1 1/2" x 3"     | \$ 159.53 | 1          | 24         |
| 2" x 2 1/2"     | \$ 125.39 | 1          | 35         |
| 2" x 3"         | \$ 155.24 | 1          | 24         |
| 2" x 4"         | \$ 178.67 | 1          | 12         |
| 2 1/2" x 3"     | \$ 159.91 | 1          | 24         |
| 2 1/2" x 4"     | \$ 195.22 | 1          | 10         |
| 3" x 4"         | \$ 206.32 | 1          | 10         |

## 71900RC

Repair Coupling - Press x Press - No-Lead  
- CTS x CTS



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 8.85   | 10         | 450        |
| 3/4"   | \$ 12.07  | 10         | 260        |
| 1"     | \$ 14.78  | 5          | 170        |
| 1 1/4" | \$ 22.51  | 1          | 80         |
| 1 1/2" | \$ 34.67  | 1          | 50         |
| 2"     | \$ 40.36  | 1          | 35         |
| 2 1/2" | \$ 105.58 | 1          | 32         |
| 3"     | \$ 136.32 | 1          | 18         |
| 4"     | \$ 187.40 | 1          | 12         |

# No-Lead Press Fit Fittings

## 71900EC

Extending Coupling - Press x Press - No-Lead  
- CTS x CTS



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 26.02 | 5          | 250        |
| 3/4"   | \$ 28.96 | 5          | 150        |
| 1"     | \$ 36.59 | 5          | 100        |
| 1 1/4" | \$ 46.45 | 1          | 60         |
| 1 1/2" | \$ 68.44 | 1          | 40         |
| 2"     | \$ 83.78 | 1          | 27         |



## 71915

Flange - No-Lead  
- Flange x CTS



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1"     | \$ 162.10 | 1          | 14         |
| 1 1/4" | \$ 235.52 | 1          | 14         |
| 1 1/2" | \$ 259.99 | 1          | 7          |
| 2"     | \$ 292.08 | 1          | 4          |
| 2 1/2" | \$ 325.90 | 1          | 4          |
| 3"     | \$ 394.99 | 1          | 3          |
| 4"     | \$ 441.88 | 1          | 3          |



## 71901

Cap Press - No-Lead  
- CTS



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 7.87   | 10         | 450        |
| 3/4"   | \$ 13.27  | 10         | 450        |
| 1"     | \$ 20.46  | 5          | 250        |
| 1 1/4" | \$ 23.14  | 1          | 100        |
| 1 1/2" | \$ 35.87  | 1          | 80         |
| 2"     | \$ 43.59  | 1          | 55         |
| 2 1/2" | \$ 139.32 | 1          | 40         |
| 3"     | \$ 176.34 | 1          | 36         |
| 4"     | \$ 234.96 | 1          | 24         |



## 71920

Bronze Union - Press x Press - No-Lead  
- CTS x CTS



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 30.67  | 1          | 144        |
| 3/4"   | \$ 40.19  | 1          | 60         |
| 1"     | \$ 64.21  | 1          | 32         |
| 1 1/4" | \$ 91.65  | 1          | 28         |
| 1 1/2" | \$ 124.48 | 1          | 24         |
| 2"     | \$ 203.22 | 1          | 16         |



## 71911

Crossover - Press x Press - No-Lead  
- CTS x CTS



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 24.01 | 10         | 200        |
| 3/4" | \$ 29.85 | 10         | 100        |



## 71920F

Union - Press x FNPT - No-Lead  
- CTS x FNPT



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 24.12  | 1          | 192        |
| 3/4"   | \$ 31.54  | 1          | 90         |
| 1"     | \$ 51.34  | 1          | 48         |
| 1 1/4" | \$ 64.92  | 1          | 28         |
| 1 1/2" | \$ 102.04 | 1          | 24         |
| 2"     | \$ 135.19 | 1          | 16         |



## 71911SF

Crossover - Press x Fitting - No-Lead  
- CTS x CTS



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 28.89 | 10         | 250        |
| 3/4" | \$ 35.68 | 10         | 100        |



## 71920M

Union - Press x MNPT - No-Lead  
- CTS x MNPT



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 26.77  | 1          | 144        |
| 3/4"   | \$ 37.05  | 1          | 60         |
| 1"     | \$ 53.22  | 1          | 32         |
| 1 1/4" | \$ 78.54  | 1          | 28         |
| 1 1/2" | \$ 109.55 | 1          | 24         |
| 2"     | \$ 143.25 | 1          | 16         |



No-Lead Press Fit Fittings

## 71930

Reducing Tee - Press x Press x Press - No-Lead

- CTS x CTS x CTS



| Size                     | List     | Carton Qty | Master Qty |
|--------------------------|----------|------------|------------|
| 3/4" x 1/2"              | \$9.24   | 10         | 140        |
| 3/4" x 1/2" x 1/2"       | \$16.94  | 10         | 150        |
| 3/4" x 1/2" x 3/4"       | \$17.61  | 5          | 120        |
| 1" x 1/2"                | \$22.63  | 5          | 100        |
| 1" x 1/2" x 1"           | \$31.83  | 5          | 80         |
| 1" x 3/4" x 1/2"         | \$33.61  | 5          | 100        |
| 1" x 3/4" x 3/4"         | \$30.07  | 5          | 100        |
| 1" x 3/4" x 1"           | \$34.00  | 5          | 70         |
| 1" x 3/4"                | \$22.51  | 5          | 80         |
| 1 1/4" x 1/2"            | \$28.06  | 1          | 60         |
| 1 1/4" x 3/4"            | \$30.61  | 1          | 55         |
| 1 1/4" x 1"              | \$31.82  | 1          | 50         |
| 1 1/4" x 1/2" x 1 1/4"   | \$65.94  | 1          | 40         |
| 1 1/4" x 3/4" x 1/2"     | \$51.45  | 1          | 50         |
| 1 1/4" x 3/4" x 3/4"     | \$57.55  | 1          | 50         |
| 1 1/4" x 3/4" x 1"       | \$59.84  | 1          | 50         |
| 1 1/4" x 3/4" x 1 1/4"   | \$52.94  | 1          | 40         |
| 1 1/4" x 1" x 1/2"       | \$41.04  | 1          | 50         |
| 1 1/4" x 1" x 3/4"       | \$33.46  | 1          | 45         |
| 1 1/4" x 1" x 1"         | \$36.03  | 1          | 50         |
| 1 1/4" x 1" x 1 1/4"     | \$92.56  | 1          | 40         |
| 1 1/2" x 1/2"            | \$69.14  | 1          | 40         |
| 1 1/2" x 3/4"            | \$57.68  | 1          | 35         |
| 1 1/2" x 1"              | \$58.73  | 1          | 35         |
| 1 1/2" x 1 1/4"          | \$60.81  | 1          | 30         |
| 1 1/2" x 1/2" x 1 1/2"   | \$82.47  | 1          | 25         |
| 1 1/2" x 3/4" x 3/4"     | \$73.71  | 1          | 30         |
| 1 1/2" x 1" x 3/4"       | \$82.36  | 1          | 30         |
| 1 1/2" x 1" x 1"         | \$91.92  | 1          | 30         |
| 1 1/2" x 1" x 1 1/2"     | \$100.85 | 1          | 25         |
| 1 1/2" x 1 1/4" x 3/4"   | \$70.67  | 1          | 35         |
| 1 1/2" x 1 1/4" x 1"     | \$81.92  | 1          | 30         |
| 1 1/2" x 1 1/4" x 1 1/4" | \$60.51  | 1          | 30         |
| 2" x 1/2"                | \$111.13 | 1          | 25         |
| 2" x 3/4"                | \$93.95  | 1          | 25         |
| 2" x 1"                  | \$97.04  | 1          | 23         |
| 2" x 1 1/4"              | \$97.08  | 1          | 20         |
| 2" x 1 1/2"              | \$72.94  | 1          | 16         |
| 2" x 1/2" x 2"           | \$130.33 | 1          | 15         |
| 2" x 3/4" x 2"           | \$141.37 | 1          | 15         |
| 2" x 1" x 1"             | \$93.50  | 1          | 20         |
| 2" x 1" x 2"             | \$133.34 | 1          | 15         |
| 2" x 1 1/4" x 1 1/4"     | \$134.67 | 1          | 20         |
| 2" x 1 1/2" x 3/4"       | \$115.46 | 1          | 20         |
| 2" x 1 1/2" x 1"         | \$113.98 | 1          | 20         |
| 2" x 1 1/2" x 1 1/4"     | \$117.74 | 1          | 20         |
| 2" x 1 1/2" x 1 1/2"     | \$119.38 | 1          | 16         |
| 2" x 1 1/2" x 2"         | \$111.13 | 1          | 16         |

| Size                     | List      | Carton Qty | Master Qty |
|--------------------------|-----------|------------|------------|
| 2 1/2" x 1/2"            | \$367.10  | 1          | 18         |
| 2 1/2" x 3/4"            | \$367.10  | 1          | 18         |
| 2 1/2" x 1"              | \$367.10  | 1          | 16         |
| 2 1/2" x 1 1/4"          | \$367.10  | 1          | 15         |
| 2 1/2" x 1 1/2"          | \$350.81  | 1          | 12         |
| 2 1/2" x 2"              | \$309.24  | 1          | 12         |
| 2 1/2" x 3/4" x 2 1/2"   | \$390.25  | 1          | 10         |
| 2 1/2" x 1" x 2 1/2"     | \$402.93  | 1          | 10         |
| 2 1/2" x 1 1/4" x 2 1/2" | \$407.74  | 1          | 8          |
| 2 1/2" x 1 1/2" x 2"     | \$424.08  | 1          | 10         |
| 2 1/2" x 1 1/2" x 2 1/2" | \$356.60  | 1          | 8          |
| 2 1/2" x 2" x 3/4"       | \$374.94  | 1          | 15         |
| 2 1/2" x 2" x 1"         | \$353.03  | 1          | 15         |
| 2 1/2" x 2" x 1 1/2"     | \$331.52  | 1          | 12         |
| 2 1/2" x 2" x 2"         | \$332.83  | 1          | 10         |
| 2 1/2" x 2" x 2 1/2"     | \$375.15  | 1          | 10         |
| 3" x 1/2"                | \$399.87  | 1          | 15         |
| 3" x 3/4"                | \$386.89  | 1          | 12         |
| 3" x 1"                  | \$386.89  | 1          | 12         |
| 3" x 1 1/4"              | \$386.89  | 1          | 12         |
| 3" x 1 1/2"              | \$386.89  | 1          | 10         |
| 3" x 2"                  | \$378.55  | 1          | 10         |
| 3" x 2 1/2"              | \$394.84  | 1          | 7          |
| 3" x 3/4" x 3"           | \$393.44  | 1          | 6          |
| 3" x 1" x 3"             | \$416.76  | 1          | 7          |
| 3" x 1 1/4" x 3"         | \$510.71  | 1          | 6          |
| 3" x 1 1/2" x 3"         | \$435.26  | 1          | 6          |
| 3" x 2" x 2"             | \$416.43  | 1          | 9          |
| 3" x 2" x 2 1/2"         | \$432.98  | 1          | 7          |
| 3" x 2" x 3"             | \$438.61  | 1          | 6          |
| 3" x 2 1/2" x 2"         | \$410.20  | 1          | 8          |
| 3" x 2 1/2" x 2 1/2"     | \$453.01  | 1          | 6          |
| 3" x 2 1/2" x 3"         | \$450.16  | 1          | 6          |
| 4" x 1/2"                | \$ 619.78 | 1          | 8          |
| 4" x 3/4"                | \$ 611.53 | 1          | 8          |
| 4" x 1"                  | \$ 454.36 | 1          | 8          |
| 4" x 1 1/4"              | \$ 551.77 | 1          | 5          |
| 4" x 1 1/2"              | \$ 524.48 | 1          | 6          |
| 4" x 2"                  | \$ 417.90 | 1          | 6          |
| 4" x 2 1/2"              | \$ 430.69 | 1          | 4          |
| 4" x 3"                  | \$ 472.11 | 1          | 4          |
| 4" x 3" x 2"             | \$ 641.80 | 1          | 4          |
| 4" x 3" x 3"             | \$ 628.89 | 1          | 4          |

# No-Lead Press Fit Fittings

## 71930

Tee - Press x Press x Press - No-Lead

- CTS x CTS x CTS



| Size        | List      | Carton Qty | Master Qty |
|-------------|-----------|------------|------------|
| 1/2"        | \$ 6.26   | 10         | 200        |
| 1/2" x 3/4" | \$ 19.59  | 10         | 140        |
| 1/2" x 1"   | \$ 29.54  | 5          | 60         |
| 3/4"        | \$ 11.00  | 10         | 120        |
| 3/4" x 1"   | \$ 31.15  | 5          | 60         |
| 1"          | \$ 19.79  | 5          | 70         |
| 1" x 1 1/4" | \$ 57.70  | 1          | 35         |
| 1 1/4"      | \$ 33.45  | 1          | 45         |
| 1 1/2"      | \$ 64.95  | 1          | 25         |
| 2"          | \$ 80.24  | 1          | 15         |
| 2 1/2"      | \$ 263.24 | 1          | 10         |
| 3"          | \$ 329.03 | 1          | 7          |
| 4"          | \$ 461.68 | 1          | 4          |

## 71945

45° Elbow - Press x Press - No-Lead

- CTS x CTS



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 4.77   | 10         | 400        |
| 3/4"   | \$ 5.85   | 10         | 200        |
| 1"     | \$ 18.70  | 5          | 140        |
| 1 1/4" | \$ 26.81  | 1          | 70         |
| 1 1/2" | \$ 43.45  | 1          | 40         |
| 2"     | \$ 60.78  | 1          | 25         |
| 2 1/2" | \$ 140.78 | 1          | 16         |
| 3"     | \$ 201.09 | 1          | 12         |
| 4"     | \$ 279.26 | 1          | 6          |

## 71930F

Tee - Press x Press x FNPT - No-Lead

- CTS x CTS x FNPT



| Size          | List      | Carton Qty | Master Qty |
|---------------|-----------|------------|------------|
| 1/2"          | \$ 20.59  | 5          | 150        |
| 3/4"          | \$ 34.99  | 5          | 60         |
| 1"            | \$ 80.68  | 5          | 60         |
| 1 1/4"        | \$ 116.57 | 1          | 40         |
| 1 1/2"        | \$ 187.16 | 1          |            |
| 3/4" x 1/4"   | \$ 28.10  | 5          | 120        |
| 3/4" x 1/2"   | \$ 27.94  | 5          | 100        |
| 1" x 1/2"     | \$ 35.84  | 5          | 80         |
| 1" x 3/4"     | \$ 41.52  | 5          | 70         |
| 1 1/4" x 1/2" | \$ 51.21  | 1          | 60         |
| 1 1/4" x 3/4" | \$ 53.10  | 1          | 50         |
| 1 1/2" x 1/2" | \$ 60.78  | 1          | 40         |
| 1 1/2" x 3/4" | \$ 88.18  | 1          | 35         |
| 2" x 1/2"     | \$ 73.87  | 1          | 25         |
| 2" x 3/4"     | \$ 72.75  | 1          | 20         |
| 2 1/2" x 3/4" | \$ 295.95 | 1          | 18         |
| 3" x 3/4"     | \$ 352.63 | 1          | 13         |
| 4" x 3/4"     | \$ 404.59 | 1          | 8          |

## 71945SF

45° Elbow - Press x Street - No-Lead

- CTS x Fitting



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 3.69   | 10         | 450        |
| 3/4"   | \$ 5.46   | 10         | 260        |
| 1"     | \$ 17.90  | 5          | 140        |
| 1 1/4" | \$ 25.85  | 1          | 70         |
| 1 1/2" | \$ 39.54  | 1          | 40         |
| 2"     | \$ 58.61  | 1          | 25         |
| 2 1/2" | \$ 162.50 | 1          | 18         |
| 3"     | \$ 235.10 | 1          | 12         |
| 4"     | \$ 297.00 | 1          | 6          |

## 71990

90° Elbow - Press x Press - No-Lead

- CTS x CTS



| Size        | List      | Carton Qty | Master Qty |
|-------------|-----------|------------|------------|
| 1/2"        | \$ 4.10   | 10         | 350        |
| 3/4"        | \$ 6.29   | 10         | 180        |
| 3/4" x 1/2" | \$ 9.45   | 15         | 240        |
| 1"          | \$ 13.84  | 5          | 100        |
| 1 1/4"      | \$ 27.90  | 1          | 55         |
| 1" x 3/4"   | \$ 21.41  | 10         | 120        |
| 1 1/2"      | \$ 52.78  | 1          | 35         |
| 2"          | \$ 73.35  | 1          | 18         |
| 2 1/2"      | \$ 213.08 | 1          | 12         |
| 3"          | \$ 268.07 | 1          | 9          |
| 4"          | \$ 331.64 | 1          | 4          |

## 71990F

Drop Ear Elbow - Press x FNPT - No-Lead  
- CTS x FNPT



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 20.00 | 1          | 5          |
| 3/4" | \$ 39.36 | 1          | 5          |

## 71991F

90° Elbow - Press x FNPT - No-Lead  
- CTS x FNPT



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 13.49  | 5          | 200        |
| 3/4"   | \$ 21.43  | 5          | 120        |
| 1"     | \$ 37.00  | 1          | 60         |
| 1 1/4" | \$ 62.81  | 1          | 45         |
| 1 1/2" | \$ 82.12  | 1          | 25         |
| 2"     | \$ 130.37 | 1          | 15         |

## 71991M

90° Elbow - Press x MNPT - No-Lead  
- CTS x MNPT



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 19.42  | 5          | 200        |
| 3/4"   | \$ 31.02  | 5          | 120        |
| 1"     | \$ 46.73  | 1          | 65         |
| 1 1/4" | \$ 63.64  | 1          | 45         |
| 1 1/2" | \$ 87.01  | 1          | 25         |
| 2"     | \$ 122.95 | 1          | 15         |

## 71991SF

90° Elbow - Press x Street - No-Lead  
- CTS x Fitting



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 4.10   | 10         | 400        |
| 3/4"   | \$ 6.91   | 10         | 200        |
| 1"     | \$ 15.88  | 5          | 100        |
| 1 1/4" | \$ 28.18  | 1          | 55         |
| 1 1/2" | \$ 53.76  | 1          | 35         |
| 2"     | \$ 73.89  | 1          | 20         |
| 2 1/2" | \$ 221.56 | 1          | 14         |
| 3"     | \$ 257.64 | 1          | 9          |
| 4"     | \$ 328.12 | 1          | 4          |

## 72028PF

Forged Brass Body Full Port Ball Valve with Press Ends - No-Lead

- Press x Press, 250 PSI CWP  
- Conforms to NSF / ANSI 61-2012  
NSF / ANSI 14-2010a, and NSF / ANSI 372-2010  
(2 1/2" - 4" works with XLC Jaws)



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$27.89   | 5          | 75         |
| 3/4"   | \$32.61   | 10         | 50         |
| 1"     | \$60.05   | 6          | 12         |
| 1 1/4" | \$89.46   | 5          | 10         |
| 1 1/2" | \$129.43  | 4          | 8          |
| 2"     | \$197.58  | 2          | 4          |
| 2 1/2" | \$ 314.56 | 1          | 1          |
| 3"     | \$ 429.36 | 1          | 1          |
| 4"     | \$ 712.08 | 1          | 1          |

## 72028PFGH

Forged Brass Body Full Port Ball Valve with Press End and Removable Cap - No-Lead

- Press x MGHT, 250 PSI CWP  
- Conforms to NSF / ANSI 61-2012  
NSF / ANSI 14-2010a, and NSF / ANSI 372-2010



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 38.11 | 5          | 40         |







# No-Lead Push-Fit

No-Lead Push-Fit

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Push Fit Valves & Fittings

Push-Fit Valves & Fittings are design for connecting fittings and valves to Copper, CPVC or Pex Pipe. No soldering, crimping, or solvent welding is necessary due to the special rubber o-ring and stainless steel gripper ring. Push-Fits are ideal for use on plumbing, water, and hydronic heating systems.

## Performance

|                          |                                |
|--------------------------|--------------------------------|
| Maximum Working Pressure | 200 PSIG (13.8 bar)            |
| Temperature Range        | 0°F to 200°F (-18°C to 93.3°C) |

## Tubing Application

|               |   |
|---------------|---|
| Pex Tubing    | In accordance with ASTM F-876 and F-877 |
| CTS CPVC Pipe | In accordance with ASTM D2846/2846M     |
| Copper Pipe   | In accordance with ASTM B88             |

Certified to NSF/ANSI 61-G (AB 1953), NSF/ANSI-14 for ASTM F877, CSA B137.5, ASSE 1061, IGC 188 and U.P. Code

## 72100

### Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8"        | \$ 13.57 | 12         | 120        |
| 1/2"        | \$ 10.81 | 12         | 120        |
| 1/2" x 3/8" | \$ 10.87 | 15         | 150        |
| 3/4"        | \$ 12.37 | 6          | 60         |
| 3/4" x 1/2" | \$ 12.66 | 6          | 60         |
| 1"          | \$ 26.57 | 6          | 30         |
| 1" x 3/4"   | \$ 32.28 | 6          | 30         |

## 72100RC

### Slip Repair Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size      | List     | Carton Qty | Master Qty |
|-----------|----------|------------|------------|
| 1/2" x 4" | \$ 20.30 | 15         | 60         |
| 3/4" x 4" | \$ 24.90 | 15         | 60         |
| 1" x 4"   | \$ 35.63 | 15         | 45         |

## 72100F

### Female Adapter - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 9.01  | 12         | 120        |
| 1/2" x 3/4" | \$ 10.75 | 6          | 60         |
| 3/4"        | \$ 10.26 | 6          | 60         |
| 1"          | \$ 20.75 | 6          | 30         |

## 72101Q

### Drop Ear Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.67 | 6          | 60         |

## 72103

### End Cap - No-Lead

- CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/8" | \$ 10.58 | 50         | 500        |
| 1/2" | \$ 9.05  | 12         | 120        |
| 3/4" | \$ 11.58 | 6          | 60         |
| 1"   | \$ 26.53 | 6          | 30         |

## 72100M

### Male Adapter - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 8.70  | 12         | 120        |
| 1/2" x 3/4" | \$ 10.47 | 12         | 60         |
| 3/4"        | \$ 9.82  | 6          | 60         |
| 1"          | \$ 21.57 | 6          | 30         |
| 1" x 3/4"   | \$ 18.27 | 6          | 30         |

## 72130

### Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 3/8"               | \$ 18.69 | 6          | 60         |
| 1/2"               | \$ 15.45 | 12         | 60         |
| 3/4"               | \$ 19.42 | 12         | 60         |
| 3/4" x 1/2"        | \$ 19.61 | 12         | 60         |
| 3/4" x 1/2" x 1/2" | \$ 19.59 | 12         | 60         |
| 3/4" x 1/2" x 3/4" | \$ 20.50 | 12         | 60         |
| 1"                 | \$ 34.60 | 6          | 30         |
| 1" x 1" x 3/4"     | \$ 35.33 | 3          | 24         |

## 72105

### Ball Valve - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 21.98 | 10         | 80         |
| 3/4" | \$ 27.60 | 5          | 45         |
| 1"   | \$ 46.00 | 2          | 30         |

## 72190

### Elbow - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8"        | \$ 15.05 | 12         | 120        |
| 1/2"        | \$ 11.19 | 12         | 120        |
| 3/4"        | \$ 13.97 | 6          | 60         |
| 3/4" x 1/2" | \$ 14.86 | 6          | 60         |
| 1"          | \$ 28.57 | 6          | 30         |
| 1" x 3/4"   | \$ 28.57 | 6          | 30         |

## 72190F

### Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.29 | 12         | 60         |
| 3/4" | \$ 24.02 | 6          | 60         |

## 72190M

### Elbow - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.11 | 12         | 60         |

## 72082Q

### Angle Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.
- 1/2" CTS x 1/4" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 15.98 | 10         | 100        |
| 1/2" x 1/4" | \$ 15.98 | 10         | 100        |

## 72080Q

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- CTS x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" CTS x 3/8" O.D.



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 15.98 | 10         | 200        |
| 1/2" x 1/4" | \$ 15.98 | 10         | 200        |

## 2106

### Stainless Steel Water Heater Connector - No-Lead

- FNPT x CTS



| Size             | List     | Carton Qty | Master Qty |
|------------------|----------|------------|------------|
| 3/4" x 3/4" x 12 | \$ 16.38 | 1          | 60         |
| 3/4" x 3/4" x 15 | \$ 17.26 | 1          | 60         |
| 3/4" x 3/4" x 18 | \$ 18.16 | 1          | 60         |
| 3/4" x 3/4" x 24 | \$ 19.81 | 1          | 60         |
| 1/2" x 3/4" x 12 | \$ 16.86 | 1          | 50         |
| 1/2" x 3/4" x 15 | \$ 17.77 | 1          | 50         |
| 1/2" x 3/4" x 18 | \$ 18.71 | 1          | 50         |
| 1/2" x 3/4" x 24 | \$ 20.42 | 1          | 50         |

## 2106BV

### Stainless Steel Water Heater Connector - No-Lead

- FNPT x CTS



| Size             | List     | Carton Qty | Master Qty |
|------------------|----------|------------|------------|
| 3/4" x 3/4" x 18 | \$ 50.22 | 1          | 25         |
| 3/4" x 3/4" x 24 | \$ 51.82 | 1          | 25         |

## 2100RT

### Release Tool

| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/8"   | \$ 1.00  | 50         | 500        |
| 1/2"   | \$ 1.00  | 50         | 500        |
| 3/4"   | \$ 1.11  | 25         | 500        |
| 1"     | \$ 1.36  | 10         | 250        |
| 1 1/4" | \$ 41.19 | 3          | 30         |
| 1 1/2" | \$ 46.70 | 3          | 30         |
| 2"     | \$ 52.22 | 3          | 30         |



## 2100DBT

### Deburring Tool

| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
|      | \$ 13.72 | 24         | 480        |



# No-Lead Push Fit Valves & Fittings

## 2100C

### Copper Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 1/2"            | \$ 8.91  | 12         | 120        |
| 3/4"            | \$ 10.18 | 12         | 60         |
| 3/4" x 1/2"     | \$ 9.76  | 12         | 60         |
| 1"              | \$ 22.07 | 6          | 30         |
| 1" x 3/4"       | \$ 22.07 | 6          | 24         |
| 1" x 1 1/4"     | \$ 22.11 | 2          | 30         |
| 1 1/4"          | \$ 28.11 | 2          | 30         |
| 1 1/2"          | \$ 55.47 | 9          | 27         |
| 1 1/2" x 1 1/4" | \$ 41.52 | 2          | 20         |
| 2"              | \$ 76.25 | 2          | 20         |
| 2" x 1 1/2"     | \$ 60.71 | 1          | 15         |

## 2190CM

### Copper Elbow Adapter - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.64 | 6          | 60         |

## 2190CF

### Copper Elbow Adapter - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.69 | 6          | 60         |

## 2100CRC

### Copper Slip Repair Coupling - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size      | List     | Carton Qty | Master Qty |
|-----------|----------|------------|------------|
| 1/2" x 4" | \$ 18.68 | 12         | 60         |
| 3/4" x 4" | \$ 22.91 | 12         | 60         |
| 1" x 4"   | \$ 32.78 | 12         | 60         |

## 2100CM

### Copper Adapter - No-Lead

- CTS x MNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 7.99  | 12         | 60         |
| 1/2" x 3/4" | \$ 9.65  | 12         | 60         |
| 3/4"        | \$ 9.65  | 12         | 60         |
| 1"          | \$ 18.49 | 6          | 30         |
| 1 1/4"      | \$ 34.12 | 2          | 30         |
| 1 1/2"      | \$ 49.30 | 1          | 25         |
| 2"          | \$ 69.27 | 1          | 20         |

## 2190C

### Copper Elbow - No-Lead

- CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 9.37  | 12         | 120        |
| 3/4"        | \$ 11.84 | 6          | 60         |
| 3/4" x 1/2" | \$ 11.72 | 6          | 60         |
| 1"          | \$ 22.56 | 6          | 30         |
| 1" x 3/4"   | \$ 22.56 | 6          | 60         |
| 1 1/4"      | \$ 35.75 | 1          | 20         |
| 1 1/2"      | \$ 55.58 | 1          | 15         |
| 2"          | \$ 72.42 | 1          | 8          |



## 2130C

### Copper Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 12.70  | 12         | 60         |
| 3/4"   | \$ 15.90  | 12         | 60         |
| 1"     | \$ 26.92  | 3          | 30         |
| 1 1/4" | \$ 58.15  | 1          | 15         |
| 1 1/2" | \$ 92.97  | 1          | 10         |
| 2"     | \$ 131.85 | 1          | 6          |

## 2103C

### Copper End Cap - No-Lead

- CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 7.47  | 12         | 120        |
| 3/4"   | \$ 9.37  | 6          | 60         |
| 1"     | \$ 20.94 | 6          | 30         |
| 1 1/4" | \$ 19.29 | 5          | 40         |
| 1 1/2" | \$ 28.66 | 1          | 35         |
| 2"     | \$ 39.00 | 1          | 30         |

## 2130C

### Copper Reducing Tee - No-Lead

- CTS x CTS x CTS
- NSF / ANSI 61 & NSF / ANSI 372



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 1/2" x 3/4" | \$ 16.01 | 10         | 50         |
| 1/2" x 1/2" x 1"   | \$ 22.55 | 10         | 50         |
| 3/4" x 1/2"        | \$ 15.25 | 12         | 60         |
| 3/4" x 1/2" x 1/2" | \$ 15.45 | 12         | 60         |
| 3/4" x 1/2" x 3/4" | \$ 16.19 | 12         | 60         |
| 1" x 3/4"          | \$ 27.87 | 2          | 20         |

## 2101QC

### Copper Drop Ear Elbow - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 15.27 | 5          | 50         |

## 2100CF

### Copper Adapter - No-Lead

- CTS x FNPT
- NSF / ANSI 61 & NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 7.91  | 12         | 60         |
| 1/2" x 3/4" | \$ 9.25  | 6          | 60         |
| 3/4"        | \$ 9.25  | 6          | 60         |
| 1"          | \$ 17.80 | 6          | 30         |
| 1 1/4"      | \$ 38.44 | 2          | 30         |
| 1 1/2"      | \$ 50.47 | 1          | 25         |
| 2"          | \$ 67.96 | 1          | 20         |





No-Lead S&S Check Valves



# No-Lead Sump & Sewage Check Valves

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Sump & Sewage Check Valves

## 2063

### Full Flow Sump Check Valve

- ABS Thermoplastic Body
- 1 1/4" x 1 1/2" (Combo)
- 1 1/2" - 2" (Full Flow)
- Stainless Steel clamps included



#### Combo

| Size             | List     | Carton Qty |
|------------------|----------|------------|
| 1 1/4" or 1 1/2" | \$ 13.63 | 24         |

#### Full Flow

| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 13.63 | 24         |
| 2"     | \$ 21.28 | 12         |

## 2065

### Union Check Valve

- Solvent Union x Solvent Union
- ABS Thermoplastic Body



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 23.00 | 9          |
| 2"     | \$ 27.71 | 6          |

## 2065S

### Silent Union Check Valve

- Solvent Union x Solvent Union
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 26.82 | 9          |
| 2"     | \$ 33.80 | 6          |

## 2065LU

### Check Valve Less Union

- Solvent x Solvent
- ABS Thermoplastic Body



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 11.34 | 24         |
| 2"     | \$ 12.67 | 12         |

## 2065SLU

### Silent Check Valve Less Union

- Solvent x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 16.97 | 24         |
| 2"     | \$ 20.09 | 12         |

## 2066

### Union Check Valve / Ball Valve Combo

- Solvent Union x Solvent
- ABS Thermoplastic Body
- Union / Removeable



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 36.26 | 9          |
| 2"     | \$ 48.95 | 6          |

## 2066S

### Silent Union Check Valve / Ball Valve Combo

- Solvent Union x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles
- Union / Removeable



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 40.09 | 9          |
| 2"     | \$ 52.49 | 6          |

## 2067

### Compression Check Valve

- Comp x Comp
- ABS Thermoplastic Body



| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 27.71 | 6          |

## 2067S

### Silent Compression Check Valve

- Comp x Comp
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 33.80 | 6          |



## 2069C

### Clear Silent Sump Check Valve

- ABS Thermoplastic Body
- Stainless Steel clamps included
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/2" | \$ 29.94 | 16         |
| 2"     | \$ 38.11 | 12         |



## 2068

### Compression Check Valve / Ball Valve Combo

- Comp x Solvent
- ABS Thermoplastic Body
- Union / Removeable

| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 48.95 | 6          |



## 2068S

### Silent Compression Check Valve

- Comp x Solvent
- ABS Thermoplastic Body
- Eliminates the typical hammering of a sump pump check valve after the pump cycles
- Union / Removeable

| Size | List     | Carton Qty |
|------|----------|------------|
| 2"   | \$ 52.49 | 6          |



## 2069

### Silent Sump Check Valve

- ABS Thermoplastic Body
- Stainless Steel clamps included
- Eliminates the typical hammering of a sump pump check valve after the pump cycles

| Size   | List     | Carton Qty |
|--------|----------|------------|
| 1 1/4" | \$ 22.18 | 16         |
| 1 1/2" | \$ 24.93 | 16         |
| 2"     | \$ 30.97 | 12         |









No-Lead PVC / CPVC



# No-Lead PVC / CPVC

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

## 2060S

### PVC Ball Valve - Sch. 80

- Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 3.61   | 1          | 120        |
| 3/4"   | \$ 4.17   | 5          | 90         |
| 1"     | \$ 5.83   | 1          | 60         |
| 1 1/4" | \$ 7.80   | 1          | 40         |
| 1 1/2" | \$ 12.63  | 1          | 30         |
| 2"     | \$ 15.21  | 1          | 18         |
| 2 1/2" | \$ 42.43  |            | 12         |
| 3"     | \$ 59.80  |            | 6          |
| 4"     | \$ 112.39 |            | 4          |

## 2064ST

### PVC Union Ball Valve - Sch. 80

- Solvent or FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- Valve shipped with both FNPT & Solvent connections



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 11.59  | 1          | 48         |
| 3/4"   | \$ 15.79  | 1          | 36         |
| 1"     | \$ 25.88  | 1          | 36         |
| 1 1/4" | \$ 34.51  | 1          | 12         |
| 1 1/2" | \$ 47.75  | 1          | 12         |
| 2"     | \$ 66.06  | 1          | 12         |
| 2 1/2" | \$ 93.38  | 1          | 6          |
| 3"     | \$ 161.88 | 1          | 4          |
| 4"     | \$ 328.47 | 1          | 1          |

## 2060T

### PVC Ball Valve - Sch. 80

- FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 3.61   | 10         | 120        |
| 3/4"   | \$ 4.17   | 1          | 90         |
| 1"     | \$ 5.83   | 1          | 60         |
| 1 1/4" | \$ 7.80   | 1          | 40         |
| 1 1/2" | \$ 12.63  | 1          | 30         |
| 2"     | \$ 15.21  | 2          | 18         |
| 2 1/2" | \$ 42.43  |            | 12         |
| 3"     | \$ 59.80  |            | 6          |
| 4"     | \$ 112.39 |            | 6          |

## 2070S

### PVC Union - Sch. 80

- Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 2.38  | 24         | 96         |
| 3/4"   | \$ 3.17  | 24         | 96         |
| 1"     | \$ 4.94  | 24         | 96         |
| 1 1/4" | \$ 6.46  | 12         | 48         |
| 1 1/2" | \$ 8.09  | 9          | 36         |
| 2"     | \$ 12.95 | 6          | 24         |

## 2062

### CPVC - Ball Valve - Sch. 80

- Solvent x Solvent
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 6.89  | 10         | 200        |
| 3/4" | \$ 8.59  | 1          | 120        |
| 1"   | \$ 12.76 | 5          | 90         |

## 2070T

### PVC Union - Sch. 80

- FNPT
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 2.38  | 24         | 96         |
| 3/4"   | \$ 3.17  | 24         | 96         |
| 1"     | \$ 4.94  | 24         | 96         |
| 1 1/4" | \$ 6.46  | 12         | 48         |
| 1 1/2" | \$ 8.09  | 9          | 36         |
| 2"     | \$ 12.95 | 6          | 24         |

### 2070RG

Replacement Gasket for 2070T / 2070S



| Size   | List    | Carton Qty |
|--------|---------|------------|
| 1/2"   | \$ 4.13 | 50         |
| 3/4"   | \$ 4.13 | 50         |
| 1"     | \$ 4.13 | 50         |
| 1 1/4" | \$ 4.13 | 50         |
| 1 1/2" | \$ 4.13 | 50         |
| 2"     | \$ 4.13 | 50         |

### 72111VM

CPVC Transition Fittings - No-Lead

- MNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 8.05  | 24         | 432        |
| 3/4"   | \$ 8.71  | 30         | 360        |
| 1"     | \$ 14.48 | 25         | 150        |
| 1 1/4" | \$ 22.74 | 10         | 80         |
| 1 1/2" | \$ 30.86 | 10         | 60         |
| 2"     | \$ 47.45 | 5          | 20         |

### 2072

PVC Compression Coupling - Sch. 80

- Comp
- 150 PSI @ 73°F
- Fits schedule 40 & 80 PVC pipe
- Rubber gaskets



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 2.29  | 10         | 200        |
| 3/4"   | \$ 2.86  | 10         | 120        |
| 1"     | \$ 3.77  | 10         | 120        |
| 1 1/4" | \$ 5.65  | 10         | 80         |
| 1 1/2" | \$ 6.13  | 10         | 60         |
| 2"     | \$ 8.26  | 5          | 50         |
| 2 1/2" | \$ 18.07 | 4          | 4          |
| 3"     | \$ 28.31 | 2          | 4          |
| 4"     | \$ 38.86 | 2          | 2          |

### 72101V

Drop Ear Elbow - No-Lead

- FNPT x CPVC
- Three Ear Design
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.49 | 50         | 250        |

### 72111VF

CPVC Transition Fittings - No-Lead

- FNPT x CPVC
- Conforms to ASTM D2846
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 8.05  | 24         | 432        |
| 3/4"   | \$ 8.71  | 30         | 360        |
| 1"     | \$ 14.48 | 25         | 150        |
| 1 1/4" | \$ 22.74 | 10         | 80         |
| 1 1/2" | \$ 30.86 | 10         | 60         |
| 2"     | \$ 47.45 | 5          | 20         |

No-Lead PVC / CPVC







No-Lead Pex / Poly / Expansion



# No-Lead Pex / Poly & Expansion

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead Poly Pex

## 2400

### Coupling - Poly

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 3/8"        | \$ 0.37 | 50         | 2800       |
| 1/2"        | \$ 0.66 | 50         | 2000       |
| 1/2" x 3/8" | \$ 0.42 | 50         | 2400       |
| 3/4"        | \$ 0.89 | 50         | 1000       |
| 3/4" x 1/2" | \$ 0.92 | 50         | 1000       |
| 1"          | \$ 1.71 | 25         | 600        |
| 1" x 1/2"   | \$ 1.21 | 25         | 600        |
| 1" x 3/4"   | \$ 1.53 | 25         | 600        |

## 2430

### Tee - Poly

- Pex x Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/8" | \$ 1.09 | 50         | 1400       |
| 1/2" | \$ 1.03 | 50         | 650        |
| 3/4" | \$ 1.67 | 25         | 400        |
| 1"   | \$ 4.31 | 10         | 200        |

## 2400F

### Swivel Adapter - Poly

- Pex x FNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 1.85 | 25         | 600        |
| 1"   | \$ 3.68 | 25         | 300        |

## 2430

### Reducing Tee - Poly

- Pex x Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size               | List    | Carton Qty | Master Qty |
|--------------------|---------|------------|------------|
| 1/2" x 3/4"        | \$ 1.67 | 25         | 550        |
| 3/4" x 1/2" x 1/2" | \$ 1.67 | 25         | 600        |
| 3/4" x 1/2" x 3/4" | \$ 1.67 | 25         | 500        |
| 3/4" x 1/2"        | \$ 1.67 | 25         | 500        |
| 3/4" x 1"          | \$ 3.70 | 10         | 300        |
| 1" x 1/2"          | \$ 3.70 | 10         | 300        |
| 1" x 3/4"          | \$ 3.70 | 10         | 300        |
| 1" x 3/4" x 3/4"   | \$ 3.70 | 10         | 300        |
| 1" x 3/4" x 1"     | \$ 3.70 | 10         | 250        |

## 2400M

### Male Adapter - Poly

- Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 1.29 | 50         | 800        |
| 1/2" x 3/4" | \$ 1.76 | 25         | 600        |
| 3/4"        | \$ 1.82 | 25         | 500        |
| 3/4" x 1/2" | \$ 1.76 | 25         | 600        |
| 1"          | \$ 4.11 | 25         | 300        |

## 2430M

### Tee - Poly

- Pex x Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 1.60 | 50         | 600        |

## 2402

### Plug - Poly

- Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/8" | \$ 0.32 | 100        | 6000       |
| 1/2" | \$ 0.50 | 100        | 3000       |
| 3/4" | \$ 0.92 | 100        | 2000       |
| 1"   | \$ 1.31 | 50         | 1000       |

## 2490

### Elbow - Poly

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 3/8"        | \$ 0.57 | 50         | 1800       |
| 1/2"        | \$ 0.84 | 50         | 1200       |
| 3/4"        | \$ 1.37 | 25         | 600        |
| 3/4" x 1/2" | \$ 1.23 | 25         | 700        |
| 1"          | \$ 3.70 | 10         | 300        |

## 2490M

### Male Adapter - Poly

- Pex x MNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 1.48 | 25         | 650        |
| 1/2" x 3/8" | \$ 1.17 | 25         | 750        |
| 3/4"        | \$ 1.79 | 25         | 400        |
| 3/4" x 1/2" | \$ 1.65 | 25         | 400        |

## 2492

### Swivel Elbow - Poly

- Pex x FNPT
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 2.22 | 25         | 600        |

# No-Lead Brass Pex

## 72300

### Coupling - No-Lead

- Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 3/8"            | \$ 1.09  | 25         | 2000       |
| 1/2"            | \$ 1.14  | 50         | 1000       |
| 1/2" x 3/8"     | \$ 1.14  | 50         | 1000       |
| 5/8"            | \$ 2.13  | 25         | 600        |
| 3/4"            | \$ 1.81  | 25         | 500        |
| 3/4" x 1/2"     | \$ 1.77  | 25         | 500        |
| 1"              | \$ 2.95  | 15         | 120        |
| 1" x 3/4"       | \$ 2.95  | 15         | 120        |
| 1 1/4"          | \$ 6.14  | 20         | 160        |
| 1 1/4" x 3/4"   | \$ 4.39  | 20         | 240        |
| 1 1/4" x 1"     | \$ 4.67  | 20         | 240        |
| 1 1/2"          | \$ 8.79  | 20         | 120        |
| 1 1/2" x 3/4"   | \$ 6.38  | 15         | 120        |
| 1 1/2" x 1"     | \$ 6.59  | 15         | 120        |
| 1 1/2" x 1 1/4" | \$ 7.25  | 20         | 120        |
| 2"              | \$ 15.53 | 15         | 60         |
| 2" x 1"         | \$ 12.98 | 20         | 80         |
| 2" x 1 1/4"     | \$ 14.01 | 20         | 80         |
| 2" x 1 1/2"     | \$ 14.21 | 20         | 80         |

## 72300F

### Female Adapter - No-Lead

- Pex x FNPT
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 1/2"            | \$ 2.70  | 50         | 500        |
| 1/2" x 3/4"     | \$ 3.74  | 25         | 250        |
| 3/4"            | \$ 3.93  | 25         | 250        |
| 3/4" x 1/2"     | \$ 3.74  | 25         | 250        |
| 3/4" x 1"       | \$ 8.52  | 15         | 120        |
| 1"              | \$ 7.42  | 15         | 120        |
| 1" x 3/4"       | \$ 7.42  | 15         | 120        |
| 1 1/4"          | \$ 18.95 | 10         | 40         |
| 1 1/4" x 1 1/2" | \$ 24.45 | 10         | 40         |
| 2"              | \$ 24.63 | 10         | 40         |

## 72300M

### Male Adapter - No-Lead

- Pex x MNPT
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 3/8" x 1/2"     | \$ 2.32  | 50         | 500        |
| 1/2"            | \$ 2.46  | 50         | 500        |
| 1/2" x 3/4"     | \$ 3.47  | 25         | 250        |
| 3/4"            | \$ 3.69  | 25         | 250        |
| 3/4" x 1/2"     | \$ 2.32  | 25         | 250        |
| 3/4" x 1"       | \$ 6.03  | 15         | 120        |
| 1"              | \$ 6.44  | 15         | 120        |
| 1" x 3/4"       | \$ 4.37  | 15         | 120        |
| 1 1/4"          | \$ 19.13 | 10         | 60         |
| 1 1/4" x 1"     | \$ 8.21  | 15         | 120        |
| 1 1/4" x 1 1/2" | \$ 17.61 | 10         | 60         |
| 2"              | \$ 29.32 | 10         | 30         |

## 72300PB

### PB Adapter - No-Lead

- Pex x PB
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 2.15 | 30         | 240        |
| 3/4" | \$ 3.00 | 10         | 80         |

## 72300SF

### Female Sweat Adapter - No-Lead

- Pex x F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 1.67  | 50         | 1000       |
| 1/2" x 3/4" | \$ 3.16  | 50         | 500        |
| 5/8" x 3/4" | \$ 5.02  | 50         | 600        |
| 3/4"        | \$ 2.46  | 25         | 500        |
| 1"          | \$ 4.61  | 15         | 120        |
| 1 1/4"      | \$ 6.91  | 20         | 160        |
| 1 1/2"      | \$ 13.26 | 15         | 60         |
| 2"          | \$ 20.67 | 10         | 40         |

## 72300SFM

### Combo Sweat Adapter - No-Lead

- Pex x M Coupling or F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size                  | List    | Carton Qty | Master Qty |
|-----------------------|---------|------------|------------|
| 3/4" x 3/4" x or 1/2" | \$ 5.32 | 15         | 120        |
| 1" x 1" x 3/4"        | \$ 8.07 | 15         | 120        |

No-Lead Pex / Poly / Expansion

## 72300SM

### Male Adapter - No-Lead

- Pex x Male Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 5/8" x 1/2" | \$ 3.71  | 50         | 500        |
| 1/2"        | \$ 1.42  | 50         | 1000       |
| 1/2" x 3/4" | \$ 3.16  | 50         | 500        |
| 3/4"        | \$ 2.54  | 25         | 500        |
| 1"          | \$ 4.04  | 15         | 120        |
| 1 1/4"      | \$ 10.10 | 20         | 120        |
| 1 1/2"      | \$ 11.57 | 20         | 80         |
| 2"          | \$ 20.32 | 10         | 40         |

## 72330

### Tee - No-Lead

- Pex x Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/8"   | \$ 1.49  | 50         | 500        |
| 1/2"   | \$ 2.08  | 50         | 500        |
| 3/4"   | \$ 3.24  | 25         | 250        |
| 1"     | \$ 6.20  | 15         | 120        |
| 1 1/4" | \$ 15.31 | 10         | 80         |
| 1 1/2" | \$ 21.63 | 5          | 40         |
| 2"     | \$ 37.80 | 5          | 30         |

## 72301

### Swivel Adapter - No-Lead

- Pex x FNPT (Plastic Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 2.59 | 25         | 250        |

## 72330

### Tee - No-Lead

- Pex x Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size                     | List     | Carton Qty | Master Qty |
|--------------------------|----------|------------|------------|
| 1/2" x 3/4"              | \$ 2.49  | 25         | 250        |
| 3/4" x 1/2" x 1/2"       | \$ 3.19  | 25         | 250        |
| 3/4" x 1/2" x 3/4"       | \$ 3.19  | 25         | 250        |
| 3/4" x 1/2"              | \$ 3.19  | 25         | 250        |
| 3/4" x 1"                | \$ 6.47  | 15         | 120        |
| 1" x 1/2"                | \$ 5.75  | 15         | 120        |
| 1" x 3/4" x 3/4"         | \$ 6.38  | 15         | 120        |
| 1" x 3/4" x 1"           | \$ 7.26  | 20         | 160        |
| 1" x 3/4"                | \$ 5.95  | 15         | 120        |
| 1 1/4" x 1/2"            | \$ 7.77  | 10         | 120        |
| 1 1/4" x 3/4"            | \$ 10.64 | 10         | 80         |
| 1 1/4" x 1"              | \$ 12.94 | 10         | 80         |
| 1 1/4" x 1" x 1"         | \$ 10.71 | 10         | 80         |
| 1 1/2" x 1/2"            | \$ 12.71 | 5          | 80         |
| 1 1/2" x 3/4"            | \$ 13.74 | 10         | 80         |
| 1 1/2" x 3/4" x 3/4"     | \$ 12.04 | 10         | 80         |
| 1 1/2" x 1"              | \$ 15.16 | 5          | 60         |
| 1 1/2" x 1" x 3/4"       | \$ 13.09 | 10         | 80         |
| 1 1/2" x 1" x 1"         | \$ 14.27 | 5          | 80         |
| 1 1/2" x 1 1/4"          | \$ 17.82 | 5          | 60         |
| 1 1/2" x 1 1/4" x 3/4"   | \$ 13.51 | 5          | 80         |
| 1 1/2" x 1 1/4" x 1"     | \$ 15.03 | 5          | 60         |
| 1 1/2" x 1 1/4" x 1 1/4" | \$ 15.84 | 5          | 60         |
| 2" x 1/2"                | \$ 17.51 | 5          | 60         |
| 2" x 3/4"                | \$ 19.38 | 5          | 40         |
| 2" x 1"                  | \$ 23.03 | 5          | 40         |
| 2" x 1 1/4"              | \$ 26.24 | 5          | 30         |
| 2" x 1 1/4" x 1 1/4"     | \$ 23.29 | 5          | 40         |
| 2" x 1 1/2"              | \$ 29.19 | 5          | 30         |
| 2" x 1 1/2" x 3/4"       | \$ 19.51 | 5          | 60         |
| 2" x 1 1/2" x 1"         | \$ 21.13 | 5          | 40         |
| 2" x 1 1/2" x 1 1/4"     | \$ 24.75 | 5          | 40         |
| 2" x 1 1/2" x 1 1/2"     | \$ 28.22 | 5          | 30         |

## 72301B

### Swivel Adapter - No-Lead

- Pex x FNPT (Brass Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 6.85 | 25         | 250        |
| 3/4" | \$ 9.01 | 25         | 250        |
| 1"   | \$ 8.79 | 20         | 120        |

## 72302

### Plug Pex - No-Lead

- Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/8"   | \$ 0.77  | 50         | 2000       |
| 1/2"   | \$ 0.79  | 50         | 1500       |
| 3/4"   | \$ 1.33  | 25         | 1000       |
| 1"     | \$ 2.68  | 15         | 120        |
| 1 1/4" | \$ 5.16  | 40         | 160        |
| 1 1/2" | \$ 8.64  | 30         | 120        |
| 2"     | \$ 10.89 | 20         | 80         |



# No-Lead Brass Pex

## 72390

### Elbow - No-Lead

- Pex x Pex
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8"        | \$ 1.40  | 25         | 750        |
| 1/2"        | \$ 1.61  | 50         | 750        |
| 3/4"        | \$ 2.70  | 25         | 300        |
| 3/4" x 1/2" | \$ 3.16  | 25         | 300        |
| 1"          | \$ 4.45  | 15         | 150        |
| 1 1/4"      | \$ 11.49 | 10         | 100        |
| 1 1/2"      | \$ 16.66 | 10         | 60         |
| 2"          | \$ 30.88 | 10         | 40         |

## 72392F

### Sweat Adapter Elbow - No-Lead

- Pex x F Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 5/8" x 3/4" | \$ 5.62 | 50         | 300        |
| 1/2"        | \$ 5.70 | 50         | 300        |
| 1/2" x 3/4" | \$ 6.09 | 25         | 250        |
| 3/4"        | \$ 6.44 | 15         | 120        |

## 72391

### Male Adapter Elbow - No-Lead

- Pex x MNPT
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 3.43 | 50         | 250        |
| 1/2" x 3/4" | \$ 6.09 | 30         | 300        |
| 3/4"        | \$ 6.09 | 25         | 250        |

## 72392M

### Sweat Adapter Elbow - No-Lead

- Pex x M Sweat
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 5/8" x 3/4" | \$ 5.68 | 50         | 300        |
| 1/2"        | \$ 5.97 | 50         | 300        |
| 3/4"        | \$ 6.60 | 15         | 120        |

## 72101P

### Drop Ear Elbow - No-Lead

- Pex x FNPT
- Three Ear design
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 6.03  | 50         | 300        |
| 1/2" x 3/8" | \$ 7.42  | 50         | 200        |
| 3/4"        | \$ 11.52 | 25         | 100        |

## 72392

### Swivel Elbow - No-Lead

- Pex x FNPT Swivel (Plastic Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 3.96 | 50         | 200        |

## 72392B

### Swivel Elbow - No-Lead

- Pex x FNPT Swivel (Brass Nut)
- NSF / ANSI 61-4
- Pex ASTM F1807



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.05 | 50         | 200        |

## 72033P

### Pex Ball Valve with Drain - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- Directional
- Pex ASTM F1807



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.88 | 10         | 120        |
| 3/4" | \$ 21.24 | 10         | 120        |

## 72030PC

### Pex Ball Valve - No-Lead

- SWT x Pex, 400 WOG, 150 WSP
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 19.78 | 10         | 120        |
| 3/4" | \$ 25.90 | 10         | 120        |

## 72030DEP

### Pex Ball Valve Drop Ear - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.72 | 8          | 80         |
| 3/4" | \$ 16.14 | 8          | 64         |

## 72030P

### Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.45 | 10         | 120        |
| 3/4" | \$ 18.61 | 10         | 120        |
| 1"   | \$ 34.46 | 6          | 54         |

## 72030FP

### Pex Ball Valve - No-Lead

- Pex x FNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- 1" comes with lever handle



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.04 | 10         | 120        |
| 3/4" | \$ 20.61 | 10         | 120        |
| 1"   | \$ 29.17 | 6          | 60         |

## 72030EP

### Pex Ball Valve - No-Lead

- Pex x Pex, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem
- NSF / ANSI 61-4



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 9.75  | 10         | 120        |
| 3/4"   | \$ 14.69 | 10         | 100        |
| 1"     | \$ 24.13 | 10         | 60         |
| 1 1/4" | \$ 33.78 | 10         | 40         |

## 72014PWF

### Angle Sillcock w/Wide Flange - No-Lead

- Pex x G.H.T., 125 WOG
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 17.44 | 6          | 60         |
| 3/4" | \$ 18.74 | 6          | 60         |

## 72030MP

### Pex Ball Valve - No-Lead

- Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1807
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 16.04 | 10         | 120        |
| 3/4" | \$ 20.61 | 10         | 120        |

## 72008P

### Boiler Drain - No-Lead

- Pex or MNPT x G.H.T., 125 WOG
- Pex ends conform to ASTM F1807
- NSF / ANSI 372 & NSF / ANSI 61



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 12.23 | 10         | 60         |

## 72034SP

### Standard Port Gate Valve - No-Lead

- Pex x Pex, 200 WOG
- Non-rising stem
- Pex ends conform to ASTM F1807



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 18.07 | 10         | 100        |
| 3/4" | \$ 24.02 | 10         | 60         |

## 72080P

### Straight Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.57 | 20         | 240        |

## 72011P

### Frostproof Sillcock with Vacuum Breaker - Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ASTM F1807



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 39.20 | 1          | 24         |
| 1/2" x 6"  | \$ 40.76 | 1          | 24         |
| 1/2" x 8"  | \$ 42.27 | 1          | 24         |
| 1/2" x 10" | \$ 43.91 | 1          | 24         |
| 1/2" x 12" | \$ 45.37 | 1          | 24         |

## 72080PP

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 12.84 | 10         | 120        |

## 72011PQT

### Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12", 14"
- NSF / ANSI 372
- Pex ASTM F1807



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 54.13 | 1          | 20         |
| 1/2" x 6"  | \$ 55.32 | 1          | 20         |
| 1/2" x 8"  | \$ 55.90 | 1          | 20         |
| 1/2" x 10" | \$ 59.20 | 1          | 20         |
| 1/2" x 12" | \$ 62.43 | 1          | 20         |
| 1/2" x 14" | \$ 63.66 | 1          | 20         |

## 72082PI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" O.D.
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72082P

### Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.47 | 20         | 240        |

## 72080PI

### Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" Comp
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72300EXM

### Male Adapter Expansion Pex - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8" x 1/2" | \$ 5.36  | 50         | 400        |
| 1/2"        | \$ 5.43  | 50         | 400        |
| 1/2" x 3/4" | \$ 9.45  | 20         | 200        |
| 3/4"        | \$ 9.69  | 20         | 200        |
| 3/4" x 1/2" | \$ 13.25 | 25         | 250        |
| 3/4" x 1"   | \$ 20.01 | 10         | 100        |
| 1"          | \$ 19.47 | 15         | 120        |
| 1" x 3/4"   | \$ 20.01 | 15         | 150        |

## 72300EXF

### Female Adapter Expansion Pex - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 10.65 | 25         | 250        |
| 1/2" x 3/4" | \$ 11.99 | 20         | 200        |
| 3/4"        | \$ 11.66 | 15         | 150        |
| 3/4" x 1/2" | \$ 17.06 | 20         | 200        |
| 3/4" x 1"   | \$ 19.10 | 10         | 100        |
| 1"          | \$ 25.15 | 10         | 100        |
| 1" x 3/4"   | \$ 36.50 | 10         | 100        |

## 72300EXSM

### Male Sweat Adapter Expansion Pex - No-Lead

- Expansion Pex x M Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 3.52  | 25         | 500        |
| 1/2" x 3/4" | \$ 8.38  | 20         | 200        |
| 3/4"        | \$ 7.98  | 20         | 200        |
| 1"          | \$ 14.61 | 10         | 100        |

## 72300EXSF

### Female Sweat Adapter Expansion Pex - No-Lead

- Expansion Pex x F Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 3.57  | 25         | 500        |
| 1/2" x 3/4" | \$ 12.98 | 30         | 300        |
| 3/4"        | \$ 8.12  | 25         | 250        |
| 1"          | \$ 14.06 | 10         | 100        |

## 72300EX

### Coupling Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8"        | \$ 4.76  | 40         | 800        |
| 1/2"        | \$ 4.87  | 25         | 500        |
| 1/2" x 3/8" | \$ 4.87  | 25         | 500        |
| 3/4"        | \$ 7.76  | 30         | 240        |
| 3/4" x 1/2" | \$ 8.38  | 30         | 300        |
| 1"          | \$ 15.95 | 15         | 120        |
| 1" x 3/4"   | \$ 13.52 | 10         | 100        |

## 72101EXP

### Drop Ear Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT - Three Ear
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.61  | 25         | 200        |
| 3/4" | \$ 10.24 | 20         | 80         |

## 72330EXPDE

### Drop Ear Expansion Pex - Tee - No-Lead

- Expansion Pex x Expansion Pex - Two Ear
- Ends conform to ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 11.00 | 10         | 100        |
| 3/4" | \$ 17.66 | 10         | 80         |

# No-Lead Expansion Pex

## 72390EX

### Elbow Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/8" | \$ 7.35  | 50         | 500        |
| 1/2" | \$ 7.51  | 40         | 240        |
| 3/4" | \$ 15.02 | 20         | 160        |
| 1"   | \$ 20.55 | 20         | 80         |

## 72392EX

### Swivel Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT (Plastic Nut)
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.24 | 10         | 200        |
| 3/4" | \$ 11.81 | 10         | 80         |

## 72330EX

### Tee Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.00 | 20         | 200        |
| 3/4" | \$ 16.07 | 25         | 100        |
| 1"   | \$ 28.12 | 15         | 60         |

## 72392EXSM

### Sweat Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x M Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 8.04 | 40         | 240        |
| 3/4" | \$ 8.85 | 20         | 160        |

## 72330EX

### Reducing Tee Expansion Pex - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/4"        | \$ 11.42 | 25         | 100        |
| 3/4" x 1/2" x 1/2" | \$ 11.55 | 25         | 100        |
| 3/4" x 1/2" x 3/4" | \$ 13.00 | 25         | 100        |
| 3/4" x 1/2"        | \$ 14.33 | 25         | 100        |
| 3/4" x 1"          | \$ 33.50 | 15         | 60         |
| 1" x 1/2"          | \$ 28.39 | 15         | 60         |
| 1" x 3/4" x 3/4"   | \$ 28.12 | 15         | 60         |
| 1" x 3/4" x 1"     | \$ 28.67 | 15         | 60         |
| 1" x 3/4"          | \$ 29.47 | 15         | 60         |

## 72391EXM

### Male Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 9.96  | 30         | 240        |
| 1/2" x 3/4" | \$ 10.55 | 25         | 200        |
| 3/4"        | \$ 11.73 | 10         | 100        |

## 72302EX

### Plug Expansion Pex - No-Lead

- Expansion Pex
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size   | List    | Carton Qty | Master Qty |
|--------|---------|------------|------------|
| 3/8"   | \$ 2.63 | 50         | 1000       |
| 1/2"   | \$ 2.67 | 50         | 500        |
| 3/4"   | \$ 3.93 | 50         | 400        |
| 1"     | \$ 7.98 | 20         | 200        |
| 1 1/4" | \$ 7.39 | 20         | 80         |

## 72392EXSF

### Sweat Adapter Elbow Expansion Pex - No-Lead

- Expansion Pex x F Sweat
- Ends conform to ASTM F1960
- NSF / ANSI 61-4



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 8.27 | 30         | 240        |
| 1/2" x 3/4" | \$ 3.79 | 20         | 200        |
| 3/4"        | \$ 8.85 | 15         | 120        |



## 2400EX

### Coupling Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 1.65 | 25         | 1250       |
| 1/2" x 3/4" | \$ 3.50 | 25         | 600        |
| 3/4"        | \$ 2.10 | 25         | 500        |
| 1"          | \$ 3.30 | 10         | 250        |
| 1" x 3/4"   | \$ 3.50 | 25         | 300        |

## 2402EX

### Plug Expansion Pex - Poly - No-Lead

- Expansion Pex
- Ends conform to ASTM F1960



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 1.25 | 50         | 1800       |
| 3/4" | \$ 2.00 | 25         | 900        |
| 1"   | \$ 2.65 | 25         | 500        |

## 2490EX

### Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 2.05 | 25         | 1000       |
| 3/4"        | \$ 2.55 | 25         | 350        |
| 3/4" x 1/2" | \$ 5.25 | 25         | 550        |
| 1"          | \$ 5.25 | 25         | 150        |

## 2490EXM

### Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 2.27 | 10         | 700        |

## 2492EXF

### Swivel Elbow Expansion Pex - Poly - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 3.77 | 10         | 400        |

## 2430EX

### Tee Expansion Pex - Poly - No-Lead

- Expansion Pex x Expansion Pex x Expansion Pex
- Ends conform to ASTM F1960



| Size               | List    | Carton Qty | Master Qty |
|--------------------|---------|------------|------------|
| 1/2"               | \$ 2.05 | 25         | 600        |
| 1/2" x 3/4"        | \$ 3.85 | 25         | 350        |
| 3/4"               | \$ 3.30 | 25         | 200        |
| 3/4" x 1/2"        | \$ 2.65 | 25         | 250        |
| 3/4" x 1/2" x 1/2" | \$ 3.15 | 25         | 350        |
| 3/4" x 1/2" x 3/4" | \$ 3.15 | 10         | 300        |
| 3/4" x 1"          | \$ 5.40 | 10         | 170        |
| 1"                 | \$ 5.95 | 10         | 120        |
| 1" x 1/2"          | \$ 5.45 | 25         | 150        |
| 1" x 3/4"          | \$ 6.05 | 25         | 125        |
| 1" x 3/4" x 3/4"   | \$ 5.20 | 25         | 150        |
| 1" x 3/4" x 1"     | \$ 6.25 | 10         | 120        |

## 2400EXM

### Male Adapter Expansion Pex - Poly - No-Lead

- Expansion Pex x MNPT
- Ends conform to ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2"        | \$ 2.88 | 25         | 850        |
| 1/2" x 3/4" | \$ 3.68 | 10         | 750        |

## 2400EXF

### Swivel Adapter Expansion Pex - Poly - No-Lead

- Expansion Pex x FNPT
- Ends conform to ASTM F1960



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 1/2" | \$ 2.90 | 25         | 400        |

# No-Lead Pex / Expansion Pex Supply Stops

## 72082P

### Angle Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.47 | 20         | 240        |

## 72082EXP

### Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.47 | 20         | 240        |

## 72080P

### Straight Quarter Turn Supply Stop - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 3/8" O.D.
- Pex ASTM F1807



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.57 | 20         | 240        |

## 72082EXPI

### Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72080PP

### Straight Quarter Turn Supply Stop - Push-Fit - No-Lead

- Pex x Pex
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/2" Pex
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/2" | \$ 12.84 | 10         | 120        |

## 72082EXPP

### Angle Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Expansion Pex
- Pex ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.94 | 10         | 100        |

## 72082PI

### Angle Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" O.D.
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72082EXPD

### Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 3/8" Comp
- Pex ASTM F1960



| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 3/8" | \$ 30.89 | 20         | 240        |

## 72080PI

### Quarter Turn Supply Stop Icemaker - No-Lead

- Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Pex x 1/4" Comp
- Pex ASTM F1807



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72082EXPDI

### Angle Quarter Turn Expansion Pex Supply Stop Dual Outlet - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp x 1/4" Comp
- Pex ASTM F1960




| Size               | List     | Carton Qty | Master Qty |
|--------------------|----------|------------|------------|
| 1/2" x 3/8" x 1/4" | \$ 15.76 | 20         | 240        |

## 72080EXP

### Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 3/8" Comp
- Pex ASTM F1960



| Size        | List    | Carton Qty | Master Qty |
|-------------|---------|------------|------------|
| 1/2" x 3/8" | \$ 9.57 | 20         | 240        |

## 72080EXPI

### Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Comp
- NSF / ANSI 61-8 & NSF / ANSI 372
- 1/2" Expansion Pex x 1/4" Comp
- Pex ASTM F1960



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 1/4" | \$ 12.21 | 20         | 240        |

## 72080EXPP

### Straight Quarter Turn Expansion Pex Supply Stop - No-Lead

- Expansion Pex x Expansion Pex
- Pex ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.94 | 10         | 100        |

## 72101EXP

### Drop Ear Elbow Expansion Pex - No-Lead

- Expansion Pex x FNPT
- Three Ear design
- NSF / ANSI 61-8 & NSF / ANSI 372
- Pex ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.61  | 25         | 200        |
| 3/4" | \$ 10.24 | 20         | 80         |

## 72030EXMP

### Expansion Pex Ball Valve - No-Lead

- Expansion Pex x MNPT, 400 WOG
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372
- Blowout proof stem
- Pex ASTM F1960



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 20.61 | 10         | 100        |
| 1"   | \$ 22.65 | 6          | 100        |

## 72030EXP

### Full Port Expansion Pex Ball Valve - No-Lead

- Expansion Pex x Expansion Pex, 400 WOG
- Blowout proof stem
- Pex ends conform to ASTM F1960
- NSF / ANSI 61-8 & NSF / ANSI 372



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 10.72 | 10         | 100        |
| 3/4" | \$ 16.14 | 10         | 100        |
| 1"   | \$ 26.56 | 6          | 48         |

## 72011EXP

### Frostproof Sillcock with Vacuum Breaker Antisiphon Multi-Turn Operation - No-Lead

- 1/2" Expansion Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Lengths: 4", 6", 8", 10", 12"
- NSF / ANSI 372
- Pex ends conforms to ASTM F1960



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 39.20 | 1          | 24         |
| 1/2" x 6"  | \$ 40.76 | 1          | 24         |
| 1/2" x 8"  | \$ 42.27 | 1          | 24         |
| 1/2" x 10" | \$ 43.91 | 1          | 24         |
| 1/2" x 12" | \$ 45.37 | 1          | 24         |

## 72011EXPQT

### Frostproof Sillcock with Vacuum Breaker - Quarter Turn - Expansion Pex End - No-Lead

- 1/2" Pex x G.H.T., 125 PSI
- Chrome Plated Body
- Pex ends conform to ASTM F1960
- NSF / ANSI 372 & NSF / ANSI 61



| Size       | List     | Carton Qty | Master Qty |
|------------|----------|------------|------------|
| 1/2" x 4"  | \$ 54.13 | 1          | 20         |
| 1/2" x 8"  | \$ 55.90 | 1          | 20         |
| 1/2" x 12" | \$ 62.43 | 1          | 20         |

# No-Lead Pex Manifolds & Stub Outs

## 2504

### Pex Manifold - Four branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



| Size        | List     | Carton Qty |
|-------------|----------|------------|
| 3/4" x 1/2" | \$ 26.74 | 25         |

## 2590

### Pex Stub Out Elbow - No-Lead

- Pex x SWT
- Spun closed ends
- Ends conform to ASTM F1807



| Size               | List     | Carton Qty |
|--------------------|----------|------------|
| 1/2" x 3 1/2" x 6" | \$ 5.40  | 50         |
| 1/2" x 3 1/2" x 8" | \$ 6.86  | 50         |
| 3/4" x 4 1/2" x 8" | \$ 12.03 | 50         |

## 2506

### Pex Manifold - Six branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



| Size        | List     | Carton Qty |
|-------------|----------|------------|
| 3/4" x 1/2" | \$ 36.45 | 25         |

## 2591

### Pex Stub Out Elbow w/Nail Flange - No-Lead

- Pex x SWT
- Spun closed ends
- Nail to backing board for rigid installation
- Ends conform to ASTM F1807



| Size               | List     | Carton Qty |
|--------------------|----------|------------|
| 1/2" x 3 1/2" x 6" | \$ 7.44  | 25         |
| 1/2" x 3 1/2" x 8" | \$ 8.66  | 25         |
| 3/4" x 4 1/2" x 8" | \$ 13.59 | 25         |

## 2508

### Pex Manifold - Eight branch - No-Lead

- 3/4" Pex Inlet
- 1" trunk - type L
- 1/2" Pex branches - 2" on center
- Spun closed ends
- Ends conform to ASTM F1807



| Size        | List     | Carton Qty |
|-------------|----------|------------|
| 3/4" x 1/2" | \$ 46.44 | 25         |

## 2592

### Pex Stub Out Elbow - No-Lead

- Pex x SWT
- For sweat connections to standard tub shower valves
- Ends conform to ASTM F1807



| Size           | List    | Carton Qty |
|----------------|---------|------------|
| 1/2" x 4" x 3" | \$ 5.32 | 50         |

No-Lead Pex / Poly / Expansion

## 2301SCT

### Pex Crimp Tool - 3/8"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 3/8" x 12" | \$ 225.91 | 10         |

## 2305SCT

### Pex Crimp Tool - 1 1/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 19"



| Size         | List      | Carton Qty |
|--------------|-----------|------------|
| 1 1/4" x 19" | \$ 377.44 | 10         |

## 2302SCT

### Pex Crimp Tool - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 1/2" x 12" | \$ 225.91 | 10         |

## 2301ACT

### Pex Angle Crimp Tool - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 1/2" x 12" | \$ 187.34 | 10         |

## 2303SCT

### Pex Crimp Tool - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 3/4" x 12" | \$ 225.91 | 10         |

## 2302ACT

### Pex Angle Crimp Tool - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 3/4" x 12" | \$ 187.34 | 10         |

## 2304SCT

### Pex Crimp Tool - 1"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 16"



| Size     | List      | Carton Qty |
|----------|-----------|------------|
| 1" x 16" | \$ 344.37 | 10         |

## 2302CCT

### Pex Crimp Tool - Composite Handle - 1/2"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 1/2" x 12" | \$ 206.63 | 10         |



# No-Lead Pex Tools & Accessories

## 2303CCT

### Pex Crimp Tool - Composite Handle - 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size       | List      | Carton Qty |
|------------|-----------|------------|
| 3/4" x 12" | \$ 206.63 | 10         |

## 2306CCT

### Pex Crimp Tool - Composite Handle - 1/2" or 3/4"

- Crimps conform to ASTM F1807 specifications
- Tools are supplied with go/no-go gages
- Tool length = 12"



| Size         | List      | Carton Qty |
|--------------|-----------|------------|
| 1/2" or 3/4" | \$ 247.96 | 10         |

## 2300SDC

### Screw Driver Crimp Kit

- Crimps conform to ASTM F1807 specifications on 3/8", 1/2", 3/4", & 1" pipe.
- The 1" and 3/4" cavities are on one side of the tool. Reversing the two halves accommodates crimps of 1/2" & 3/8" rings.
- Gage provided to inspect crimped rings



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 55.10 | 50         |

## 2300CTK

### Pex Crimp Tool Kit

- Kit includes 16" tool with 3/8", 1/2", 3/4", & 1" interchangeable inserts.
- Base tool crimps 1" pipe.
- No calibration procedure is required.
- A go/no-go gage is provided.
- Crimps conform to ASTM F1807 specifications



| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 482.13 | 7          |

## 2300CRC

### Pex Crimp Ring Cutter

- This unique tool is designed for fitting recovery without damaging sealing surfaces.
- Suitable for use on 1/2" 5/8", 3/4", & 1" Pex pipe sizes
- Tool length = 8"



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 63.37 | 25         |

## 2300RCRB

### Repair Blade - Crimp Cut

| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 21.47 | 1          |

## 2300RT

### Pex Ratchet Tool Oetiker Clamp

- Assembles 3/8", 1/2", 5/8", 3/4" and 1" Oetiker Pex Clamp sizes
- Crimps conform to ASTM F2098 specifications
- Tool length = 11"
- Calibration gage included



| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 217.65 | 1          |

## 2300RTTH

### Pex 3-Handle Ratchet Tool - Oetiker Clamp

- Unique third handle design allows for simplified one handed ratchet engagement
- Crimps conform to ASTM F2098 specifications
- Tool length = 11"
- Calibration gage included



| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 253.47 | 16         |

## 2300TRK

### Oetiker Ratchet Tool Repair Kit

- Includes Pivot Pins, retaining rings, tension spring, ratchet, ratchet lever, ratchet lever spring



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 55.10 | 1          |

## 2300TRKZ

### Oetiker Ratchet Tool Repair Kit without Ratchet

- Includes Pivot Pins with retaining rings



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 21.53 | 1          |

## 2300SSCUTTER

### Stainless Steel Pex Clamp Cutter

| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 107.43 | 5          |



## 2300PTC

### Pex Tube Cutter

- Designed to cut 1/2" & 3/4" Pex pipe
- Order 2300CRGB for Replacement Blade



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 19.28 | 50         |

## 2300CCTK

### Pex Crimp Tool Kit - 3/8, 1/2, 3/4, & 1

| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 234.21 | 1          |



## 2300ACTK

### Pex Crimp Tool Kit - 1/2 & 3/4

| Size | List      | Carton Qty |
|------|-----------|------------|
|      | \$ 247.16 | 1          |



## 2300HPTC

### Pex Tube Cutter

| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 36.47 | 10         |



## 2300CR

### Copper Crimp Ring

- 3/8" - 2"
- Conforms to standard 14 UPC
- Conforms to ASTM F845 & F1807
- Pure annealed blackend copper



| Size   | List    | Carton Qty | Master Qty |
|--------|---------|------------|------------|
| 3/8"   | \$ 0.38 | 100        | 3000       |
| 1/2"   | \$ 0.34 | 100        | 3000       |
| 5/8"   | \$ 0.60 | 100        | 3000       |
| 3/4"   | \$ 0.43 | 100        | 3000       |
| 1"     | \$ 0.59 | 100        | 2000       |
| 1 1/4" | \$ 1.67 | 25         | 100        |
| 1 1/2" | \$ 3.33 | 25         | 100        |
| 2"     | \$ 3.98 | 25         | 100        |

## 2300SSC

### Stainless Steel Oetiker Pex Clamp

- 3/8" - 1"
- Oetiker stainless steel (grade 304) clamps have a maximum operating temperature of 180°F and maximum operating pressure of 100 PSI.
- Clamps do not require the use of a "go/no-go" gauge resulting in faster installation times.
- Rings & tools are compatible with F1807 & F2159 pex fittings & all ASTM 876 & 877 pex pipe
- Clamps are patented pex assembly clamps designed by ASTM F2098



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/8" | \$ 0.38 | 100        | 4000       |
| 1/2" | \$ 0.43 | 100        | 2000       |
| 3/4" | \$ 0.59 | 50         | 2000       |
| 1"   | \$ 0.78 | 50         | 1000       |

No-Lead Pex / Poly / Expansion



# No-Lead Nipples & Threaded Fittings

No-Lead Nipples & Threaded Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# No-Lead 125# Red Brass Pipe Nipples

2200

Red Brass Pipe Nipples - No-Lead



| Size                  | List     | Carton Qty | Master Qty |
|-----------------------|----------|------------|------------|
| 1/8" x Close (3/4")   | \$ 1.70  | 25         | 450        |
| 1/8" x 1 1/2"         | \$ 1.90  | 25         | 450        |
| 1/8" x 2"             | \$ 2.07  | 25         | 450        |
| 1/8" x 2 1/2"         | \$ 2.30  | 25         | 450        |
| 1/8" x 3"             | \$ 2.50  | 25         | 450        |
| 1/8" x 3 1/2"         | \$ 2.73  | 25         | 450        |
| 1/8" x 4"             | \$ 3.07  | 25         | 450        |
| 1/8" x 4 1/2"         | \$ 3.47  | 25         | 300        |
| 1/8" x 5"             | \$ 3.77  | 25         | 300        |
| 1/8" x 5 1/2"         | \$ 4.08  | 25         | 300        |
| 1/8" x 6"             | \$ 4.36  | 25         | 300        |
| 1/4" x Close (7/8")   | \$ 1.93  | 25         | 600        |
| 1/4" x 1 1/2"         | \$ 2.25  | 25         | 600        |
| 1/4" x 2"             | \$ 2.55  | 25         | 600        |
| 1/4" x 2 1/2"         | \$ 2.78  | 25         | 450        |
| 1/4" x 3"             | \$ 3.27  | 25         | 450        |
| 1/4" x 3 1/2"         | \$ 3.58  | 25         | 300        |
| 1/4" x 4"             | \$ 4.14  | 25         | 300        |
| 1/4" x 4 1/2"         | \$ 4.54  | 25         | 300        |
| 1/4" x 5"             | \$ 4.91  | 25         | 250        |
| 1/4" x 5 1/2"         | \$ 5.33  | 25         | 200        |
| 1/4" x 6"             | \$ 5.94  | 25         | 200        |
| 1/4" x 8"             | \$ 7.43  | 25         | 150        |
| 1/4" x 10"            | \$ 9.11  | 25         | 100        |
| 1/4" x 12"            | \$ 10.74 | 25         | 100        |
| 3/8" x Close (1")     | \$ 2.04  | 25         | 600        |
| 3/8" x 1 1/2"         | \$ 2.42  | 25         | 600        |
| 3/8" x 2"             | \$ 2.87  | 25         | 450        |
| 3/8" x 2 1/2"         | \$ 3.14  | 25         | 400        |
| 3/8" x 3"             | \$ 3.85  | 25         | 300        |
| 3/8" x 3 1/2"         | \$ 4.14  | 25         | 250        |
| 3/8" x 4"             | \$ 4.91  | 25         | 200        |
| 3/8" x 4 1/2"         | \$ 5.27  | 25         | 200        |
| 3/8" x 5"             | \$ 5.71  | 25         | 150        |
| 3/8" x 5 1/2"         | \$ 6.26  | 25         | 150        |
| 3/8" x 6"             | \$ 6.75  | 25         | 150        |
| 3/8" x 8"             | \$ 9.16  | 25         | 100        |
| 3/8" x 10"            | \$ 11.13 | 25         | 75         |
| 3/8" x 12"            | \$ 13.01 | 25         | 50         |
| 1/2" x Close (1 1/8") | \$ 2.72  | 25         | 450        |
| 1/2" x 1 1/2"         | \$ 3.09  | 25         | 300        |
| 1/2" x 2"             | \$ 3.70  | 25         | 300        |
| 1/2" x 2 1/2"         | \$ 4.35  | 25         | 250        |
| 1/2" x 3"             | \$ 5.11  | 25         | 200        |
| 1/2" x 3 1/2"         | \$ 5.76  | 25         | 150        |
| 1/2" x 4"             | \$ 6.70  | 25         | 150        |
| 1/2" x 4 1/2"         | \$ 7.25  | 25         | 100        |
| 1/2" x 5"             | \$ 7.97  | 25         | 100        |
| 1/2" x 5 1/2"         | \$ 8.69  | 25         | 100        |
| 1/2" x 6"             | \$ 9.71  | 25         | 100        |
| 1/2" x 7"             | \$ 11.25 | 25         | 75         |
| 1/2" x 8"             | \$ 12.56 | 25         | 75         |
| 1/2" x 10"            | \$ 15.45 | 25         | 50         |
| 1/2" x 12"            | \$ 18.40 | 25         | 50         |

| Size                  | List      | Carton Qty | Master Qty |
|-----------------------|-----------|------------|------------|
| 3/4" x Close (1 3/8") | \$ 3.85   | 25         | 300        |
| 3/4" x 1 1/2"         | \$ 4.14   | 25         | 300        |
| 3/4" x 2"             | \$ 4.91   | 25         | 200        |
| 3/4" x 2 1/2"         | \$ 5.65   | 25         | 200        |
| 3/4" x 3"             | \$ 6.56   | 25         | 150        |
| 3/4" x 3 1/2"         | \$ 7.31   | 25         | 100        |
| 3/4" x 4"             | \$ 8.48   | 25         | 100        |
| 3/4" x 4 1/2"         | \$ 9.27   | 25         | 100        |
| 3/4" x 5"             | \$ 10.22  | 25         | 50         |
| 3/4" x 5 1/2"         | \$ 11.10  | 25         | 50         |
| 3/4" x 6"             | \$ 12.42  | 25         | 75         |
| 3/4" x 6 1/2"         | \$ 16.37  | 25         | 50         |
| 3/4" x 7"             | \$ 17.25  | 25         | 50         |
| 3/4" x 8"             | \$ 16.37  | 25         | 50         |
| 3/4" x 10"            | \$ 19.97  | 25         | 25         |
| 3/4" x 12"            | \$ 23.73  | 25         | 25         |
| 3/4" x 18"            | \$ 37.38  | 20         | 20         |
| 3/4" x 20"            | \$ 41.54  | 20         | 20         |
| 3/4" x 24"            | \$ 50.30  | 15         | 15         |
| 3/4" x 30"            | \$ 63.21  | 15         |            |
| 3/4" x 36"            | \$ 74.74  | 10         |            |
| 1" x Close (1 1/2")   | \$ 5.71   | 25         | 200        |
| 1" x 2"               | \$ 7.05   | 25         | 150        |
| 1" x 2 1/2"           | \$ 8.20   | 25         | 150        |
| 1" x 3"               | \$ 9.46   | 25         | 100        |
| 1" x 3 1/2"           | \$ 10.99  | 25         | 100        |
| 1" x 4"               | \$ 12.32  | 25         | 50         |
| 1" x 4 1/2"           | \$ 13.77  | 25         | 50         |
| 1" x 5"               | \$ 15.17  | 25         | 50         |
| 1" x 5 1/2"           | \$ 16.60  | 25         | 50         |
| 1" x 6"               | \$ 18.11  | 25         | 50         |
| 1" x 8"               | \$ 24.13  | 10         | 40         |
| 1" x 10"              | \$ 29.94  | 10         | 20         |
| 1" x 12"              | \$ 35.63  | 10         | 20         |
| 1" x 18"              | \$ 56.94  | 15         | 15         |
| 1" x 24"              | \$ 75.09  | 10         | 10         |
| 1" x 30"              | \$ 94.07  | 10         | 10         |
| 1" x 36"              | \$ 113.44 | 5          | 5          |

No-Lead Nipples & Threaded Fittings

## 2200

### Red Brass Pipe Nipples - No-Lead



| Size                    | List      | Carton Qty | Master Qty |
|-------------------------|-----------|------------|------------|
| 1 1/4" x Close (1 5/8") | \$ 8.58   | 5          | 90         |
| 1 1/4" x 2"             | \$ 9.87   | 5          | 90         |
| 1 1/4" x 2 1/2"         | \$ 11.10  | 5          | 90         |
| 1 1/4" x 3"             | \$ 13.16  | 5          | 60         |
| 1 1/4" x 3 1/2"         | \$ 15.39  | 5          | 60         |
| 1 1/4" x 4"             | \$ 17.28  | 5          | 40         |
| 1 1/4" x 4 1/2"         | \$ 19.17  | 5          | 40         |
| 1 1/4" x 5"             | \$ 21.12  | 5          | 40         |
| 1 1/4" x 5 1/2"         | \$ 23.14  | 5          | 40         |
| 1 1/4" x 6"             | \$ 25.25  | 5          | 30         |
| 1 1/4" x 8"             | \$ 33.74  | 5          | 20         |
| 1 1/4" x 10"            | \$ 41.70  | 5          | 20         |
| 1 1/4" x 12"            | \$ 49.86  | 5          | 10         |
| 1 1/2" x Close (1 3/4") | \$ 11.25  | 5          | 90         |
| 1 1/2" x 2"             | \$ 12.01  | 5          | 90         |
| 1 1/2" x 2 1/2"         | \$ 14.42  | 5          | 60         |
| 1 1/2" x 3"             | \$ 16.56  | 5          | 60         |
| 1 1/2" x 3 1/2"         | \$ 19.01  | 5          | 50         |
| 1 1/2" x 4"             | \$ 21.58  | 5          | 45         |
| 1 1/2" x 4 1/2"         | \$ 24.28  | 5          | 40         |
| 1 1/2" x 5"             | \$ 26.82  | 5          | 30         |
| 1 1/2" x 5 1/2"         | \$ 29.31  | 5          | 30         |
| 1 1/2" x 6"             | \$ 31.84  | 5          | 30         |
| 1 1/2" x 8"             | \$ 42.30  | 5          | 20         |
| 1 1/2" x 9"             | \$ 47.33  | 5          | 20         |
| 1 1/2" x 10"            | \$ 52.42  | 5          | 15         |
| 1 1/2" x 12"            | \$ 62.49  | 5          | 15         |
| 1 1/2" x 18"            | \$ 98.88  | 5          | 5          |
| 1 1/2" x 24"            | \$ 131.86 | 5          | 5          |
| 1 1/2" x 30"            | \$ 164.82 | 5          | 5          |
| 1 1/2" x 36"            | \$ 196.40 | 4          | 4          |
| 2" x Close (2")         | \$ 17.07  | 5          | 60         |
| 2" x 2 1/2"             | \$ 18.40  | 5          | 40         |
| 2" x 3"                 | \$ 21.15  | 5          | 40         |
| 2" x 3 1/2"             | \$ 24.43  | 5          | 40         |
| 2" x 4"                 | \$ 27.73  | 5          | 30         |
| 2" x 4 1/2"             | \$ 30.95  | 5          | 30         |
| 2" x 5"                 | \$ 34.37  | 5          | 30         |
| 2" x 5 1/2"             | \$ 37.66  | 5          | 20         |
| 2" x 6"                 | \$ 40.97  | 5          | 20         |
| 2" x 8"                 | \$ 54.62  | 5          | 15         |
| 2" x 10"                | \$ 68.48  | 10         | 10         |
| 2" x 12"                | \$ 80.70  | 10         | 10         |
| 2" x 18"                | \$ 128.00 | 5          | 5          |
| 2" x 24"                | \$ 170.17 | 5          | 5          |
| 2" x 30"                | \$ 212.38 | 4          | 4          |
| 2" x 36"                | \$ 257.36 | 3          | 3          |

| Size                    | List      | Carton Qty |
|-------------------------|-----------|------------|
| 2 1/2" x Close (2 1/2") | \$ 45.80  | 10         |
| 2 1/2" x 3"             | \$ 47.89  | 10         |
| 2 1/2" x 3 1/2"         | \$ 54.24  | 10         |
| 2 1/2" x 4"             | \$ 60.31  | 10         |
| 2 1/2" x 4 1/2"         | \$ 64.71  | 10         |
| 2 1/2" x 5"             | \$ 71.18  | 10         |
| 2 1/2" x 5 1/2"         | \$ 76.65  | 10         |
| 2 1/2" x 6"             | \$ 83.94  | 10         |
| 2 1/2" x 8"             | \$ 109.82 | 5          |
| 2 1/2" x 10"            | \$ 134.68 | 5          |
| 2 1/2" x 12"            | \$ 159.22 | 5          |
| 2 1/2" x 24"            | \$ 385.16 | 1          |
| 3" x Close (2 5/8")     | \$ 62.29  | 10         |
| 3" x 3"                 | \$ 64.72  | 10         |
| 3" x 4"                 | \$ 82.46  | 10         |
| 3" x 4 1/2"             | \$ 90.65  | 10         |
| 3" x 5"                 | \$ 99.74  | 10         |
| 3" x 5 1/2"             | \$ 108.38 | 10         |
| 3" x 6"                 | \$ 117.80 | 10         |
| 3" x 8"                 | \$ 156.61 | 5          |
| 3" x 10"                | \$ 190.25 | 5          |
| 3" x 12"                | \$ 227.87 | 5          |
| 4" x Close (2 5/8")     | \$ 93.70  | 10         |
| 4" x 3"                 | \$ 95.17  | 10         |
| 4" x 3 1/2"             | \$ 106.87 | 10         |
| 4" x 4"                 | \$ 121.87 | 10         |
| 4" x 5"                 | \$ 145.40 | 5          |
| 4" x 6"                 | \$ 171.20 | 5          |
| 4" x 8"                 | \$ 222.94 | 1          |
| 4" x 10"                | \$ 275.72 | 1          |
| 4" x 12"                | \$ 325.32 | 1          |



# No-Lead Chrome Plated Pipe Nipples

## 2200CP

Chrome Plated Pipe Nipples - No-Lead



| Size                  | List     | Carton Qty | Master Qty |
|-----------------------|----------|------------|------------|
| 3/8" x Close (1")     | \$ 3.84  | 25         | 600        |
| 3/8" x 1 1/2"         | \$ 4.55  | 25         | 600        |
| 3/8" x 2"             | \$ 5.52  | 25         | 450        |
| 3/8" x 2 1/2"         | \$ 5.96  | 25         | 400        |
| 3/8" x 3"             | \$ 7.33  | 25         | 300        |
| 3/8" x 3 1/2"         | \$ 7.91  | 25         | 250        |
| 3/8" x 4"             | \$ 9.40  | 25         | 200        |
| 3/8" x 4 1/2"         | \$ 10.00 | 25         | 200        |
| 3/8" x 5"             | \$ 10.97 | 25         | 150        |
| 3/8" x 5 1/2"         | \$ 11.91 | 25         | 150        |
| 3/8" x 6"             | \$ 12.87 | 25         | 150        |
|                       |          |            |            |
| 1/2" x Close (1 1/8") | \$ 5.12  | 25         | 450        |
| 1/2" x 1 1/2"         | \$ 5.92  | 25         | 300        |
| 1/2" x 2"             | \$ 6.96  | 25         | 300        |
| 1/2" x 2 1/2"         | \$ 8.28  | 25         | 250        |
| 1/2" x 3"             | \$ 9.74  | 25         | 200        |
| 1/2" x 3 1/2"         | \$ 11.11 | 25         | 300        |
| 1/2" x 4"             | \$ 12.73 | 25         | 150        |
| 1/2" x 4 1/2"         | \$ 13.80 | 25         | 100        |
| 1/2" x 5"             | \$ 15.20 | 25         | 100        |
| 1/2" x 5 1/2"         | \$ 16.67 | 25         | 100        |
| 1/2" x 6"             | \$ 18.52 | 25         | 100        |
|                       |          |            |            |
| 3/4" x Close (1 3/8") | \$ 7.68  | 25         | 300        |
| 3/4" x 2"             | \$ 11.04 | 25         | 200        |
| 3/4" x 2 1/2"         | \$ 11.92 | 25         | 200        |
| 3/4" x 3"             | \$ 14.67 | 25         | 150        |
| 3/4" x 3 1/2"         | \$ 15.80 | 25         | 100        |
| 3/4" x 4"             | \$ 18.75 | 25         | 150        |
| 3/4" x 4 1/2"         | \$ 20.01 | 25         | 100        |
| 3/4" x 5"             | \$ 21.96 | 25         | 50         |
| 3/4" x 5 1/2"         | \$ 23.82 | 25         | 100        |
| 3/4" x 6"             | \$ 25.79 | 25         | 75         |

## 72201

### Brass Cap - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/8"   | \$ 3.29  | 5          | 1400       |
| 1/4"   | \$ 3.29  | 5          | 700        |
| 3/8"   | \$ 3.29  | 5          | 600        |
| 1/2"   | \$ 4.47  | 5          | 300        |
| 3/4"   | \$ 5.88  | 5          | 200        |
| 1"     | \$ 9.15  | 5          | 150        |
| 1 1/4" | \$ 13.95 | 5          | 100        |
| 1 1/2" | \$ 18.77 | 5          | 70         |
| 2"     | \$ 31.78 | 5          | 50         |

## 72202

### Brass Cored Plug - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 4.70   | 5          | 500        |
| 3/4"   | \$ 5.30   | 5          | 300        |
| 1"     | \$ 6.91   | 5          | 200        |
| 1 1/4" | \$ 10.39  | 5          | 120        |
| 1 1/2" | \$ 13.15  | 5          | 80         |
| 2"     | \$ 20.71  | 5          | 50         |
| 2 1/2" | \$ 35.54  | 1          | 40         |
| 3"     | \$ 56.74  | 1          | 25         |
| 4"     | \$ 110.85 | 1          | 14         |

## 72203

### Brass Solid Plug - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/8"   | \$ 2.92  | 5          | 1400       |
| 1/4"   | \$ 2.92  | 5          | 1400       |
| 3/8"   | \$ 2.92  | 5          | 700        |
| 1/2"   | \$ 5.09  | 5          | 400        |
| 3/4"   | \$ 7.24  | 5          | 300        |
| 1"     | \$ 12.32 | 5          | 140        |
| 1 1/4" | \$ 22.12 | 5          | 80         |
| 1 1/2" | \$ 28.70 | 5          | 60         |
| 2"     | \$ 45.46 | 5          | 35         |

## 72206

### Brass Hex Reducing Bushing - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/4" x 1/8"     | \$ 3.47   | 5          | 600        |
| 3/8" x 1/4"     | \$ 3.47   | 5          | 600        |
| 3/8" x 1/8"     | \$ 3.47   | 5          | 600        |
| 1/2" x 1/8"     | \$ 4.13   | 5          | 450        |
| 1/2" x 1/4"     | \$ 3.47   | 5          | 450        |
| 1/2" x 3/8"     | \$ 3.47   | 5          | 450        |
| 3/4" x 1/8"     | \$ 5.88   | 5          | 300        |
| 3/4" x 1/4"     | \$ 5.88   | 5          | 300        |
| 3/4" x 3/8"     | \$ 4.88   | 5          | 300        |
| 3/4" x 1/2"     | \$ 4.88   | 5          | 300        |
| 1" x 1/4"       | \$ 8.80   | 5          | 150        |
| 1" x 3/8"       | \$ 8.80   | 5          | 150        |
| 1" x 1/2"       | \$ 7.28   | 5          | 150        |
| 1" x 3/4"       | \$ 7.28   | 5          | 150        |
| 1 1/4" x 1/2"   | \$ 14.99  | 5          | 120        |
| 1 1/4" x 3/4"   | \$ 12.44  | 5          | 120        |
| 1 1/4" x 1"     | \$ 12.44  | 5          | 120        |
| 1 1/2" x 1/2"   | \$ 19.48  | 5          | 120        |
| 1 1/2" x 3/4"   | \$ 19.48  | 5          | 120        |
| 1 1/2" x 1"     | \$ 15.90  | 5          | 100        |
| 1 1/2" x 1 1/4" | \$ 15.90  | 5          | 100        |
| 2" x 1/2"       | \$ 28.38  | 5          | 90         |
| 2" x 3/4"       | \$ 28.38  | 5          | 60         |
| 2" x 1"         | \$ 28.38  | 5          | 70         |
| 2" x 1 1/4"     | \$ 23.57  | 5          | 50         |
| 2" x 1 1/2"     | \$ 23.57  | 5          | 50         |
| 2 1/2" x 1"     | \$ 58.56  | 1          | 40         |
| 2 1/2" x 1 1/2" | \$ 47.16  | 1          | 40         |
| 2 1/2" x 2"     | \$ 47.16  | 1          | 24         |
| 3" x 1"         | \$ 92.65  | 1          | 26         |
| 3" x 1 1/2"     | \$ 92.65  | 1          | 20         |
| 3" x 2"         | \$ 71.24  | 1          | 20         |
| 3" x 2 1/2"     | \$ 71.24  | 1          | 20         |
| 4" x 3"         | \$ 194.89 | 2          | 24         |

## 72210

### Brass Coupling - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 4.40   | 5          | 600        |
| 1/4"   | \$ 4.40   | 5          | 450        |
| 3/8"   | \$ 4.40   | 5          | 300        |
| 1/2"   | \$ 5.49   | 5          | 200        |
| 3/4"   | \$ 7.21   | 5          | 100        |
| 1"     | \$ 10.94  | 5          | 100        |
| 1 1/4" | \$ 17.15  | 5          | 75         |
| 1 1/2" | \$ 23.34  | 5          | 50         |
| 2"     | \$ 38.38  | 5          | 30         |
| 2 1/2" | \$ 63.62  | 1          | 18         |
| 3"     | \$ 88.24  | 1          | 12         |
| 4"     | \$ 168.91 | 1          | 8          |

# No-Lead 125# Threaded Fittings

## 72210

### Brass Reducing Coupling - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/4" x 1/8"     | \$ 4.64   | 5          | 600        |
| 3/8" x 1/8"     | \$ 4.64   | 5          | 300        |
| 3/8" x 1/4"     | \$ 4.64   | 5          | 300        |
| 1/2" x 1/4"     | \$ 5.88   | 5          | 200        |
| 1/2" x 3/8"     | \$ 5.88   | 5          | 200        |
| 3/4" x 3/8"     | \$ 8.70   | 5          | 200        |
| 3/4" x 1/4"     | \$ 9.62   | 5          | 200        |
| 3/4" x 1/2"     | \$ 8.70   | 5          | 200        |
| 1" x 1/2"       | \$ 14.43  | 5          | 100        |
| 1" x 3/4"       | \$ 14.43  | 5          | 100        |
| 1 1/4" x 3/4"   | \$ 23.34  | 5          | 90         |
| 1 1/4" x 1"     | \$ 23.34  | 5          | 70         |
| 1 1/2" x 1/2"   | \$ 33.20  | 5          | 70         |
| 1 1/2" x 3/4"   | \$ 33.20  | 5          | 80         |
| 1 1/2" x 1"     | \$ 29.54  | 5          | 75         |
| 1 1/2" x 1 1/4" | \$ 29.54  | 5          | 60         |
| 2" x 3/4"       | \$ 49.27  | 5          | 35         |
| 2" x 1"         | \$ 49.27  | 5          | 60         |
| 2" x 1 1/4"     | \$ 43.83  | 5          | 50         |
| 2" x 1 1/2"     | \$ 43.83  | 5          | 50         |
| 2 1/2" x 1 1/2" | \$ 77.62  | 1          | 20         |
| 2 1/2" x 2"     | \$ 77.62  | 1          | 20         |
| 3" x 2"         | \$ 102.17 | 1          | 12         |
| 3" x 2 1/2"     | \$ 102.17 | 1          | 12         |

## 72220

### Brass Union - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 15.52  | 5          | 300        |
| 1/4"   | \$ 15.52  | 5          | 150        |
| 3/8"   | \$ 15.52  | 5          | 150        |
| 1/2"   | \$ 16.98  | 5          | 75         |
| 3/4"   | \$ 23.45  | 5          | 75         |
| 1"     | \$ 31.09  | 5          | 40         |
| 1 1/4" | \$ 45.46  | 5          | 35         |
| 1 1/2" | \$ 53.74  | 5          | 25         |
| 2"     | \$ 82.64  | 5          | 15         |
| 2 1/2" | \$ 162.66 | 1          | 10         |
| 3"     | \$ 251.24 | 1          | 8          |
| 4"     | \$ 556.04 | 1          | 3          |

## 72230

### Brass Reducing Tee - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size               | List      | Carton Qty | Master Qty |
|--------------------|-----------|------------|------------|
| 1/4" x 1/8"        | \$ 7.48   | 5          | 400        |
| 1/2" x 1/4"        | \$ 9.28   | 5          | 200        |
| 1/2" x 3/8"        | \$ 9.28   | 5          | 100        |
| 1/2" x 3/4"        | \$ 14.57  | 5          | 100        |
| 3/4" x 1/4"        | \$ 13.32  | 5          | 100        |
| 3/4" x 1/2"        | \$ 13.32  | 5          | 100        |
| 3/4" x 1/2" x 1/2" | \$ 14.57  | 5          | 100        |
| 3/4" x 1/2" x 3/4" | \$ 13.32  | 5          | 100        |
| 3/4" x 1"          | \$ 26.35  | 5          | 50         |
| 1" x 1/4"          | \$ 24.17  | 5          | 60         |
| 1" x 1/2"          | \$ 24.17  | 5          | 40         |
| 1" x 3/4"          | \$ 24.19  | 5          | 40         |
| 1" x 1/2" x 1"     | \$ 24.17  | 5          | 50         |
| 1" x 3/4" x 3/4"   | \$ 26.34  | 5          | 50         |
| 1" x 3/4" x 1"     | \$ 24.17  | 5          | 50         |
| 1 1/4" x 1/2"      | \$ 34.08  | 5          | 45         |
| 1 1/4" x 3/4"      | \$ 34.08  | 5          | 40         |
| 1 1/4" x 1"        | \$ 34.08  | 5          | 35         |
| 1 1/2" x 3/4"      | \$ 46.82  | 5          | 30         |
| 1 1/2" x 1"        | \$ 46.82  | 5          | 30         |
| 1 1/2" x 1 1/4"    | \$ 46.82  | 5          | 25         |
| 2" x 1/2"          | \$ 54.49  | 5          | 25         |
| 2" x 3/4"          | \$ 76.65  | 5          | 25         |
| 2" x 1"            | \$ 76.65  | 5          | 25         |
| 2" x 1 1/4"        | \$ 76.65  | 5          | 20         |
| 2" x 1 1/2"        | \$ 76.65  | 5          | 20         |
| 3" x 2"            | \$ 229.15 | 1          | 5          |

## 72215

### Brass Threaded Std Flange - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 40.14  | 5          | 50         |
| 3/4"   | \$ 53.74  | 5          | 40         |
| 1"     | \$ 70.91  | 5          | 30         |
| 1 1/4" | \$ 100.50 | 5          | 20         |
| 1 1/2" | \$ 115.89 | 5          | 15         |
| 2"     | \$ 186.86 | 5          | 10         |
| 2 1/2" | \$ 272.30 | 1          | 5          |
| 3"     | \$ 352.63 | 1          | 4          |
| 4"     | \$ 508.04 | 1          | 3          |

## 72230

### Brass Tee - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 6.09   | 5          | 600        |
| 1/4"   | \$ 6.09   | 5          | 300        |
| 3/8"   | \$ 6.09   | 5          | 200        |
| 1/2"   | \$ 7.68   | 5          | 100        |
| 3/4"   | \$ 11.04  | 5          | 75         |
| 1"     | \$ 19.65  | 5          | 40         |
| 1 1/4" | \$ 27.55  | 5          | 35         |
| 1 1/2" | \$ 37.70  | 5          | 25         |
| 2"     | \$ 62.04  | 5          | 15         |
| 2 1/2" | \$ 120.65 | 1          | 8          |
| 3"     | \$ 184.45 | 1          | 4          |
| 4"     | \$ 443.28 | 1          | 2          |

## 72246

### 45° Brass Street Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/8"   | \$ 6.78  | 5          | 600        |
| 1/4"   | \$ 6.77  | 5          | 450        |
| 3/8"   | \$ 6.77  | 5          | 300        |
| 1/2"   | \$ 8.31  | 5          | 200        |
| 3/4"   | \$ 11.80 | 5          | 100        |
| 1"     | \$ 19.33 | 5          | 75         |
| 1 1/4" | \$ 29.74 | 5          | 60         |
| 1 1/2" | \$ 39.71 | 5          | 45         |
| 2"     | \$ 67.44 | 5          | 20         |

## 72240

### Brass Cross - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 11.51  | 5          | 200        |
| 3/8"   | \$ 10.29  | 5          | 150        |
| 1/2"   | \$ 12.44  | 5          | 75         |
| 3/4"   | \$ 17.88  | 5          | 40         |
| 1"     | \$ 28.40  | 5          | 40         |
| 1 1/4" | \$ 44.47  | 5          | 25         |
| 1 1/2" | \$ 56.74  | 5          | 25         |
| 2"     | \$ 118.27 | 5          | 10         |

## 72290

### 90° Brass Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 4.43   | 1          | 600        |
| 1/4"   | \$ 4.43   | 5          | 300        |
| 3/8"   | \$ 4.43   | 5          | 300        |
| 1/2"   | \$ 6.67   | 5          | 200        |
| 3/4"   | \$ 9.00   | 5          | 100        |
| 1"     | \$ 13.83  | 5          | 75         |
| 1 1/4" | \$ 22.03  | 5          | 50         |
| 1 1/2" | \$ 27.55  | 5          | 35         |
| 2"     | \$ 44.79  | 5          | 20         |
| 2 1/2" | \$ 87.93  | 1          | 10         |
| 3"     | \$ 134.81 | 1          | 6          |
| 4"     | \$ 334.89 | 1          | 4          |

## 72245

### 45° Brass Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 4.86   | 5          | 600        |
| 1/4"   | \$ 4.86   | 5          | 300        |
| 3/8"   | \$ 4.86   | 5          | 300        |
| 1/2"   | \$ 6.09   | 5          | 200        |
| 3/4"   | \$ 9.00   | 5          | 100        |
| 1"     | \$ 15.27  | 5          | 75         |
| 1 1/4" | \$ 24.31  | 5          | 50         |
| 1 1/2" | \$ 30.41  | 5          | 40         |
| 2"     | \$ 49.37  | 5          | 25         |
| 2 1/2" | \$ 96.60  | 1          | 12         |
| 3"     | \$ 155.19 | 1          | 8          |
| 4"     | \$ 328.43 | 1          | 4          |

## 72290

### 90° Brass Reducing Elbow - No-Lead

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/4" x 1/8"     | \$ 6.88   | 5          | 300        |
| 1/2" x 1/4"     | \$ 7.24   | 5          | 150        |
| 1/2" x 3/8"     | \$ 7.24   | 5          | 150        |
| 3/4" x 1/4"     | \$ 9.86   | 5          | 200        |
| 3/4" x 3/8"     | \$ 9.86   | 5          | 160        |
| 3/4" x 1/2"     | \$ 9.86   | 5          | 200        |
| 1" x 1/2"       | \$ 17.27  | 5          | 100        |
| 1" x 3/4"       | \$ 17.27  | 5          | 100        |
| 1 1/4" x 3/4"   | \$ 26.98  | 5          | 70         |
| 1 1/4" x 1"     | \$ 26.98  | 5          | 60         |
| 1 1/2" x 1"     | \$ 34.08  | 5          | 50         |
| 1 1/2" x 1 1/4" | \$ 34.08  | 5          | 35         |
| 2" x 1"         | \$ 62.24  | 5          | 35         |
| 2" x 1 1/4"     | \$ 62.81  | 5          | 30         |
| 2" x 1 1/2"     | \$ 62.81  | 5          | 30         |
| 2 1/2" x 2"     | \$ 106.42 | 1          | 15         |

# No-Lead 125# Threaded Fittings

**72291**

**90° Brass Street Elbow - No-Lead**

- NSF / ANSI 61-4 & NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/8"   | \$ 6.67  | 5          | 600        |
| 1/4"   | \$ 6.67  | 5          | 600        |
| 3/8"   | \$ 6.67  | 5          | 300        |
| 1/2"   | \$ 8.31  | 5          | 200        |
| 3/4"   | \$ 11.80 | 5          | 100        |
| 1"     | \$ 19.33 | 5          | 75         |
| 1 1/4" | \$ 29.74 | 5          | 40         |
| 1 1/2" | \$ 38.64 | 5          | 35         |
| 2"     | \$ 65.55 | 5          | 20         |

# Domestic Pipe Nipples

NSF Approved



2200D

Pipe Nipples



| Size                | List      | Carton Qty | Master Qty |
|---------------------|-----------|------------|------------|
| 1/8" x Close (3/4") | \$ 16.08  | 25         | 25         |
| 1/8" x 1 1/2"       | \$ 18.14  | 25         | 25         |
| 1/8" x 2"           | \$ 19.50  | 25         | 25         |
| 1/8" x 2 1/2"       | \$ 22.08  | 25         | 25         |
| 1/8" x 3"           | \$ 23.86  | 25         | 25         |
| 1/8" x 3 1/2"       | \$ 25.76  | 25         | 25         |
| 1/8" x 4"           | \$ 28.95  | 25         | 25         |
| 1/8" x 4 1/2"       | \$ 32.73  | 25         | 25         |
| 1/8" x 5"           | \$ 35.43  | 25         | 25         |
| 1/8" x 5 1/2"       | \$ 38.26  | 25         | 25         |
| 1/8" x 6"           | \$ 41.01  | 25         | 25         |
| 1/8" x 7"           | \$ 48.76  | 25         | 25         |
| 1/8" x 8"           | \$ 53.70  | 25         | 25         |
| 1/8" x 9"           | \$ 66.07  | 25         | 25         |
| 1/8" x 10"          | \$ 72.29  | 25         | 25         |
| 1/8" x 11"          | \$ 78.40  | 25         | 25         |
| 1/8" x 12"          | \$ 83.45  | 25         | 25         |
| 1/4" x Close (7/8") | \$ 18.80  | 25         | 25         |
| 1/4" x 1 1/2"       | \$ 21.75  | 25         | 25         |
| 1/4" x 2"           | \$ 24.62  | 25         | 25         |
| 1/4" x 2 1/2"       | \$ 26.68  | 25         | 25         |
| 1/4" x 3"           | \$ 31.31  | 25         | 25         |
| 1/4" x 3 1/2"       | \$ 34.08  | 25         | 25         |
| 1/4" x 4"           | \$ 40.05  | 25         | 25         |
| 1/4" x 4 1/2"       | \$ 43.47  | 25         | 25         |
| 1/4" x 5"           | \$ 47.40  | 25         | 25         |
| 1/4" x 5 1/2"       | \$ 51.37  | 25         | 25         |
| 1/4" x 6"           | \$ 57.77  | 25         | 25         |
| 1/4" x 7"           | \$ 65.89  | 25         | 25         |
| 1/4" x 8"           | \$ 72.17  | 25         | 25         |
| 1/4" x 9"           | \$ 80.21  | 25         | 25         |
| 1/4" x 10"          | \$ 88.09  | 25         | 25         |
| 1/4" x 11"          | \$ 96.13  | 25         | 25         |
| 1/4" x 12"          | \$ 104.02 | 25         | 25         |
| 3/8" x Close (1")   | \$ 19.48  | 25         | 25         |
| 3/8" x 1 1/2"       | \$ 23.06  | 25         | 25         |
| 3/8" x 2"           | \$ 28.01  | 25         | 25         |
| 3/8" x 2 1/2"       | \$ 30.36  | 25         | 25         |
| 3/8" x 3"           | \$ 37.13  | 25         | 25         |
| 3/8" x 3 1/2"       | \$ 40.05  | 25         | 25         |
| 3/8" x 4"           | \$ 47.66  | 25         | 25         |
| 3/8" x 4 1/2"       | \$ 50.75  | 25         | 25         |
| 3/8" x 5"           | \$ 55.67  | 25         | 25         |
| 3/8" x 5 1/2"       | \$ 60.51  | 25         | 25         |
| 3/8" x 6"           | \$ 65.45  | 25         | 25         |
| 3/8" x 7"           | \$ 79.48  | 25         | 25         |
| 3/8" x 8"           | \$ 89.09  | 25         | 25         |
| 3/8" x 9"           | \$ 105.40 | 25         | 25         |
| 3/8" x 10"          | \$ 106.16 | 25         | 25         |
| 3/8" x 11"          | \$ 115.87 | 25         | 25         |
| 3/8" x 12"          | \$ 125.68 | 25         | 25         |

| Size                  | List      | Carton Qty | Master Qty |
|-----------------------|-----------|------------|------------|
| 1/2" x Close (1 1/8") | \$ 25.98  | 25         | 25         |
| 1/2" x 1 1/2"         | \$ 30.07  | 25         | 25         |
| 1/2" x 2"             | \$ 35.32  | 25         | 25         |
| 1/2" x 2 1/2"         | \$ 42.02  | 25         | 25         |
| 1/2" x 3"             | \$ 49.32  | 25         | 25         |
| 1/2" x 3 1/2"         | \$ 56.30  | 25         | 25         |
| 1/2" x 4"             | \$ 64.50  | 25         | 25         |
| 1/2" x 4 1/2"         | \$ 70.00  | 25         | 25         |
| 1/2" x 5"             | \$ 77.13  | 25         | 25         |
| 1/2" x 5 1/2"         | \$ 84.71  | 25         | 25         |
| 1/2" x 6"             | \$ 93.92  | 25         | 25         |
| 1/2" x 7"             | \$ 108.82 | 25         | 25         |
| 1/2" x 8"             | \$ 121.92 | 25         | 25         |
| 1/2" x 9"             | \$ 135.28 | 25         | 25         |
| 1/2" x 10"            | \$ 149.63 | 25         | 25         |
| 1/2" x 11"            | \$ 163.70 | 25         | 25         |
| 1/2" x 12"            | \$ 178.02 | 25         | 25         |
| 3/4" x Close (1 3/8") | \$ 37.44  | 25         | 25         |
| 3/4" x 1 1/2"         | \$ 39.91  | 25         | 25         |
| 3/4" x 2"             | \$ 47.16  | 25         | 25         |
| 3/4" x 2 1/2"         | \$ 54.68  | 25         | 25         |
| 3/4" x 3"             | \$ 63.07  | 25         | 25         |
| 3/4" x 3 1/2"         | \$ 70.79  | 25         | 25         |
| 3/4" x 4"             | \$ 82.28  | 25         | 25         |
| 3/4" x 4 1/2"         | \$ 89.50  | 25         | 25         |
| 3/4" x 5"             | \$ 98.78  | 25         | 25         |
| 3/4" x 5 1/2"         | \$ 107.94 | 25         | 25         |
| 3/4" x 6"             | \$ 120.18 | 25         | 25         |
| 3/4" x 7"             | \$ 140.83 | 25         | 25         |
| 3/4" x 8"             | \$ 158.59 | 25         | 25         |
| 3/4" x 9"             | \$ 175.63 | 25         | 25         |
| 3/4" x 10"            | \$ 193.56 | 25         | 25         |
| 3/4" x 11"            | \$ 211.21 | 25         | 25         |
| 3/4" x 12"            | \$ 230.32 | 25         | 25         |
| 1" x Close (1 1/2")   | \$ 55.21  | 25         | 25         |
| 1" x 2"               | \$ 68.11  | 25         | 25         |
| 1" x 2 1/2"           | \$ 79.48  | 25         | 25         |
| 1" x 3"               | \$ 91.51  | 25         | 25         |
| 1" x 3 1/2"           | \$ 105.94 | 25         | 25         |
| 1" x 4"               | \$ 119.16 | 25         | 25         |
| 1" x 4 1/2"           | \$ 132.89 | 25         | 25         |
| 1" x 5"               | \$ 146.95 | 25         | 25         |
| 1" x 5 1/2"           | \$ 160.95 | 25         | 25         |
| 1" x 6"               | \$ 175.47 | 25         | 25         |
| 1" x 7"               | \$ 204.96 | 25         | 25         |
| 1" x 8"               | \$ 233.99 | 25         | 25         |
| 1" x 9"               | \$ 261.10 | 25         | 25         |
| 1" x 10"              | \$ 289.60 | 25         | 25         |
| 1" x 11"              | \$ 312.46 | 25         | 25         |
| 1" x 12"              | \$ 345.37 | 25         | 25         |

No-Lead Nipples & Threaded Fittings



# No-Lead Domestic Nipples

## Domestic Pipe Nipples

NSF Approved



**2200D**

Pipe Nipples



| Size                    | List      | Carton Qty | Master Qty |
|-------------------------|-----------|------------|------------|
| 1 1/4" x Close (1 5/8") | \$ 83.31  | 10         | 10         |
| 1 1/4" x 2"             | \$ 95.14  | 10         | 10         |
| 1 1/4" x 2 1/2"         | \$ 107.60 | 10         | 10         |
| 1 1/4" x 3"             | \$ 127.33 | 10         | 10         |
| 1 1/4" x 3 1/2"         | \$ 148.98 | 10         | 10         |
| 1 1/4" x 4"             | \$ 167.70 | 10         | 10         |
| 1 1/4" x 4 1/2"         | \$ 185.69 | 10         | 10         |
| 1 1/4" x 5"             | \$ 204.79 | 10         | 10         |
| 1 1/4" x 5 1/2"         | \$ 224.00 | 10         | 10         |
| 1 1/4" x 6"             | \$ 244.65 | 10         | 10         |
| 1 1/4" x 7"             | \$ 288.62 | 10         | 10         |
| 1 1/4" x 8"             | \$ 326.96 | 10         | 10         |
| 1 1/4" x 9"             | \$ 387.73 | 10         | 10         |
| 1 1/4" x 10"            | \$ 404.33 | 10         | 10         |
| 1 1/4" x 11"            | \$ 462.84 | 10         | 10         |
| 1 1/4" x 12"            | \$ 483.63 | 10         | 10         |
| 1 1/2" x Close (1 3/4") | \$ 108.32 | 10         | 10         |
| 1 1/2" x 2"             | \$ 116.56 | 10         | 10         |
| 1 1/2" x 2 1/2"         | \$ 139.63 | 10         | 10         |
| 1 1/2" x 3"             | \$ 160.47 | 10         | 10         |
| 1 1/2" x 3 1/2"         | \$ 184.26 | 10         | 10         |
| 1 1/2" x 4"             | \$ 209.02 | 10         | 10         |
| 1 1/2" x 4 1/2"         | \$ 234.87 | 10         | 10         |
| 1 1/2" x 5"             | \$ 259.86 | 10         | 10         |
| 1 1/2" x 5 1/2"         | \$ 284.32 | 10         | 10         |
| 1 1/2" x 6"             | \$ 308.80 | 10         | 10         |
| 1 1/2" x 7"             | \$ 360.93 | 10         | 10         |
| 1 1/2" x 8"             | \$ 409.99 | 10         | 10         |
| 1 1/2" x 9"             | \$ 459.00 | 10         | 10         |
| 1 1/2" x 10"            | \$ 507.97 | 10         | 10         |
| 1 1/2" x 11"            | \$ 557.04 | 10         | 10         |
| 1 1/2" x 12"            | \$ 605.96 | 10         | 10         |
| 2" x Close (2")         | \$ 164.93 | 10         | 10         |
| 2" x 2 1/2"             | \$ 178.11 | 10         | 10         |
| 2" x 3"                 | \$ 205.55 | 10         | 10         |
| 2" x 3 1/2"             | \$ 236.61 | 10         | 10         |
| 2" x 4"                 | \$ 268.92 | 10         | 10         |
| 2" x 4 1/2"             | \$ 299.79 | 10         | 10         |
| 2" x 5"                 | \$ 332.43 | 10         | 10         |
| 2" x 5 1/2"             | \$ 364.64 | 10         | 10         |
| 2" x 6"                 | \$ 397.01 | 10         | 10         |
| 2" x 7"                 | \$ 464.38 | 10         | 10         |
| 2" x 8"                 | \$ 529.57 | 10         | 10         |
| 2" x 9"                 | \$ 590.52 | 10         | 10         |
| 2" x 10"                | \$ 655.90 | 10         | 10         |
| 2" x 11"                | \$ 708.73 | 10         | 10         |
| 2" x 12"                | \$ 782.29 | 10         | 10         |

| Size                    | List        | Carton Qty | Master Qty |
|-------------------------|-------------|------------|------------|
| 2 1/2" x Close (2 1/2") | \$ 435.41   | 10         | 10         |
| 2 1/2" x 3"             | \$ 455.18   | 10         | 10         |
| 2 1/2" x 3 1/2"         | \$ 515.72   | 10         | 10         |
| 2 1/2" x 4"             | \$ 573.30   | 10         | 10         |
| 2 1/2" x 4 1/2"         | \$ 615.05   | 10         | 10         |
| 2 1/2" x 5"             | \$ 676.61   | 10         | 10         |
| 2 1/2" x 5 1/2"         | \$ 728.68   | 10         | 10         |
| 2 1/2" x 6"             | \$ 797.83   | 10         | 10         |
| 2 1/2" x 7"             | \$ 908.90   | 10         | 10         |
| 2 1/2" x 8"             | \$ 1,043.85 | 10         | 10         |
| 2 1/2" x 9"             | \$ 1,158.63 | 10         | 10         |
| 2 1/2" x 10"            | \$ 1,280.25 | 10         | 10         |
| 2 1/2" x 11"            | \$ 1,379.50 | 10         | 10         |
| 2 1/2" x 12"            | \$ 1,513.49 | 10         | 10         |
| 3" x Close (2 5/8")     | \$ 592.06   | 10         | 10         |
| 3" x 3"                 | \$ 615.23   | 10         | 10         |
| 3" x 3 1/2"             | \$ 695.99   | 10         | 10         |
| 3" x 4"                 | \$ 783.92   | 10         | 10         |
| 3" x 4 1/2"             | \$ 861.73   | 10         | 10         |
| 3" x 5"                 | \$ 948.15   | 10         | 10         |
| 3" x 5 1/2"             | \$ 1,030.23 | 10         | 10         |
| 3" x 6"                 | \$ 1,119.87 | 10         | 10         |
| 3" x 7"                 | \$ 1,306.71 | 10         | 10         |
| 3" x 8"                 | \$ 1,488.69 | 10         | 10         |
| 3" x 9"                 | \$ 1,630.19 | 10         | 10         |
| 3" x 10"                | \$ 1,808.46 | 10         | 10         |
| 3" x 11"                | \$ 1,966.64 | 10         | 10         |
| 3" x 12"                | \$ 2,166.16 | 10         | 10         |
| 4" x Close (2 5/8")     | \$ 890.77   | 10         | 10         |
| 4" x 3"                 | \$ 904.75   | 10         | 10         |
| 4" x 3 1/2"             | \$ 1,015.88 | 10         | 10         |
| 4" x 4"                 | \$ 1,158.55 | 10         | 10         |
| 4" x 4 1/2"             | \$ 1,251.39 | 10         | 10         |
| 4" x 5"                 | \$ 1,382.15 | 10         | 10         |
| 4" x 5 1/2"             | \$ 1,473.87 | 10         | 10         |
| 4" x 6"                 | \$ 1,627.42 | 10         | 10         |
| 4" x 7"                 | \$ 1,868.28 | 10         | 10         |
| 4" x 8"                 | \$ 2,119.27 | 10         | 10         |
| 4" x 9"                 | \$ 2,370.10 | 10         | 10         |
| 4" x 10"                | \$ 2,620.97 | 10         | 10         |
| 4" x 11"                | \$ 2,872.33 | 10         | 10         |
| 4" x 12"                | \$ 3,092.44 | 10         | 10         |

No-Lead Nipples & Threaded Fittings

## Domestic Threaded Fittings

NSF Approved



### 72201D

Cap - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 24.06  | 25         | 25         |
| 3/8"   | \$ 24.06  | 25         | 25         |
| 1/2"   | \$ 24.06  | 25         | 25         |
| 3/4"   | \$ 30.27  | 25         | 25         |
| 1"     | \$ 54.92  | 25         | 25         |
| 1 1/4" | \$ 96.80  | 25         | 25         |
| 1 1/2" | \$ 127.10 | 25         | 25         |
| 2"     | \$ 217.85 | 10         | 10         |
| 3"     | \$ 418.01 | 5          | 5          |

### 72206D

Hex Reducing Bushing - No-Lead



| Size            | List        | Carton Qty | Master Qty |
|-----------------|-------------|------------|------------|
| 1/2" x 1/8"     | \$ 31.84    | 25         | 25         |
| 1/2" x 1/4"     | \$ 31.84    | 25         | 25         |
| 1/2" x 3/8"     | \$ 31.84    | 25         | 25         |
| 3/4" x 1/8"     | \$ 37.08    | 25         | 25         |
| 3/4" x 1/4"     | \$ 37.08    | 25         | 25         |
| 3/4" x 3/8"     | \$ 37.08    | 25         | 25         |
| 3/4" x 1/2"     | \$ 37.08    | 25         | 25         |
| 1" x 1/8"       | \$ 50.65    | 25         | 25         |
| 1" x 1/4"       | \$ 50.65    | 25         | 25         |
| 1" x 3/8"       | \$ 50.65    | 25         | 25         |
| 1" x 1/2"       | \$ 44.32    | 25         | 25         |
| 1" x 3/4"       | \$ 44.32    | 25         | 25         |
| 1 1/4" x 1/8"   | \$ 106.70   | 25         | 25         |
| 1 1/4" x 1/4"   | \$ 106.70   | 25         | 25         |
| 1 1/4" x 3/8"   | \$ 94.49    | 25         | 25         |
| 1 1/4" x 1/2"   | \$ 82.67    | 25         | 25         |
| 1 1/4" x 3/4"   | \$ 75.60    | 25         | 25         |
| 1 1/4" x 1"     | \$ 75.60    | 25         | 25         |
| 1 1/2" x 1/8"   | \$ 124.77   | 25         | 25         |
| 1 1/2" x 1/4"   | \$ 107.43   | 25         | 25         |
| 1 1/2" x 3/8"   | \$ 107.43   | 25         | 25         |
| 1 1/2" x 1/2"   | \$ 107.43   | 25         | 25         |
| 1 1/2" x 3/4"   | \$ 107.43   | 25         | 25         |
| 1 1/2" x 1"     | \$ 107.43   | 25         | 25         |
| 1 1/2" x 1 1/4" | \$ 107.43   | 25         | 25         |
| 2" x 1/8"       | \$ 207.95   | 10         | 10         |
| 2" x 1/4"       | \$ 207.95   | 10         | 10         |
| 2" x 3/8"       | \$ 207.95   | 10         | 10         |
| 2" x 1/2"       | \$ 207.95   | 10         | 10         |
| 2" x 3/4"       | \$ 132.55   | 10         | 10         |
| 2" x 1"         | \$ 132.55   | 10         | 10         |
| 2" x 1 1/4"     | \$ 132.55   | 10         | 10         |
| 2" x 1 1/2"     | \$ 132.55   | 10         | 10         |
| 2 1/2" x 1/2"   | \$ 334.48   | 5          | 5          |
| 2 1/2" x 3/4"   | \$ 334.48   | 5          | 5          |
| 2 1/2" x 1"     | \$ 334.48   | 5          | 5          |
| 2 1/2" x 1 1/4" | \$ 334.48   | 5          | 5          |
| 2 1/2" x 1 1/2" | \$ 334.48   | 5          | 5          |
| 2 1/2" x 2"     | \$ 334.48   | 5          | 5          |
| 3" x 1/2"       | \$ 492.39   | 5          | 5          |
| 3" x 3/4"       | \$ 492.39   | 5          | 5          |
| 3" x 1"         | \$ 492.39   | 5          | 5          |
| 3" x 1 1/4"     | \$ 492.39   | 5          | 5          |
| 3" x 1 1/2"     | \$ 492.39   | 5          | 5          |
| 3" x 2"         | \$ 492.39   | 5          | 5          |
| 3" x 2 1/2"     | \$ 492.39   | 5          | 5          |
| 4" x 3/4"       | \$ 1,271.86 | 1          | 1          |
| 4" x 1"         | \$ 1,271.86 | 1          | 1          |
| 4" x 1 1/4"     | \$ 1,271.86 | 1          | 1          |
| 4" x 1 1/2"     | \$ 1,271.86 | 1          | 1          |
| 4" x 2"         | \$ 1,271.86 | 1          | 1          |
| 4" x 2 1/2"     | \$ 1,271.86 | 1          | 1          |
| 4" x 3"         | \$ 1,271.86 | 1          | 1          |

### 72202D

Cored Plug - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/8"   | \$ 24.06  | 25         | 25         |
| 1/2"   | \$ 24.06  | 25         | 25         |
| 3/4"   | \$ 30.27  | 25         | 25         |
| 1"     | \$ 48.39  | 25         | 25         |
| 1 1/4" | \$ 67.88  | 25         | 25         |
| 1 1/2" | \$ 84.75  | 25         | 25         |
| 2"     | \$ 139.08 | 10         | 10         |
| 2 1/2" | \$ 235.96 | 5          | 5          |
| 3"     | \$ 375.10 | 5          | 5          |
| 4"     | \$ 702.01 | 5          | 5          |

### 72203D

Solid Plug - No-Lead



| Size   | List        | Carton Qty | Master Qty |
|--------|-------------|------------|------------|
| 3/8"   | \$ 30.27    | 25         | 25         |
| 1/2"   | \$ 30.27    | 25         | 25         |
| 3/4"   | \$ 36.20    | 25         | 25         |
| 1"     | \$ 54.53    | 25         | 25         |
| 1 1/4" | \$ 84.75    | 25         | 25         |
| 1 1/2" | \$ 131.42   | 25         | 25         |
| 2"     | \$ 193.66   | 10         | 10         |
| 2 1/2" | \$ 360.48   | 5          | 5          |
| 3"     | \$ 562.95   | 5          | 5          |
| 4"     | \$ 1,452.71 | 5          | 5          |

# No-Lead Domestic Threaded Fittings

## Domestic Threaded Fittings

NSF Approved



### 72210D

Coupling - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 30.27  | 25         | 25         |
| 3/8"   | \$ 30.27  | 25         | 25         |
| 1/2"   | \$ 30.27  | 25         | 25         |
| 3/4"   | \$ 42.50  | 25         | 25         |
| 1"     | \$ 72.50  | 25         | 25         |
| 1 1/4" | \$ 121.01 | 10         | 10         |
| 1 1/2" | \$ 157.42 | 10         | 10         |
| 2"     | \$ 260.26 | 5          | 5          |

### 72220D

Union - No-Lead



| Size   | List        | Carton Qty | Master Qty |
|--------|-------------|------------|------------|
| 1/4"   | \$ 107.44   | 25         | 25         |
| 3/8"   | \$ 107.44   | 25         | 25         |
| 1/2"   | \$ 107.44   | 25         | 25         |
| 3/4"   | \$ 147.65   | 25         | 25         |
| 1"     | \$ 222.64   | 10         | 10         |
| 1 1/4" | \$ 322.12   | 5          | 5          |
| 1 1/2" | \$ 383.68   | 5          | 5          |
| 2"     | \$ 516.99   | 3          | 3          |
| 2 1/2" | \$ 1,116.83 | 1          | 1          |
| 3"     | \$ 2,418.63 | 1          | 1          |

### 72210D

Reducing Coupling - No-Lead



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 3/8" x 1/4"     | \$ 37.74  | 25         | 25         |
| 1/2" x 1/4"     | \$ 37.74  | 25         | 25         |
| 1/2" x 3/8"     | \$ 37.74  | 25         | 25         |
| 3/4" x 3/8"     | \$ 50.47  | 25         | 25         |
| 3/4" x 1/4"     | \$ 50.47  | 25         | 25         |
| 3/4" x 1/2"     | \$ 50.47  | 25         | 25         |
| 1" x 1/2"       | \$ 82.09  | 25         | 25         |
| 1" x 3/4"       | \$ 82.09  | 25         | 25         |
| 1 1/4" x 1"     | \$ 179.50 | 10         | 10         |
| 1 1/2" x 1"     | \$ 208.32 | 10         | 10         |
| 1 1/2" x 1 1/4" | \$ 208.32 | 10         | 10         |

### 72230D

Tee - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 42.50  | 25         | 25         |
| 3/8"   | \$ 42.50  | 25         | 25         |
| 1/2"   | \$ 42.50  | 25         | 25         |
| 3/4"   | \$ 60.40  | 25         | 25         |
| 1"     | \$ 108.99 | 10         | 10         |
| 1 1/4" | \$ 187.58 | 5          | 5          |
| 1 1/2" | \$ 211.85 | 5          | 5          |
| 2"     | \$ 351.09 | 4          | 4          |

### 72215D

Threaded Standard Flange - No-Lead



| Size   | List        | Carton Qty | Master Qty |
|--------|-------------|------------|------------|
| 1/2"   | \$ 186.51   | 1          | 1          |
| 3/4"   | \$ 203.77   | 1          | 1          |
| 1"     | \$ 316.07   | 1          | 1          |
| 1 1/4" | \$ 345.89   | 1          | 1          |
| 1 1/2" | \$ 434.71   | 1          | 1          |
| 2"     | \$ 717.65   | 1          | 1          |
| 2 1/2" | \$ 1,005.46 | 1          | 1          |
| 3"     | \$ 1,173.40 | 1          | 1          |
| 3 1/2" | \$ 1,695.75 | 1          | 1          |
| 4"     | \$ 1,924.11 | 1          | 1          |
| 5"     | \$ 2,153.37 | 1          | 1          |
| 6"     | \$ 3,016.41 | 1          | 1          |

### 72230D

Reducing Tee - No-Lead



| Size                   | List      | Carton Qty | Master Qty |
|------------------------|-----------|------------|------------|
| 1" x 1/2"              | \$ 171.80 | 10         | 10         |
| 1 1/4" x 1/2" x 1 1/4" | \$ 263.61 | 5          | 5          |
| 1 1/4" x 3/4" x 1 1/4" | \$ 263.61 | 5          | 5          |
| 1 1/4" x 1 1/2"        | \$ 244.42 | 10         | 10         |
| 2" x 3/4"              | \$ 548.25 | 5          | 5          |
| 2" x 1"                | \$ 548.25 | 5          | 5          |

No-Lead Nipples & Threaded Fittings

# Domestic Threaded Fittings

NSF Approved



## 72245D

45° Elbow - No-Lead



| Size | List      | Carton Qty | Master Qty |
|------|-----------|------------|------------|
| 2"   | \$ 348.33 | 5          | 5          |

## 72290D

90° Elbow - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 36.20  | 25         | 25         |
| 3/8"   | \$ 36.20  | 25         | 25         |
| 1/2"   | \$ 36.20  | 25         | 25         |
| 3/4"   | \$ 48.39  | 25         | 25         |
| 1"     | \$ 78.71  | 25         | 25         |
| 1 1/4" | \$ 127.10 | 10         | 10         |
| 1 1/2" | \$ 157.42 | 5          | 5          |
| 2"     | \$ 254.06 | 5          | 5          |

## 72291D

90° Street Elbow - No-Lead



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 48.39  | 25         | 25         |
| 3/8"   | \$ 48.39  | 25         | 25         |
| 1/2"   | \$ 48.39  | 25         | 25         |
| 3/4"   | \$ 66.61  | 25         | 25         |
| 1"     | \$ 108.99 | 25         | 25         |
| 1 1/4" | \$ 199.76 | 10         | 10         |
| 1 1/2" | \$ 217.85 | 5          | 5          |
| 2"     | \$ 369.21 | 5          | 5          |

## Stainless Steel Pipe Nipples

304 Stainless Steel Material

### 2200SS

Stainless Steel Pipe Nipples



| Size                  | List      | Carton Qty | Master Qty |
|-----------------------|-----------|------------|------------|
| 1/8" x Close (3/4")   | \$ 13.60  | 25         | 400        |
| 1/8" x 1 1/2"         | \$ 17.79  | 25         | 400        |
| 1/8" x 2"             | \$ 21.24  | 25         | 400        |
| 1/8" x 2 1/2"         | \$ 24.56  | 25         | 400        |
| 1/8" x 3"             | \$ 27.96  | 25         | 400        |
| 1/8" x 3 1/2"         | \$ 31.39  | 25         | 400        |
| 1/8" x 4"             | \$ 34.83  | 25         | 400        |
| 1/8" x 4 1/2"         | \$ 38.24  | 25         | 400        |
| 1/8" x 5"             | \$ 41.67  | 25         | 400        |
| 1/8" x 6"             | \$ 48.53  | 25         | 400        |
| 1/8" x 8"             | \$ 63.12  | 20         | 320        |
| 1/8" x 10"            | \$ 76.83  | 25         | 200        |
| 1/8" x 12"            | \$ 90.51  | 25         | 200        |
| 1/4" x Close (7/8")   | \$ 15.33  | 25         | 400        |
| 1/4" x 1 1/2"         | \$ 19.01  | 25         | 400        |
| 1/4" x 2"             | \$ 22.83  | 25         | 400        |
| 1/4" x 2 1/2"         | \$ 27.06  | 25         | 400        |
| 1/4" x 3"             | \$ 31.28  | 25         | 400        |
| 1/4" x 3 1/2"         | \$ 35.47  | 25         | 400        |
| 1/4" x 4"             | \$ 40.03  | 20         | 320        |
| 1/4" x 4 1/2"         | \$ 44.26  | 20         | 320        |
| 1/4" x 5"             | \$ 48.47  | 20         | 320        |
| 1/4" x 6"             | \$ 56.91  | 15         | 240        |
| 1/4" x 8"             | \$ 74.87  | 10         | 160        |
| 1/4" x 10"            | \$ 91.71  | 20         | 160        |
| 1/4" x 12"            | \$ 108.56 | 15         | 120        |
| 3/8" x Close (1")     | \$ 18.43  | 25         | 400        |
| 3/8" x 1 1/2"         | \$ 22.38  | 25         | 400        |
| 3/8" x 2"             | \$ 27.07  | 25         | 400        |
| 3/8" x 2 1/2"         | \$ 32.24  | 25         | 400        |
| 3/8" x 3"             | \$ 37.37  | 25         | 400        |
| 3/8" x 3 1/2"         | \$ 42.55  | 20         | 320        |
| 3/8" x 4"             | \$ 47.68  | 15         | 240        |
| 3/8" x 4 1/2"         | \$ 52.86  | 15         | 240        |
| 3/8" x 5"             | \$ 57.98  | 20         | 240        |
| 3/8" x 6"             | \$ 68.33  | 15         | 180        |
| 3/8" x 8"             | \$ 90.59  | 25         | 150        |
| 3/8" x 10"            | \$ 111.18 | 25         | 100        |
| 3/8" x 12"            | \$ 131.81 | 25         | 100        |
| 1/2" x Close (1 1/8") | \$ 23.77  | 25         | 400        |
| 1/2" x 2"             | \$ 34.35  | 25         | 400        |
| 1/2" x 2 1/2"         | \$ 41.16  | 25         | 300        |
| 1/2" x 3"             | \$ 47.94  | 20         | 240        |
| 1/2" x 3 1/2"         | \$ 54.76  | 15         | 180        |
| 1/2" x 4"             | \$ 61.76  | 25         | 200        |
| 1/2" x 4 1/2"         | \$ 68.59  | 20         | 160        |
| 1/2" x 5"             | \$ 75.39  | 20         | 160        |
| 1/2" x 6"             | \$ 88.99  | 15         | 120        |
| 1/2" x 8"             | \$ 117.43 | 25         | 100        |
| 1/2" x 10"            | \$ 144.62 | 20         | 80         |
| 1/2" x 12"            | \$ 171.79 | 15         | 60         |

| Size                     | List      | Carton Qty | Master Qty |
|--------------------------|-----------|------------|------------|
| 3/4" x Close (1 3/8")    | \$ 32.05  | 25         | 400        |
| 3/4" x 2"                | \$ 40.90  | 25         | 300        |
| 3/4" x 2 1/2"            | \$ 49.11  | 20         | 240        |
| 3/4" x 3"                | \$ 57.35  | 25         | 200        |
| 3/4" x 3 1/2"            | \$ 65.59  | 20         | 160        |
| 3/4" x 4"                | \$ 73.82  | 25         | 150        |
| 3/4" x 4 1/2"            | \$ 82.01  | 20         | 120        |
| 3/4" x 5"                | \$ 90.25  | 25         | 100        |
| 3/4" x 6"                | \$ 106.72 | 25         | 100        |
| 3/4" x 8"                | \$ 140.47 | 25         | 75         |
| 3/4" x 10"               | \$ 173.41 | 25         | 50         |
| 3/4" x 12"               | \$ 206.33 | 25         | 50         |
| 1" x Close (1 1/2")      | \$ 42.14  | 25         | 200        |
| 1" x 2"                  | \$ 52.78  | 25         | 200        |
| 1" x 2 1/2"              | \$ 62.66  | 25         | 150        |
| 1" x 3"                  | \$ 73.27  | 20         | 120        |
| 1" x 3 1/2"              | \$ 83.87  | 25         | 100        |
| 1" x 4"                  | \$ 94.46  | 25         | 100        |
| 1" x 4 1/2"              | \$ 105.06 | 20         | 80         |
| 1" x 5"                  | \$ 115.67 | 25         | 75         |
| 1" x 6"                  | \$ 136.88 | 25         | 50         |
| 1" x 8"                  | \$ 181.51 | 25         | 50         |
| 1" x 10"                 | \$ 223.90 | 20         | 40         |
| 1" x 12"                 | \$ 266.33 | 15         | 30         |
| 1 1/4" x Close ( 1 5/8") | \$ 56.63  | 25         | 100        |
| 1 1/4" x 3"              | \$ 92.47  | 25         | 100        |
| 1 1/4" x 4"              | \$ 119.35 | 25         | 50         |
| 1 1/4" x 5"              | \$ 146.21 | 25         | 50         |
| 1 1/4" x 6"              | \$ 173.07 | 25         | 50         |
| 1 1/4" x 8"              | \$ 227.56 | 25         | 30         |
| 1 1/4" x 10"             | \$ 281.29 | 30         |            |
| 1 1/4" x 12"             | \$ 335.02 | 25         |            |
| 1 1/2" x Close ( 1 3/4") | \$ 69.35  | 25         | 100        |
| 1 1/2" x 3"              | \$ 107.73 | 25         | 50         |
| 1 1/2" x 4"              | \$ 139.47 | 25         | 50         |
| 1 1/2" x 5"              | \$ 171.20 | 20         | 40         |
| 1 1/2" x 6"              | \$ 202.93 | 20         | 40         |
| 1 1/2" x 8"              | \$ 268.12 | 25         | 25         |
| 1 1/2" x 10"             | \$ 331.59 | 15         | 15         |
| 1 1/2" x 12"             | \$ 395.03 | 15         | 15         |

# Stainless Steel Pipe Nipples

304 Stainless Steel Material

## 2200SS

Stainless Steel Pipe Nipples



| Size                    | List        | Carton Qty | Master Qty |
|-------------------------|-------------|------------|------------|
| 2" x Close (2")         | \$ 107.64   | 25         | 50         |
| 2" x 3"                 | \$ 138.79   | 50         | 50         |
| 2" x 4"                 | \$ 180.13   | 25         | 25         |
| 2" x 5"                 | \$ 221.48   | 25         | 25         |
| 2" x 6"                 | \$ 262.84   | 25         | 25         |
| 2" x 8"                 | \$ 349.52   | 18         | 18         |
| 2" x 10"                | \$ 432.16   | 14         | 14         |
| 2" x 12"                | \$ 514.84   | 14         | 14         |
| 2 1/2" x Close (2 1/2") | \$ 218.30   | 36         | 36         |
| 2 1/2" x 3"             | \$ 250.75   | 36         | 36         |
| 2 1/2" x 4"             | \$ 315.64   | 27         | 27         |
| 2 1/2" x 5"             | \$ 376.40   | 18         | 18         |
| 2 1/2" x 6"             | \$ 441.31   | 18         | 18         |
| 2 1/2" x 8"             | \$ 578.50   | 12         | 12         |
| 2 1/2" x 10"            | \$ 708.35   | 9          | 9          |
| 2 1/2" x 12"            | \$ 838.17   | 9          | 9          |
| 3" x Close (2 5/8")     | \$ 307.11   | 24         | 24         |
| 3" x 4"                 | \$ 315.64   | 12         | 12         |
| 3" x 5"                 | \$ 376.40   | 12         | 12         |
| 3" x 6"                 | \$ 441.31   | 12         | 12         |
| 3" x 8"                 | \$ 578.50   | 8          | 8          |
| 3" x 10"                | \$ 708.35   | 6          | 6          |
| 3" x 12"                | \$ 838.17   | 6          | 6          |
| 4" x Close (2 5/8")     | \$ 392.52   | 15         | 15         |
| 4" x 5"                 | \$ 622.99   | 8          | 8          |
| 4" x 6"                 | \$ 733.75   | 8          | 8          |
| 4" x 8"                 | \$ 989.86   | 5          | 5          |
| 4" x 10"                | \$ 1,211.44 | 4          | 4          |
| 4" x 12"                | \$ 1,433.00 | 4          | 4          |
| 5" x 12"                | \$ 5,718.72 | 2          | 2          |
| 6" x 12"                | \$ 5,534.25 | 1          | 1          |



## Stainless Steel Threaded Fittings

### 2201SS

#### Cap

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 3.94   | 30         | 600        |
| 1/4"   | \$ 5.65   | 30         | 600        |
| 3/8"   | \$ 6.64   | 30         | 600        |
| 1/2"   | \$ 6.89   | 20         | 400        |
| 3/4"   | \$ 8.63   | 18         | 216        |
| 1"     | \$ 12.97  | 14         | 112        |
| 1 1/4" | \$ 23.47  | 12         | 48         |
| 1 1/2" | \$ 30.80  | 10         | 40         |
| 2"     | \$ 39.28  | 6          | 24         |
| 2 1/2" | \$ 70.83  | 4          | 16         |
| 3"     | \$ 97.93  | 3          | 12         |
| 4"     | \$ 165.77 | 2          | 4          |

### 2202SS

#### Plug

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 3.39   | 30         | 600        |
| 1/4"   | \$ 4.00   | 30         | 600        |
| 3/8"   | \$ 5.35   | 30         | 600        |
| 1/2"   | \$ 7.64   | 20         | 400        |
| 3/4"   | \$ 9.32   | 20         | 400        |
| 1"     | \$ 11.79  | 16         | 192        |
| 1 1/4" | \$ 23.47  | 8          | 96         |
| 1 1/2" | \$ 27.99  | 10         | 80         |
| 2"     | \$ 33.13  | 5          | 72         |
| 2 1/2" | \$ 63.13  | 4          | 32         |
| 3"     | \$ 79.32  | 3          | 24         |
| 4"     | \$ 172.15 | 2          | 8          |

### 2210SS

#### Coupling

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 6.04   | 25         | 500        |
| 1/4"   | \$ 7.17   | 25         | 500        |
| 3/8"   | \$ 8.36   | 25         | 500        |
| 1/2"   | \$ 11.85  | 24         | 288        |
| 3/4"   | \$ 17.09  | 18         | 144        |
| 1"     | \$ 25.95  | 8          | 64         |
| 1 1/4" | \$ 41.26  | 12         | 48         |
| 1 1/2" | \$ 48.98  | 5          | 20         |
| 2"     | \$ 69.04  | 6          | 12         |
| 2 1/2" | \$ 151.56 | 4          | 8          |
| 3"     | \$ 195.93 | 2          | 4          |
| 4"     | \$ 304.56 | 1          | 2          |

### 2210SS

#### Coupling

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/4" x 1/8"     | \$ 8.19   | 20         | 400        |
| 3/8" x 1/8"     | \$ 9.09   | 20         | 400        |
| 3/8" x 1/4"     | \$ 9.09   | 20         | 400        |
| 1/2" x 1/8"     | \$ 8.68   | 15         | 180        |
| 1/2" x 1/4"     | \$ 8.68   | 15         | 180        |
| 1/2" x 3/8"     | \$ 8.68   | 15         | 180        |
| 3/4" x 1/8"     | \$ 13.06  | 10         | 120        |
| 3/4" x 1/4"     | \$ 13.06  | 10         | 120        |
| 3/4" x 3/8"     | \$ 13.06  | 10         | 120        |
| 3/4" x 1/2"     | \$ 13.06  | 10         | 120        |
| 1" x 1/8"       | \$ 17.86  | 10         | 80         |
| 1" x 1/4"       | \$ 17.86  | 10         | 80         |
| 1" x 3/8"       | \$ 17.86  | 10         | 80         |
| 1" x 1/2"       | \$ 17.86  | 10         | 80         |
| 1" x 3/4"       | \$ 17.86  | 10         | 80         |
| 1 1/4" x 3/8"   | \$ 26.05  | 14         | 28         |
| 1 1/4" x 1/2"   | \$ 26.05  | 14         | 28         |
| 1 1/4" x 3/4"   | \$ 26.05  | 20         | 28         |
| 1 1/4" x 1"     | \$ 26.05  | 14         | 28         |
| 1 1/2" x 3/8"   | \$ 37.56  | 18         | 36         |
| 1 1/2" x 1/2"   | \$ 37.56  | 18         | 36         |
| 1 1/2" x 3/4"   | \$ 37.56  | 18         | 36         |
| 1 1/2" x 1"     | \$ 37.56  | 18         | 36         |
| 1 1/2" x 1 1/4" | \$ 37.56  | 18         | 36         |
| 2" x 1/2"       | \$ 62.72  | 10         | 20         |
| 2" x 3/4"       | \$ 62.72  | 10         | 20         |
| 2" x 1"         | \$ 62.72  | 10         | 20         |
| 2" x 1 1/4"     | \$ 62.72  | 10         | 20         |
| 2" x 1 1/2"     | \$ 62.72  | 10         | 20         |
| 2 1/2" x 1"     | \$ 134.45 | 4          | 8          |
| 2 1/2" x 1 1/4" | \$ 134.45 | 4          | 8          |
| 2 1/2" x 1 1/2" | \$ 134.45 | 4          | 8          |
| 2 1/2" x 2"     | \$ 134.45 | 4          | 8          |
| 3" x 1"         | \$ 191.48 | 2          | 4          |
| 3" x 1 1/4"     | \$ 191.48 | 2          | 4          |
| 3" x 1 1/2"     | \$ 191.48 | 2          | 4          |
| 3" x 2"         | \$ 191.48 | 2          | 4          |
| 3" x 2 1/2"     | \$ 191.48 | 2          | 4          |
| 4" x 2"         | \$ 317.17 | 1          | 2          |
| 4" x 2 1/2"     | \$ 317.17 | 1          | 2          |
| 4" x 3"         | \$ 317.17 | 1          | 2          |

# Stainless Steel Threaded Fittings

## 2206SS

### Hex Reducing Bushing

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size            | List      | Carton Qty | Master Qty |
|-----------------|-----------|------------|------------|
| 1/4" x 1/8"     | \$ 5.11   | 50         | 1000       |
| 3/8" x 1/8"     | \$ 5.58   | 30         | 600        |
| 3/8" x 1/4"     | \$ 5.58   | 30         | 600        |
| 1/2" x 1/8"     | \$ 7.06   | 30         | 600        |
| 1/2" x 1/4"     | \$ 7.06   | 30         | 600        |
| 1/2" x 3/8"     | \$ 7.06   | 30         | 600        |
| 3/4" x 1/8"     | \$ 10.33  | 25         | 300        |
| 3/4" x 1/4"     | \$ 10.33  | 25         | 300        |
| 3/4" x 3/8"     | \$ 10.33  | 25         | 300        |
| 3/4" x 1/2"     | \$ 10.33  | 25         | 300        |
| 1" x 1/8"       | \$ 14.35  | 20         | 160        |
| 1" x 1/4"       | \$ 14.35  | 20         | 160        |
| 1" x 3/8"       | \$ 14.35  | 20         | 160        |
| 1" x 1/2"       | \$ 14.35  | 20         | 160        |
| 1" x 3/4"       | \$ 14.35  | 20         | 160        |
| 1 1/4" x 1/8"   | \$ 25.67  | 12         | 96         |
| 1 1/4" x 1/4"   | \$ 25.67  | 12         | 96         |
| 1 1/4" x 3/8"   | \$ 25.67  | 12         | 96         |
| 1 1/4" x 1/2"   | \$ 25.67  | 12         | 96         |
| 1 1/4" x 3/4"   | \$ 25.67  | 12         | 96         |
| 1 1/4" x 1"     | \$ 25.67  | 12         | 96         |
| 1 1/2" x 1/4"   | \$ 30.72  | 8          | 64         |
| 1 1/2" x 3/8"   | \$ 30.72  | 8          | 64         |
| 1 1/2" x 1/2"   | \$ 30.72  | 8          | 64         |
| 1 1/2" x 3/4"   | \$ 30.72  | 8          | 64         |
| 1 1/2" x 1"     | \$ 30.72  | 8          | 64         |
| 1 1/2" x 1 1/4" | \$ 30.72  | 8          | 64         |
| 2" x 1/4"       | \$ 30.72  | 12         | 48         |
| 2" x 3/8"       | \$ 46.86  | 12         | 48         |
| 2" x 1/2"       | \$ 46.86  | 12         | 48         |
| 2" x 3/4"       | \$ 46.86  | 12         | 48         |
| 2" x 1"         | \$ 46.86  | 12         | 48         |
| 2" x 1 1/4"     | \$ 46.86  | 12         | 48         |
| 2" x 1 1/2"     | \$ 46.86  | 12         | 48         |
| 2 1/2" x 1/2"   | \$ 80.32  | 8          | 16         |
| 2 1/2" x 3/4"   | \$ 80.32  | 8          | 16         |
| 2 1/2" x 1"     | \$ 80.32  | 8          | 16         |
| 2 1/2" x 1 1/4" | \$ 80.32  | 8          | 16         |
| 2 1/2" x 1 1/2" | \$ 80.32  | 8          | 16         |
| 2 1/2" x 2"     | \$ 80.32  | 8          | 16         |
| 3" x 1"         | \$ 123.08 | 4          | 16         |
| 3" x 1 1/4"     | \$ 123.08 | 4          | 16         |
| 3" x 1 1/2"     | \$ 123.08 | 4          | 16         |
| 3" x 2"         | \$ 123.08 | 4          | 16         |
| 3" x 2 1/2"     | \$ 123.08 | 4          | 16         |
| 4" x 1 1/4"     | \$ 223.95 | 3          | 6          |
| 4" x 1 1/2"     | \$ 223.95 | 3          | 6          |
| 4" x 2"         | \$ 223.95 | 3          | 6          |
| 4" x 2 1/2"     | \$ 223.95 | 3          | 6          |
| 4" x 3"         | \$ 223.95 | 3          | 6          |

## 2220SS

### Union

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 26.44  | 16         | 192        |
| 1/4"   | \$ 26.44  | 16         | 192        |
| 3/8"   | \$ 26.95  | 14         | 112        |
| 1/2"   | \$ 29.17  | 22         | 88         |
| 3/4"   | \$ 36.96  | 12         | 48         |
| 1"     | \$ 55.75  | 10         | 20         |
| 1 1/4" | \$ 96.69  | 8          | 16         |
| 1 1/2" | \$ 109.37 | 8          | 16         |
| 2"     | \$ 130.94 | 6          | 12         |
| 2 1/2" | \$ 354.63 | 2          | 4          |
| 3"     | \$ 446.60 | 1          | 2          |
| 4"     | \$ 724.88 | 1          | 2          |

## 2230SS

### Tee

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 10.50  | 15         | 300        |
| 1/4"   | \$ 10.50  | 15         | 300        |
| 3/8"   | \$ 13.38  | 15         | 180        |
| 1/2"   | \$ 14.05  | 10         | 120        |
| 3/4"   | \$ 22.35  | 7          | 84         |
| 1"     | \$ 28.46  | 5          | 40         |
| 1 1/4" | \$ 56.61  | 4          | 16         |
| 1 1/2" | \$ 70.37  | 3          | 12         |
| 2"     | \$ 90.39  | 2          | 8          |
| 2 1/2" | \$ 193.87 | 2          | 4          |
| 3"     | \$ 279.40 | 1          | 2          |
| 4"     | \$ 504.64 | 1          | 2          |

## 2240SS

### Cross

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 18.28  | 15         | 300        |
| 1/4"   | \$ 18.28  | 15         | 180        |
| 3/8"   | \$ 21.78  | 10         | 120        |
| 1/2"   | \$ 26.83  | 10         | 80         |
| 3/4"   | \$ 45.91  | 10         | 40         |
| 1"     | \$ 67.94  | 5          | 20         |
| 1 1/4" | \$ 80.68  | 3          | 12         |
| 1 1/2" | \$ 99.95  | 2          | 12         |
| 2"     | \$ 143.08 | 2          | 8          |
| 2 1/2" | \$ 411.19 | 2          | 4          |
| 3"     | \$ 444.18 | 1          | 2          |
| 4"     | \$ 721.60 | 1          | 2          |

# Stainless Steel Threaded Fittings

## 2245SS

### 45° Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 9.90   | 20         | 400        |
| 1/4"   | \$ 9.90   | 20         | 400        |
| 3/8"   | \$ 11.63  | 20         | 240        |
| 1/2"   | \$ 12.78  | 20         | 160        |
| 3/4"   | \$ 18.66  | 10         | 80         |
| 1"     | \$ 22.79  | 12         | 48         |
| 1 1/4" | \$ 36.49  | 5          | 20         |
| 1 1/2" | \$ 43.41  | 3          | 12         |
| 2"     | \$ 61.08  | 2          | 8          |
| 2 1/2" | \$ 168.02 | 3          | 6          |
| 3"     | \$ 231.57 | 1          | 2          |
| 4"     | \$ 412.10 | 1          | 2          |

## 2291SS

### 90° Street Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 11.18  | 20         | 400        |
| 1/4"   | \$ 11.18  | 20         | 400        |
| 3/8"   | \$ 13.46  | 20         | 240        |
| 1/2"   | \$ 15.84  | 20         | 160        |
| 3/4"   | \$ 21.98  | 10         | 80         |
| 1"     | \$ 38.04  | 10         | 40         |
| 1 1/4" | \$ 55.25  | 5          | 20         |
| 1 1/2" | \$ 65.36  | 3          | 12         |
| 2"     | \$ 88.52  | 2          | 8          |
| 2 1/2" | \$ 186.95 | 3          | 6          |
| 3"     | \$ 248.00 | 1          | 2          |
| 4"     | \$ 482.90 | 1          | 2          |

## 2290SS

### 90° Elbow

- Manufactured from 304 Stainless Steel
- 150 PSI



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/8"   | \$ 7.83   | 20         | 400        |
| 1/4"   | \$ 7.83   | 20         | 400        |
| 3/8"   | \$ 9.73   | 20         | 240        |
| 1/2"   | \$ 10.36  | 20         | 160        |
| 3/4"   | \$ 14.86  | 10         | 80         |
| 1"     | \$ 21.06  | 12         | 48         |
| 1 1/4" | \$ 36.96  | 5          | 20         |
| 1 1/2" | \$ 49.19  | 3          | 12         |
| 2"     | \$ 62.37  | 2          | 8          |
| 2 1/2" | \$ 142.07 | 3          | 6          |
| 3"     | \$ 181.03 | 1          | 2          |
| 4"     | \$ 353.27 | 1          | 2          |



No-Lead Tank Tees / Insert Fittings



# No-Lead Tank Tees / Insert Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

## A.Y. McDonald No-Lead Tank Tee Packages


A.Y. McDonald Tank Tee packages are individually boxed with a carton label listing all the components.

\*Contact Factory for Custom Tank Tee Packages

No-Lead Tank Tees / Insert Ftgs



- 1) Tank Tee - No-Lead
- 2) Pressure Gauge - No-Lead
- 3) Pressure Switch - No-Lead
- 4) 2200 Brass Nipple - No-Lead
- 5) 72008 Drain Valve - No-Lead
- 6) 72049 Pressure Valve - No-Lead
- 7) 72057T Check Valve - No-Lead



| A.Y. McDonald Model No. | A.Y. McDonald Tank Tee No-Lead | A.Y. McDonald Pressure Switch No-Lead | A.Y. McDonald Pressure Gauge No-Lead | A.Y. McDonald Brass Nipple No-Lead | A.Y. McDonald Drain Valve No-Lead | A.Y. McDonald Pressure Relief Valve No-Lead | A.Y. McDonald Check Valve No-Lead | Approx. Lbs/Pkg | List Price |
|-------------------------|--------------------------------|---------------------------------------|--------------------------------------|------------------------------------|-----------------------------------|---|-----------------------------------|-----------------|------------|
| 72044C 1X11             | 72044 1X11                     | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         |   |                                   | 5.06            | \$ 103.35  |
| 72044D 1X11             | 72044 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         |   |                                   | 5.06            | \$ 103.35  |
| 72044F 1X11             | 72044 1X11                     | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 1/2                                   |                                   | 4.93            | \$ 104.73  |
| 72044G 1X11             | 72044 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 1/2                                   |                                   | 4.93            | \$ 104.73  |
| 72044I 1X11             | 72044 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         |   | 72057T 1                          | 5.96            | \$ 125.40  |
| 72044J 1X11             | 72044 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 1/2                                   | 72057T 1                          | 5.83            | \$ 125.40  |
| 72044XC 1 1/4X14        | 72044 1 1/4X14                 | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         |   |                                   | 6.46            | \$ 125.40  |
| 72044XD 1 1/4X14        | 72044 1 1/4X14                 | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         |   |                                   | 6.46            | \$ 125.40  |
| 72044XE 1 1/4X14        | 72044 1 1/4X14                 | 40/60                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         |   |                                   | 5.5             | \$ 124.85  |
| 72044XF 1 1/4X14        | 72044 1 1/4X14                 | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 3/4X1/2                               |                                   | 6.32            | \$ 125.40  |
| 72044XG 1 1/4X14        | 72044 1 1/4X14                 | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 3/4X1/2                               |                                   | 6.32            | \$ 125.40  |
| 72044XI 1 1/4X14        | 72044 1 1/4X14                 | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         |   |                                   | 6.46            | \$ 154.34  |
| 72044XJ 1 1/4X14        | 72044 1 1/4X14                 | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         |                                   | 72049 3/4X1/2                               | 72057T 1 1/4                      | 6.32            | \$ 172.25  |
| 72045CC 1X11            | 72045 1X11                     | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   |                                   | 5.46            | \$ 99.22   |
| 72045CD 1X11            | 72045 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   |                                   | 5.46            | \$ 99.22   |
| 72045CE 1X11            | 72045 1X11                     | 40/60                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   |                                   | 5               | \$ 99.22   |
| 72045CJ 1X11            | 72045 1X11                     | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   | 72057T 1                          | 6.36            | \$ 124.50  |
| 72045XCT 1 1/4X14       | 72045 1 1/4X14                 | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         | 72049 3/4X1/2                               | 72057T 1                          | 7.05            | \$ 176.38  |
| 72045XK 1 1/4X16        | 72045 1 1/4X16                 | 40/60                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         | 72049 3/4X1/2                               |                                   | 6.3             | \$ 122.42  |
| 72045XL 1 1/4X14        | 72045 1 1/4X14                 | 40/60                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 3/4                         | 72049 3/4X1/2                               |                                   | 6.03            | \$ 122.42  |
| 72045SPCSC 1X4 1/2      | 72045SP 1X4 1/2                | 20/40                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   |                                   | 4.23            | \$ 84.06   |
| 72045SPCSD 1X4 1/2      | 72045SP 1X4 1/2                | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   |                                   | 4.5             | \$ 84.06   |
| 72045SPCS 1X4 1/2       | 72045SP 1X4 1/2                | 30/50                                 | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   | 72057T 1                          | 5.13            | \$ 103.35  |
| 72047CDL 1x11           | 72047 1x11                     | 40/60 SQ D                            | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72048 1/2                                   |                                   | 5.29            | \$ 104.71  |
| 72047CDL1 1/4x14        | 72047 1 1/4x14                 | 40/60 SQ D                            | 0-100 PSI                            | 2000 1/4X3                         | 72008 3/4                         | 72048 3/4X1/2                               |                                   | 5.29            | \$ 132.26  |
| 72047CJ 1X11            | 72047 1X11                     | 40/60 SQ D                            | 0-100 PSI                            | 2200 1/4X3                         | 72008 1/2                         | 72049 1/2                                   | 72057T 1                          | 5.73            | \$ 142.04  |



## 72042

### Tapered Bronze Drop Coupling - No-Lead

- FNPT x FNPT
- NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1"     | \$ 18.59 | 12         | 48         |
| 1 1/4" | \$ 22.39 | 12         | 36         |

## 2042SS

### Tapered Stainless Steel Drop Coupling - No-Lead

- FNPT x FNPT




| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1"     | \$ 12.29 | 12         | 72         |
| 1 1/4" | \$ 15.11 | 12         | 48         |

## 72044

### Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



| Size         | List     | Carton Qty | Master Qty |
|--------------|----------|------------|------------|
| 1" x 11"     | \$ 41.99 | 2          | 20         |
| 1" x 14"     | \$ 50.89 | 2          | 12         |
| 1 1/4" x 14" | \$ 66.26 | 2          | 12         |

## 72044SP

### Tank Tee Short Patterns - No-Lead

- Tank Connection - 1 1/4" MNPT or 1" FNPT
- Lateral - 1 1/4" MNPT 1" FNPT
- Drain Hole (Qty/Size) - (1) 3/4" FNPT
- NSF / ANSI 372



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 1 1/4" x 4 1/2" | \$ 36.89 | 4          | 24         |

## 72045

### Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT
- NSF / ANSI 372



| Size         | List     | Carton Qty | Master Qty |
|--------------|----------|------------|------------|
| 1" x 11"     | \$ 40.71 | 2          | 20         |
| 1" x 14"     | \$ 50.89 | 2          | 12         |
| 1 1/4" x 11" | \$ 58.51 | 2          | 12         |
| 1 1/4" x 14" | \$ 73.78 | 2          | 12         |
| 1 1/4" x 16" | \$ 87.78 | 2          | 12         |

## 72045SP

### Tank Tee Short Pattern - No-Lead

- Tank Connection - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 1" x 4 1/2"     | \$ 22.90 | 5          | 30         |
| 1 1/4" x 4 1/2" | \$ 38.16 | 4          | 24         |

## 72045QC

### Quick Connect Tank Tee - No-Lead

- Tank Connection - 1" Quick Connect
- Lateral - 1" MNPT & 3/4" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT
- NSF / ANSI 372



| Size    | List     | Carton Qty | Master Qty |
|---------|----------|------------|------------|
| 1" x 5" | \$ 34.93 | 2          | 24         |

## 72045T

### Female Swivel Tank Tee - No-Lead

- Tank Connection - 1" FNPT Swivel or 1 1/4" FNPT Swivel
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" MNPT & 1" FNPT
- Drain Hole (Qty/Size) - (2) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1" x 3 1/2" | \$ 43.47 | 4          | 24         |
| 1 1/4" x 4" | \$ 58.94 | 4          | 16         |



# No-Lead Tank Tees / Insert Fittings

## 72046

### Tank Tee Union - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" FNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



| Size         | List     | Carton Qty | Master Qty |
|--------------|----------|------------|------------|
| 1" x 11"     | \$ 48.35 | 2          | 12         |
| 1 1/4" x 14" | \$ 82.68 | 2          | 12         |

## 72047

### Tank Tee - No-Lead

- Tank Connection - 1" MNPT or 1 1/4" MNPT
- Lateral - 1" MNPT & 3/4" FNPT or 1 1/4" FNPT & 1" FNPT
- Drain Hole (Qty/Size) - (1) 1/2" FNPT or 3/4" FNPT
- NSF / ANSI 372



| Size         | List     | Carton Qty | Master Qty |
|--------------|----------|------------|------------|
| 1" x 11"     | \$ 48.35 | 2          | 12         |
| 1" x 14"     | \$ 64.64 | 2          | 12         |
| 1 1/4" x 14" | \$ 80.15 | 2          | 8          |

## 72085

### Bronze Hydrant Elbow - No-Lead

- Insert x MNPT
- NSF / ANSI 372



| Size      | List     | Carton Qty | Master Qty |
|-----------|----------|------------|------------|
| 3/4"      | \$ 12.84 | 10         | 100        |
| 1"        | \$ 15.62 | 10         | 80         |
| 1" x 3/4" | \$ 13.42 | 10         | 80         |
| 1 1/4"    | \$ 24.10 | 5          | 40         |

## 72086

### Bronze Rope Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1"          | \$ 15.62 | 10         | 60         |
| 1 1/4"      | \$ 18.95 | 10         | 60         |
| 1" x 1 1/4" | \$ 18.32 | 10         | 60         |

## 72087

### Bronze Insert Coupling - No-Lead

- Insert x Insert
- NSF / ANSI 372



| Size      | List     | Carton Qty | Master Qty |
|-----------|----------|------------|------------|
| 1/2"      | \$ 7.66  | 10         | 100        |
| 3/4"      | \$ 8.68  | 10         | 100        |
| 3/4" x 1" | \$ 11.44 | 10         | 100        |
| 1"        | \$ 13.99 | 10         | 100        |
| 1 1/4"    | \$ 20.74 | 10         | 80         |
| 1 1/2"    | \$ 23.55 | 5          | 50         |
| 2"        | \$ 29.98 | 5          | 40         |

## 2087SS

### Stainless Steel Female Adapter - No-Lead

- Insert x Insert
- NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 7.17  | 10         | 100        |
| 3/4"   | \$ 8.12  | 10         | 100        |
| 1"     | \$ 13.09 | 10         | 100        |
| 1 1/4" | \$ 19.40 | 10         | 80         |
| 1 1/2" | \$ 22.03 | 5          | 50         |
| 2"     | \$ 28.03 | 5          | 50         |

## 72088

### Bronze Female Adapter - No-Lead

- Insert x FNPT
- NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 8.10  | 10         | 100        |
| 3/4"   | \$ 9.65  | 10         | 100        |
| 1"     | \$ 13.99 | 10         | 80         |
| 1 1/4" | \$ 19.28 | 10         | 60         |
| 1 1/2" | \$ 21.79 | 5          | 50         |
| 2"     | \$ 35.76 | 5          | 30         |

## 72089

### Bronze Insert Elbow - No-Lead

- Insert x Insert
- NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 10.41 | 10         | 100        |
| 1"     | \$ 14.96 | 10         | 80         |
| 1 1/4" | \$ 26.58 | 5          | 40         |

## 72090

### Bronze Insert Elbow - No-Lead

- Insert x Insert x MNPT
- NSF / ANSI 372



| Size      | List     | Carton Qty | Master Qty |
|-----------|----------|------------|------------|
| 3/4"      | \$ 14.08 | 10         | 100        |
| 1"        | \$ 20.25 | 10         | 60         |
| 1" x 3/4" | \$ 19.28 | 10         | 80         |

## 72099

### Bronze Elbow - No-Lead

- Insert x FNPT
- NSF / ANSI 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1"     | \$ 21.88 | 10         | 60         |
| 1 1/4" | \$ 25.87 | 5          | 40         |

## 72091

### Bronze Insert Tee - No-Lead

- Insert x Insert x Insert
- NSF / ANSI 372



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 3/4"            | \$ 13.70 | 10         | 100        |
| 1"              | \$ 19.78 | 10         | 60         |
| 1" x 3/4"       | \$ 27.93 | 10         | 100        |
| 1 1/4" x 1 1/4" | \$ 33.72 | 5          | 30         |

## 72093

### Brass Sweat Adapter - No-Lead

- Insert x Copper



| Size      | List    | Carton Qty | Master Qty |
|-----------|---------|------------|------------|
| 3/4"      | \$ 6.01 | 10         | 500        |
| 1"        | \$ 7.66 | 10         | 300        |
| 1" x 3/4" | \$ 7.66 | 10         | 200        |

## 72092

### Bronze Male Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/8"        | \$ 4.51  | 25         | 500        |
| 1/4"        | \$ 6.20  | 50         | 800        |
| 1/2"        | \$ 7.72  | 10         | 200        |
| 3/4"        | \$ 10.03 | 10         | 100        |
| 1"          | \$ 15.42 | 10         | 100        |
| 1" x 3/4"   | \$ 12.54 | 10         | 100        |
| 1" x 1 1/4" | \$ 14.54 | 10         | 80         |
| 1 1/4" x 1" | \$ 17.85 | 10         | 80         |
| 1 1/4"      | \$ 16.42 | 10         | 80         |
| 1 1/2"      | \$ 20.25 | 5          | 50         |
| 2"          | \$ 29.89 | 5          | 50         |

## 72094

### Brass Insert Couplings - No-Lead

- Insert x Insert



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 6.94  | 10         | 500        |
| 1"     | \$ 10.68 | 10         | 200        |
| 1 1/4" | \$ 12.09 | 10         | 100        |

## 2092SS

### Stainless Steel Male Adapter - No-Lead

- Insert x MNPT
- NSF / ANSI 372



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2"        | \$ 7.22  | 10         | 200        |
| 3/4"        | \$ 9.38  | 10         | 100        |
| 1"          | \$ 14.43 | 10         | 100        |
| 1" x 1 1/4" | \$ 13.60 | 10         | 80         |
| 1 1/4"      | \$ 15.36 | 10         | 80         |
| 1 1/2"      | \$ 18.93 | 5          | 50         |
| 2"          | \$ 27.95 | 5          | 50         |

## 72095

### Bronze Extra Long Male Adapter - No-Lead

- Insert x MNPT



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1"          | \$ 18.71 | 10         | 60         |
| 1" x 1 1/4" | \$ 24.36 | 10         | 100        |
| 1 1/4"      | \$ 24.60 | 10         | 40         |
| 1 1/2"      | \$ 33.25 | 5          | 50         |
| 2"          | \$ 38.57 | 5          | 20         |

# No-Lead Tank Tees / Insert Fittings

No-Lead Tank Tees / Insert Ftgs

## 2095SS

**Stainless Steel Extra Long Male Adapter - No-Lead**

- Insert x MNPT
- NSF / ANSI 372

| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1" x 1 1/4" | \$ 19.32 | 10         | 60         |



## 72087BV

**Full Port Ball Valve Insert - No-Lead**

- Insert x Insert
- 600 WOG
- NSF 372



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 21.41 | 10         | 60         |
| 1"     | \$ 36.10 | 5          | 30         |
| 1 1/4" | \$ 49.08 | 5          | 20         |

## 72096

**Brass Insert Couplings XL - No-Lead**

- Insert x Insert
- NSF / ANSI 372

| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1 1/2" | \$ 42.78 | 5          | 50         |
| 2"     | \$ 66.54 | 5          | 50         |



## 72232

**Bronze Pitless Adapter - No-Lead**

- FNPT x FNPT
- NSF 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1"     | \$ 157.06 | 4          | 12         |
| 1 1/4" | \$ 187.37 | 2          | 8          |

## 2097

**Galvanized Male Adapter - No-Lead**

- Insert x MNPT

| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 2.96  | 24         | 360        |
| 3/4"   | \$ 3.45  | 20         | 300        |
| 1"     | \$ 4.47  | 16         | 192        |
| 1 1/4" | \$ 6.97  | 12         | 108        |
| 1 1/2" | \$ 8.73  | 6          | 90         |
| 2"     | \$ 10.96 | 5          | 60         |



## 72116T

**Bronze Foot Valve - No-Lead**

- FNPT, 200 WOG
- Stainless steel screen
- End of line applications
- NSF / ANSI 372



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 3/4"   | \$ 24.25  | 10         | 80         |
| 1"     | \$ 33.94  | 10         | 60         |
| 1 1/4" | \$ 49.93  | 5          | 40         |
| 1 1/2" | \$ 63.59  | 5          | 30         |
| 2"     | \$ 105.51 | 5          | 10         |

## 2098

**Galvanized Insert Coupling - No-Lead**

- Insert x Insert

| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 2.77  | 30         | 360        |
| 3/4"   | \$ 3.14  | 20         | 300        |
| 1"     | \$ 3.96  | 20         | 240        |
| 1 1/4" | \$ 5.53  | 16         | 144        |
| 1 1/2" | \$ 8.37  | 12         | 108        |
| 2"     | \$ 10.58 | 5          | 60         |



## 2000HC68 - All Stainless Steel Hose Clamp

- 300 Grade Stainless Steel Components
- **Screw:** 5/16" Hex Head 302 Stainless Steel w/Deep Socket
- **Housing:** 304 Stainless One Piece
- **Band:** 9/16" wide - 304 Stainless
- Sold in Box Quantity ONLY
- 100% Stainless Steel Hose Clamp for Marine or Underground Applications



| Model No.   | Trade Size | Min.   | Max.    | Ctn Qty | List Price |
|-------------|------------|--------|---------|---------|------------|
| 2000HC6808  | 8          | 7/16"  | 1"      | 10/1000 | \$ 1.11    |
| 2000HC6810  | 10         | 1/2"   | 1 1/16" | 10/1000 | \$ 1.11    |
| 2000HC6812  | 12         | 1/2"   | 1 1/4"  | 10/1000 | \$ 1.13    |
| 2000HC6816  | 16         | 11/16" | 1 1/2"  | 10/1000 | \$ 1.13    |
| 2000HC6820  | 20         | 3/4"   | 1 3/4"  | 10/1000 | \$ 1.16    |
| 2000HC6824  | 24         | 1"     | 2"      | 10/1000 | \$ 1.16    |
| 2000HC6828  | 28         | 1 1/4" | 2 1/4"  | 10/1000 | \$ 1.17    |
| 2000HC6832  | 32         | 1 1/2" | 2 1/2"  | 10/1000 | \$ 1.17    |
| 2000HC6836  | 36         | 1 3/4" | 2 3/4"  | 10/500  | \$ 1.22    |
| 2000HC6840  | 40         | 2"     | 3"      | 10/500  | \$ 1.34    |
| 2000HC6844  | 44         | 2 1/4" | 3 1/4"  | 10/500  | \$ 1.56    |
| 2000HC6848  | 48         | 2 1/2" | 3 1/2"  | 10/500  | \$ 1.56    |
| 2000HC6852  | 52         | 2 3/4" | 3 3/4"  | 10/500  | \$ 1.63    |
| 2000HC6856  | 56         | 3"     | 4"      | 10/500  | \$ 1.63    |
| 2000HC6860  | 60         | 3 1/4" | 4 1/4"  | 10/500  | \$ 1.79    |
| 2000HC6864  | 64         | 2 1/2" | 4 1/2"  | 10/500  | \$ 1.79    |
| 2000HC6872  | 72         | 3"     | 5"      | 10/250  | \$ 1.88    |
| 2000HC6880  | 80         | 3 1/2" | 5 1/2"  | 10/250  | \$ 1.94    |
| 2000HC6888  | 88         | 4"     | 6"      | 10/250  | \$ 2.08    |
| 2000HC6896  | 96         | 4 1/2" | 6 1/2"  | 10/250  | \$ 2.24    |
| 2000HC68104 | 104        | 5"     | 7"      | 10/250  | \$ 2.26    |

## 2000HC62M - All Stainless Steel Hose Clamp

- **Screw:** 1/4" Hex Head 302 Stainless Steel
- **Band & Housing:** 5/16" - 304 Stainless
- Sold in Box Quantity ONLY
- 100% Stainless Steel Hose Clamp for Marine or Underground Applications



| Model No.   | Trade Size | Min.  | Max. | Ctn Qty | List Price |
|-------------|------------|-------|------|---------|------------|
| 2000HC62M04 | 4          | 1/4"  | 5/8" | 10/2000 | \$ 0.69    |
| 2000HC62M06 | 6          | 7/16" | 3/4" | 10/2000 | \$ 0.72    |
| 2000HC62M08 | 8          | 1/2"  | 7/8" | 10/2000 | \$ 0.74    |
| 2000HC62M10 | 10         | 1/2"  | 1"   | 10/2000 | \$ 0.80    |





Non-Potable Valves & Fittings



# Non-Potable Valves & Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.





## 2032T

### Full Port Ball Valve

- FNPT / FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- 1/2" - 2" certified to:



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 11.08  | 10         | 180        |
| 1/2"   | \$ 8.95   | 10         | 120        |
| 3/4"   | \$ 14.59  | 10         | 90         |
| 1"     | \$ 21.49  | 6          | 60         |
| 1 1/4" | \$ 41.27  | 4          | 36         |
| 1 1/2" | \$ 53.19  | 4          | 24         |
| 2"     | \$ 69.82  | 2          | 12         |
| 2 1/2" | \$ 257.92 | 2          | 8          |
| 3"     | \$ 395.20 | 2          | 6          |
| 4"     | \$ 735.07 | 1          | 2          |

## 2032TL

### Full Port Ball Valve with Locking Handle

- FNPT x FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/4"   | \$ 17.83  | 10         | 180        |
| 3/8"   | \$ 17.83  | 10         | 180        |
| 1/2"   | \$ 17.74  | 10         | 120        |
| 3/4"   | \$ 27.55  | 10         | 90         |
| 1"     | \$ 36.20  | 6          | 60         |
| 1 1/4" | \$ 59.99  | 4          | 36         |
| 1 1/2" | \$ 72.03  | 4          | 24         |
| 2"     | \$ 110.39 | 2          | 12         |

## 2008

### Boiler Drain

- MNPT x G.H.T. - 120 WOG
- \*1/2" is MNPT or Copper Combination



| Size  | List    | Carton Qty | Master Qty |
|-------|---------|------------|------------|
| *1/2" | \$ 6.79 | 10         | 100        |
| 3/4"  | \$ 8.06 | 10         | 100        |

## 2032S

### Full Port Ball Valve

- SWT / SWT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 8.95   | 10         | 120        |
| 3/4"   | \$ 14.59  | 10         | 90         |
| 1"     | \$ 21.49  | 6          | 60         |
| 1 1/4" | \$ 41.27  | 4          | 36         |
| 1 1/2" | \$ 53.19  | 4          | 24         |
| 2"     | \$ 69.82  | 2          | 12         |
| 2 1/2" | \$ 257.92 | 2          | 8          |
| 3"     | \$ 395.20 | 2          | 6          |

## 2035T

### Full Port Gate Valve

- FNPT / FNPT - 600 WOG - 150 WSP
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- 1/2" - 2" certified to:



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1/2"   | \$ 11.02  | 10         | 60         |
| 3/4"   | \$ 14.67  | 10         | 40         |
| 1"     | \$ 19.56  | 5          | 30         |
| 1 1/4" | \$ 27.83  | 5          | 20         |
| 1 1/2" | \$ 35.80  | 4          | 16         |
| 2"     | \$ 54.58  | 2          | 12         |
| 2 1/2" | \$ 109.11 | 6          |            |
| 3"     | \$ 153.63 | 4          | 4          |
| 4"     | \$ 275.19 | 2          | 2          |

## 2029S

### Full Port Flange Ball Valve

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 27.52 | 1          | 20         |
| 1"     | \$ 34.94 | 1          | 20         |
| 1 1/4" | \$ 42.08 | 1          | 20         |
| 1 1/2" | \$ 58.89 | 1          | 20         |
| 2"     | \$ 69.12 | 1          | 10         |

## 2029PT

### Full Port Flange Ball Valve w/ Purge Port

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Swivel flange
- Bolt set included
- Isolation valve for circulator pumps



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 38.69 | 1          | 24         |
| 1"     | \$ 48.02 | 1          | 18         |
| 1 1/4" | \$ 63.04 | 1          | 12         |

## 2029T

### Full Port Flange Ball Valve

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps




| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 27.52 | 1          | 20         |
| 1"     | \$ 34.94 | 1          | 20         |
| 1 1/4" | \$ 42.08 | 1          | 20         |
| 1 1/2" | \$ 58.89 | 1          | 20         |
| 2"     | \$ 69.12 | 1          | 10         |

## 2029SK

### Full Port Flange Ball Valve Kit

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps
- Kit includes: (1) 2029T & (1) 2029S



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/4"   | \$ 66.22  | 1          |
| 1"     | \$ 82.96  | 1          |
| 1 1/4" | \$ 105.12 | 1          |

## 2029PS

### Full Port Flange Ball Valve w/ Purge Port

- SWT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Swivel flange
- Bolt set included
- Isolation valve for circulator pumps




| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 3/4"   | \$ 38.69 | 1          | 24         |
| 1"     | \$ 48.02 | 1          | 18         |
| 1 1/4" | \$ 63.04 | 1          | 12         |

## 2029TK

### Full Port Flange Ball Valve Kit

- FNPT x Flange - 400 WOG
- Manufactured to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Solder ends conform to ANSI B16.18
- Blowout proof stem
- Bolt set included
- Isolation valve for circulator pumps
- Kit includes: (1) 2029T & (1) 2029S



| Size   | List      | Carton Qty |
|--------|-----------|------------|
| 3/4"   | \$ 66.22  | 1          |
| 1"     | \$ 82.96  | 1          |
| 1 1/4" | \$ 105.12 | 1          |



Accessories - THIS PRODUCT does not come in contact with consumable water.

## 2030TH

### Replacement T-Handle

- For models 2030, 2032, 2033, & 2118



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 3.90  | 1          |
| 3/4" - 1"       | \$ 5.16  | 1          |
| 1 1/4" - 1 1/2" | \$ 8.95  | 1          |
| 2"              | \$ 16.50 | 1          |

## 2035CH

### Cross Handle

- For models 2035T, 72035S, 72035T, & 72038T



| Size            | List    | Carton Qty |
|-----------------|---------|------------|
| 1/2" - 3/4"     | \$ 2.73 | 1          |
| 1"              | \$ 2.73 | 1          |
| 1 1/4" - 1 1/2" | \$ 2.73 | 1          |
| 2"              | \$ 3.89 | 1          |

## 2030H

### Repair Handles for Ball Valves

- For models 2030, 2032, 2033, & 2118



| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 6.81  | 1          |
| 3/4" - 1"       | \$ 12.01 | 1          |
| 1 1/4" - 1 1/2" | \$ 18.01 | 1          |
| 2"              | \$ 30.03 | 1          |

## 2035H

### Repair Handles

- For Gate Valves made in Taiwan

- For models 2035 & 72035



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 3/4"   | \$ 1.69  | 1          |
| 1"     | \$ 2.34  | 1          |
| 1 1/2" | \$ 3.74  | 1          |
| 2"     | \$ 4.59  | 1          |
| 2 1/2" | \$ 8.43  | 1          |
| 3"     | \$ 14.76 | 1          |
| 4"     | \$ 31.23 | 1          |

## 2032EH

### Extended Handles for Ball Valves

- 2" will work for 2 1/2" & 3" Valves

- For models 2030, 2032, 2033, & 2118




| Size            | List     | Carton Qty |
|-----------------|----------|------------|
| 1/4" - 1/2"     | \$ 15.77 | 1          |
| 3/4" - 1"       | \$ 22.54 | 1          |
| 1 1/4" - 1 1/2" | \$ 29.89 | 1          |
| 2"              | \$ 73.57 | 1          |

## 2035HW

### Gate Valve Handwheel

- For Gate Valves made in Indonesia

- For models 2035 & 72035



| Size   | List     | Carton Qty |
|--------|----------|------------|
| 3/4"   | \$ 1.69  | 1          |
| 1"     | \$ 2.34  | 1          |
| 1 1/2" | \$ 3.74  | 1          |
| 2"     | \$ 4.59  | 1          |
| 2 1/2" | \$ 8.43  | 1          |
| 3"     | \$ 14.76 | 1          |
| 4"     | \$ 31.23 | 1          |

## 2032PNW

### Packing Nut Wrench

- 1/4" - 2"

- For model 72032 & 2032



| Size | List     | Carton Qty |
|------|----------|------------|
|      | \$ 10.34 | 1          |

## 10710

### Gas Ball Valve

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/8" | \$ 7.42  | 12         | 96         |
| 1/2" | \$ 7.47  | 12         | 120        |
| 3/4" | \$ 11.01 | 12         | 96         |
| 1"   | \$ 23.90 | 6          | 60         |

## 10710R

### Gas Ball Valve

- FNPT x FNPT, 600 WOG
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.47  | 12         | 120        |
| 3/4" | \$ 11.01 | 12         | 96         |
| 1"   | \$ 23.90 | 6          | 60         |

## 10710Y

### Gas Ball Valve

- FNPT x FNPT, 600 WOG
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 7.47  | 12         | 120        |
| 3/4" | \$ 11.01 | 12         | 96         |
| 1"   | \$ 23.90 | 6          | 60         |

## 10710

### Full Port Gas Ball Valve with Level Handle

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Conforms to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1 1/4" | \$ 40.27 | 4          | 36         |
| 1 1/2" | \$ 61.22 | 4          | 24         |
| 2"     | \$ 97.71 | 2          | 12         |

## 10710M

### Full Port Gas Ball Valve with T-Handle

- FNPT x FNPT, 600 WOG - 150 WSP
- 1/2 and 5 PSI
- Conforms to MSS-SP-110
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size   | List      | Carton Qty | Master Qty |
|--------|-----------|------------|------------|
| 1 1/4" | \$ 65.44  | 4          | 36         |
| 1 1/2" | \$ 84.44  | 4          | 24         |
| 2"     | \$ 114.94 | 2          | 12         |

## 10711

### Square Head Gas Ball Valve

- FNPT x FNPT
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 13.99 | 12         | 144        |
| 3/4" | \$ 19.25 | 12         | 144        |

## 10712

### Gas Ball Valve

- FNPT x Flare, 600 WOG
- 1/2" x 3/8" (5/8-18), 1/2" x 1/2" (3/4-16)
- 1/2" x 5/8" (15/16-16), 3/4" x 5/8" (15/16-16)
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 12.21 | 12         | 144        |
| 1/2" x 1/2" | \$ 12.61 | 12         | 144        |
| 1/2" x 5/8" | \$ 16.25 | 12         | 144        |
| 3/4" x 5/8" | \$ 17.41 | 12         | 144        |

## 10724

### Gas Ball Valve with Tap

- FNPT x FNPT
- With Pilot Tap
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 17.57 | 10         | 120        |
| 3/4" | \$ 23.10 | 10         | 120        |

## 10714

### Gas Ball Valve

- Flare x Flare
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/8" | \$ 14.14 | 12         | 144        |
| 1/2" | \$ 14.14 | 12         | 144        |

## 10720

### Straight Log Lighter Valve - Chrome

- FNPT x FNPT
- 1/2 PSI
- Threads conform to ANSI B1.20.1



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 27.23 | 10         | 100        |

## 10716

### Gas Ball Valve

- MNPT x Flare
- 1/2 and 5 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 1/2" x 3/8" | \$ 13.74 | 12         | 144        |
| 1/2" x 1/2" | \$ 13.74 | 12         | 144        |

## 10722

### Angle Log Lighter Valve - Chrome

- FNPT x FNPT
- 1/2 PSI
- Threads conform to ANSI B1.20.1



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 26.05 | 10         | 100        |

## 10734

### Angle Gas Ball Valve

- FNPT x Flare
- 1/2 PSI
- Threads conform to ANSI B1.20.1
- Blowout proof stem



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/4" x 5/8" | \$ 20.42 | 12         | 144        |

## 10720ETC

### Chrome - Escutcheon Tube

| Size | List    | Carton Qty |
|------|---------|------------|
|      | \$ 8.86 | 1          |



## 10720KC

### Chrome - Operating Key

- 2" Key length

| Size | List    | Carton Qty |
|------|---------|------------|
| 2"   | \$ 3.05 | 1          |



## 10720KCL

### Chrome - Operating Key

- 8" Key length

| Size | List     | Carton Qty |
|------|----------|------------|
| 8"   | \$ 14.85 | 1          |



## 4431T

### Steam Angle Radiator Valve

- FNPT x MNPT Union, 15 WSP



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 24.60 | 6          | 60         |
| 3/4"   | \$ 27.11 | 6          | 48         |
| 1"     | \$ 34.74 | 4          | 36         |
| 1 1/4" | \$ 43.68 | 4          | 24         |
| 1 1/2" | \$ 61.97 | 4          | 18         |

## 4437S

### Bronze Hot Water Angle Radiator Valve

- SWT x MNPT Union

- 60 PSI Hot Water

- Bronze Construction

- Hole drilled in seat for hot water use



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 32.32 | 8          | 80         |
| 3/4" | \$ 39.63 | 6          | 60         |

## 4437T

### Bronze Hot Water Angle Radiator Valve

- FNPT x MNPT Union

- 60 PSI

- Bronze Construction

- Hole drilled in seat for hot water use



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 32.32 | 8          | 80         |
| 3/4"   | \$ 39.63 | 6          | 60         |
| 1"     | \$ 47.34 | 6          | 36         |
| 1 1/4" | \$ 60.74 | 4          | 16         |

## 4435T

### Steam Radiator Gate Valve

- FNPT x MNPT Union, 200 WOG - 125 WSP

- Bronze Construction



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 34.39 | 6          | 60         |
| 3/4"   | \$ 38.48 | 4          | 48         |
| 1"     | \$ 61.99 | 4          | 24         |
| 1 1/4" | \$ 79.88 | 4          | 24         |

## 4433T

### Bronze Convector Steam Angle Valve

- FNPT Union x FNPT, 15 WSP

- 60 PSI Hot Water

- Bronze Construction



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1"     | \$ 50.93 | 4          | 32         |
| 1 1/4" | \$ 67.26 | 4          | 24         |

## 4438S

### Union Elbow

- SWT x MNPT Union, 15 WSP

- 60 PSI Hot Water



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.51 | 10         | 150        |
| 3/4" | \$ 19.43 | 10         | 100        |

## 4438T

### Union Elbow

- FNPT x MNPT Union, 15 WSP

- 60 PSI Hot Water



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 14.51 | 10         | 150        |
| 3/4"   | \$ 19.43 | 8          | 80         |
| 1"     | \$ 30.98 | 5          | 60         |
| 1 1/4" | \$ 47.91 | 4          | 40         |

## 4439S

### Hydronic Balancing Ball Valve

- SWT x SWT, 40 WOG

- Screw driver slot head



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 1/2" | \$ 14.23 | 1          | 120        |
| 3/4" | \$ 19.29 | 1          | 90         |
| 1"   | \$ 29.22 | 1          | 60         |

## 4440S

### Hydronic Balancing Ball Valve with Purge Port

- SWT x SWT, 40 WOG



| Size | List     | Carton Qty | Master Qty |
|------|----------|------------|------------|
| 3/4" | \$ 23.40 | 1          | 108        |



## 2201 Brass Cap



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 3.30  | 5          | 300        |
| 3/4"   | \$ 4.35  | 5          | 200        |
| 1"     | \$ 6.77  | 5          | 150        |
| 1 1/4" | \$ 10.34 | 5          | 100        |
| 1 1/2" | \$ 13.91 | 5          | 70         |
| 2"     | \$ 23.54 | 5          | 50         |

## 2206 Brass Hex Reducing Bushings



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 1/4" x 1/8"     | \$ 2.61  | 1          | 600        |
| 3/8" x 1/4"     | \$ 2.61  | 5          | 600        |
| 1/2" x 1/8"     | \$ 3.06  | 1          | 450        |
| 1/2" x 1/4"     | \$ 2.61  | 5          | 450        |
| 1/2" x 3/8"     | \$ 2.61  | 5          | 450        |
| 3/4" x 1/4"     | \$ 4.35  | 5          | 300        |
| 3/4" x 1/2"     | \$ 3.61  | 5          | 300        |
| 1" x 1/2"       | \$ 5.39  | 5          | 150        |
| 1" x 3/4"       | \$ 5.39  | 5          | 150        |
| 1 1/4" x 3/4"   | \$ 9.21  | 5          | 120        |
| 1 1/4" x 1"     | \$ 9.21  | 5          | 120        |
| 1 1/2" x 3/4"   | \$ 14.44 | 5          | 120        |
| 1 1/2" x 1"     | \$ 11.77 | 5          | 100        |
| 1 1/2" x 1 1/4" | \$ 11.77 | 5          | 100        |
| 2" x 3/4"       | \$ 21.03 | 5          | 60         |
| 2" x 1"         | \$ 21.03 | 5          | 70         |
| 2" x 1 1/4"     | \$ 17.45 | 5          | 50         |
| 2" x 1 1/2"     | \$ 17.45 | 5          | 50         |

## 2202 Brass Cored Plug



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 3.48  | 5          | 500        |
| 3/4"   | \$ 3.93  | 5          | 300        |
| 1"     | \$ 5.12  | 5          | 200        |
| 1 1/4" | \$ 7.70  | 5          | 120        |
| 1 1/2" | \$ 9.74  | 5          | 80         |
| 2"     | \$ 15.35 | 5          | 50         |

## 2210 Brass Coupling



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/4"   | \$ 3.26  | 5          | 450        |
| 3/8"   | \$ 3.26  | 5          | 300        |
| 1/2"   | \$ 4.06  | 5          | 200        |
| 3/4"   | \$ 5.34  | 5          | 100        |
| 1"     | \$ 8.11  | 5          | 100        |
| 1 1/4" | \$ 12.71 | 5          | 75         |
| 1 1/2" | \$ 17.28 | 5          | 50         |
| 2"     | \$ 28.43 | 5          | 30         |

## 2204RSQH Brass Clean Out Plugs - Raised Head




| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 2"     | \$ 5.43  | 100        | 200        |
| 2 1/2" | \$ 6.77  | 50         | 100        |
| 3"     | \$ 9.32  | 20         | 100        |
| 3 1/2" | \$ 11.12 | 20         | 80         |
| 4"     | \$ 13.01 | 10         | 60         |
| 5"     | \$ 15.72 | 10         | 40         |
| 6"     | \$ 30.28 | 10         | 20         |

## 2210 Brass Reducing Coupling



| Size            | List     | Carton Qty | Master Qty |
|-----------------|----------|------------|------------|
| 3/4" x 1/2"     | \$ 6.45  | 5          | 200        |
| 1" x 1/2"       | \$ 10.68 | 5          | 100        |
| 1" x 3/4"       | \$ 10.68 | 5          | 100        |
| 1 1/4" x 3/4"   | \$ 17.28 | 5          | 90         |
| 1 1/4" x 1"     | \$ 17.28 | 5          | 70         |
| 1 1/2" x 3/4"   | \$ 24.59 | 5          | 80         |
| 1 1/2" x 1"     | \$ 21.87 | 5          | 75         |
| 1 1/2" x 1 1/4" | \$ 21.87 | 5          | 60         |
| 2" x 1"         | \$ 36.49 | 5          | 60         |
| 2" x 1 1/4"     | \$ 32.46 | 5          | 50         |
| 2" x 1 1/2"     | \$ 32.46 | 5          | 50         |

## 2204 Brass Clean Out Plugs - Counter Sunk



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 2"     | \$ 5.43  | 100        | 200        |
| 2 1/2" | \$ 6.77  | 50         | 100        |
| 3"     | \$ 9.32  | 20         | 80         |
| 3 1/2" | \$ 11.12 | 20         | 80         |
| 4"     | \$ 13.01 | 10         | 60         |
| 5"     | \$ 15.72 | 10         | 40         |
| 6"     | \$ 30.28 | 10         | 40         |

## 2220 Brass Union



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 12.58 | 5          | 75         |
| 3/4"   | \$ 17.37 | 5          | 75         |
| 1"     | \$ 23.04 | 5          | 40         |
| 1 1/4" | \$ 33.67 | 5          | 35         |
| 1 1/2" | \$ 39.81 | 5          | 25         |
| 2"     | \$ 61.21 | 5          | 15         |

## 2230 Brass Reducing Tee



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/4" x 1/2" | \$ 9.86  | 5          | 100        |
| 1" x 3/4"   | \$ 17.91 | 5          | 40         |
| 2" x 1"     | \$ 56.78 | 5          | 25         |

## 2230 Brass Tee



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/4"   | \$ 4.51  | 5          | 300        |
| 3/8"   | \$ 4.51  | 5          | 200        |
| 1/2"   | \$ 5.68  | 5          | 100        |
| 3/4"   | \$ 8.18  | 5          | 75         |
| 1"     | \$ 14.56 | 5          | 40         |
| 1 1/4" | \$ 20.41 | 5          | 35         |
| 1 1/2" | \$ 28.08 | 5          | 25         |
| 2"     | \$ 45.94 | 5          | 15         |

## 2245 Brass Tee



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/2"   | \$ 4.51  | 5          | 200        |
| 3/4"   | \$ 6.66  | 5          | 100        |
| 1"     | \$ 11.31 | 5          | 75         |
| 1 1/4" | \$ 18.01 | 5          | 50         |
| 1 1/2" | \$ 22.53 | 5          | 40         |
| 2"     | \$ 36.56 | 5          | 25         |

## 2246 45° Brass Street Elbow



| Size | List    | Carton Qty | Master Qty |
|------|---------|------------|------------|
| 3/4" | \$ 8.74 | 5          | 100        |

## 2290 90° Brass Elbow



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/4"   | \$ 3.28  | 5          | 300        |
| 1/2"   | \$ 4.95  | 5          | 200        |
| 3/4"   | \$ 6.66  | 5          | 100        |
| 1"     | \$ 10.25 | 5          | 75         |
| 1 1/4" | \$ 16.32 | 5          | 50         |
| 1 1/2" | \$ 20.41 | 5          | 35         |
| 2"     | \$ 33.18 | 5          | 20         |

## 2290 90° Brass Reducing Elbow



| Size        | List     | Carton Qty | Master Qty |
|-------------|----------|------------|------------|
| 3/4" x 1/2" | \$ 7.30  | 5          | 160        |
| 1" x 3/4"   | \$ 12.79 | 5          | 100        |

## 2291 90° Brass Street Elbow



| Size   | List     | Carton Qty | Master Qty |
|--------|----------|------------|------------|
| 1/4"   | \$ 4.95  | 5          | 600        |
| 3/8"   | \$ 4.95  | 5          | 300        |
| 1/2"   | \$ 6.16  | 5          | 200        |
| 3/4"   | \$ 8.74  | 5          | 100        |
| 1"     | \$ 14.32 | 5          | 75         |
| 1 1/4" | \$ 22.03 | 5          | 40         |
| 1 1/2" | \$ 28.62 | 5          | 35         |
| 2"     | \$ 48.55 | 5          | 20         |

- Material conforms to ASTM B824 & ASTM B62
- Threads conform to ANSI B1.20.1
- Dimensions conform to ANSI B16.15, ANSI WWW-U-516-B, ANSI B16.24





Chicago Fittings



# Chicago Fittings

Plumbing Catalog / Price List - June 2018

MORE THAN A BRAND. WE'RE A FAMILY.

# Flexible Anodeless Risers for Natural Gas Applications



X-Riser



## Features & Benefits

### - No Underground Joints

One solid service line from point-to-point with above ground terminations.

### - No Chamfering

A simple clean cut is all that is required.

### - Bi-Directional Seal

Assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.

### - No Torque Requirements

All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.

### - Simple Design

Can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.

### - Integral Barbed Stiffeners

Are permanent (not loose) for additional pull out resistance.

### - Quality


Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.

Chicago Fittings

| CFC Part #       | Description (PE Size x Outlet x OAL)                  | Box Qty. | Box Wt. | List Price |
|------------------|---|----------|---------|------------|
| XR-13B-8-36-ZDC  | 1/2" IPS (SDR 77.090" Wall) x 1/2" MNPT x 36"OAL      | 15       | 36      | \$ 61.95   |
| XR-18B-12-36-ZDC | 1" CTS (SDR 12.5/.090" Wall) x 3/4" MNPT x 36"OAL     | 9        | 33      | \$ 60.90   |
| XR-18B-16-36-ZDC | 1" CTS (SDR 12.5/.090" Wall) x 1" MNPT x 36"OAL       | 9        | 33      | \$ 60.90   |
| XR-17C-12-36-ZDC | 3/4" IPS (SDR 11/.095" Wall) x 3/4" MNPT x 36" OAL    | 10       | 32      | \$ 55.65   |
| XR-21J-16-36-ZDC | 1" IPS (SDR 11/.119" Wall) x 1" MNPT x 36"OAL         | 7        | 34      | \$ 91.88   |
| XR-27G-20-36-ZDC | 1-1/4" IPS (SDR 11/.151" Wall) x 1-1/4" MNPT x 36"OAL | 5        | 33      | \$ 103.95  |
| XR-27H-20-36-ZDC | 1-1/4" IPS (SDR 10/.166" Wall) x 1-1/4" MNPT x 36"OAL | 5        | 33      | \$ 103.95  |
| XR-31K-24-36-ZDC | 1-1/2" IPS (SDR 11/.173" Wall) x 1-1/2" MNPT x 36"OAL | 4        | 31      | \$ 176.93  |
| XR-38M-32-36-ZDC | 2" IPS (SDR 11/.216" Wall) x 2" MNPT x 36"OAL         | 3        | 33      | \$ 180.60  |



# Plastic Service Fittings



## Features & Benefits

- **Sealastic Design**  
Rugged leak resistant design utilizing a molded rubber seal/ferrule assembly and integral stiffener
- **Bottom Nut (Positive Stop)**  
Self-seating design eliminates the need for torque measurement
- **Bi-Directional Seal / Ferrule Assembly**  
One piece design eliminates worries of "Order & Orientation" of multiple internal components
- **Solid Bar Stock Construction**  
CNC machined from solid bar stock eliminates concerns associated with malleable castings
- **Ease of Assembly**  
Hex construction allows for use of flat jawed wrenches and greatly reduces damage to finishes compared to that of bite-style wrenches.
- **Tube Preparation**  
A clean, burr-free cut is all that's required (No chamfering tools or fusion equipment).

## 597 Series

Male Adapters (Plastic x MPT)

| CFC Part #  | Description (PE Size x Outlet)               | Box Qty. | Box Wt. | List Price |
|-------------|--|----------|---------|------------|
| M597C11S090 | 1/2" IPS (SDR 9.3/.090" Wall) x 1/2" MNPT    | 25       | 18      | \$ 35.70   |
| M597C12S090 | 1/2" IPS (SDR 9.3/.090" Wall) x 3/4" MNPT    | 25       | 19      | \$ 35.70   |
| M597C32S095 | 3/4" IPS (SDR 11/.095" Wall) x 3/4" MNPT     | 25       | 20      | \$ 32.03   |
| M597C53S119 | 1" IPS (SDR 11/.119" Wall) x 1" MNPT         | 15       | 30      | \$ 46.73   |
| M597C74S151 | 1-1/4" IPS (SDR 11/.151" Wall) x 1-1/4" MNPT | 10       | 26      | \$ 54.60   |
| M597C74S166 | 1-1/4" IPS (SDR 10/.166" Wall) x 1-1/4" MNPT | 10       | 26      | \$ 54.60   |
| M597C82S173 | 1-1/2" IPS (SDR 11/.173" Wall) x 1-1/2" MNPT | 10       | 31      | \$ 80.33   |
| M597C96S216 | 2" IPS (SDR 11/.216" Wall) x 2" MNPT         | 6        | 28      | \$ 93.98   |



## 750PP Series

Couplings (Plastic x Plastic)

| CFC Part #  | Description (PE Size)          | Box Qty. | Box Wt. | List Price |
|-------------|--------------------------------|----------|---------|------------|
| M750C13     | 1/2" IPS (SDR 9.3/.090" Wall)  | 25       | 38      | \$ 53.55   |
| M750C17     | 3/4" IPS (SDR 11/.095" Wall)   | 20       | 33      | \$ 51.45   |
| M750C21     | 1" IPS (SDR 11/.119" Wall)     | 14       | 44      | \$ 71.93   |
| M750C27     | 1-1/4" IPS (SDR 11/.151" Wall) | 9        | 36      | \$ 81.90   |
| M750C27-166 | 1-1/4" IPS (SDR 10/.166" Wall) | 9        | 36      | \$ 81.90   |
| M750C31     | 1-1/2" IPS (SDR 11/.173" Wall) | 5        | 32      | \$ 116.03  |
| M750C38     | 2" IPS (SDR 11/.216" Wall)     | 4        | 30      | \$ 139.65  |



For fittings coated with E-coat Grey add "EF" to the end of the part number.

For underground use, uncoated fittings must be protected with an approved tape/wrap as defined by local/regional code.

**⚠ Note:** Sealastic products are manufactured under U.S. and foreign patents. Fittings may be reused only if new seal and ferrule is inserted. When pipe movement out of the coupling might occur as a result of forces other than that caused by internal line pressure of 125 psi maximum, proper anchorage of the pipe must be provided.



# Flexible Anodeless Risers for Propane Gas Applications



X-Riser

## Features & Benefits

### - No Underground Joints

One solid service line from point-to-point with above ground terminations.

### - No Chamfering

A simple clean cut is all that is required.

### - Bi-Directional Seal

Assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.

### - No Torque Requirements

All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.

### - Simple Design

Can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.

### - Integral Barbed Stiffeners

Are permanent (not loose) for additional pull out resistance.

### - Quality

Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.



| CFC Part #           | Description (PE Size x Outlet x OAL)                            | Box Qty. | Box Wt. | List Price |
|----------------------|---|----------|---------|------------|
| XR-10B-8SN-36-L-ZDC  | 1/2"CTS (SDR 7/.090 WALL) x 1/2" FEMALE FLARE SWIVEL x 36" OAL  | 20       | 40      | \$ 34.10   |
| XR-10B-8SN-72-L-ZDC  | 1/2"CTS (SDR 7/.090 WALL) x 1/2" FEMALE FLARE SWIVEL x 72" OAL  | 10       | 33      | \$ 39.25   |
| XR-10B-8-36-L-ZDC    | 1/2"CTS (SDR 7/.090 WALL) x 1/2" MNPT x 36" OAL                 | 20       | 40      | \$ 32.17   |
| XR-10B-8-72-L-ZDC    | 1/2"CTS (SDR 7/.090 WALL) x 1/2" MNPT x 72" OAL                 | 10       | 33      | \$ 37.32   |
| XR-10B-12-36-L-ZDC   | 1/2"CTS (SDR 7/.090 WALL) x 3/4" MNPT x 36" OAL                 | 20       | 40      | \$ 32.17   |
| XR-10B-12-72-L-ZDC   | 1/2"CTS (SDR 7/.090 WALL) x 3/4" MNPT x 72" OAL                 | 10       | 33      | \$ 37.32   |
| XR-17C-12-36-L-ZDC   | 3/4"IPS (SDR 11/.095 WALL) x 3/4" MNPT x 36" OAL                | 10       | 38      | \$ 59.19   |
| XR-17C-12-72-L-ZDC   | 3/4"IPS (SDR 11/.095 WALL) x 3/4" MNPT x 72" OAL                | 4        | 26      | \$ 76.57   |
| XR-17C-10SN-36-L-ZDC | 3/4"IPS (SDR 11/.095 WALL) x 5/8" FEMALE FLARE SWIVEL x 36" OAL | 10       | 38      | \$ 68.20   |
| XR-17C-10SN-72-L-ZDC | 3/4"IPS (SDR 11/.095 WALL) x 5/8" FEMALE FLARE SWIVEL x 72" OAL | 4        | 26      | \$ 78.49   |

**Chicago Fittings X-Riser Backyard Products**


**Solid Plastic Service From Point to Point**

**Total Joints = 4 (Zero Below Grade)**

**Total Joints = 16 (4 Below Grade)**

**Features & Benefits**

- **NO UNDERGROUND JOINTS** - One solid service line from point-to-point with above ground terminations.
- **NO CHAMFERING** - A simple clean cut is all that is required.
- **BI-DIRECTIONAL SEAL** assembly CAN'T be installed improperly where some competitors multiple internal components MUST have proper order and orientation to function properly.
- **NO TORQUE REQUIREMENTS** - All X-Risers incorporate the "bottoming" or "positive stop" design. Simply tighten the compression nut until it is metal-to-metal and you are done.
- **SIMPLE DESIGN** can be installed with one flat jaw wrench extending the life of protective coatings commonly flawed or removed by pipe wrenches.
- **INTEGRAL BARBED STIFFENERS** are permanent (not loose) for additional pull out resistance.
- **QUALITY** - Chicago Fittings products are CNC machined from solid bar stock (not castings) providing high quality product with the most precise threads and design flexibility.



## X-Riser Installation Procedures

### For Outdoor Use, (Working Pressure = 125psig)

1. Remove body and install body into meter valve, regulator or piping system First.
2. Insert plastic service tube thru the riser assembly and extend the plastic a minimum of 5" past the end of swivel nut.
3. Cut the plastic tubing square and deburr O.D. and I.D. Clean exposed tubing with a clean, dry, grease free cloth making sure not to scratch the surface of the plastic tubing.
4. Mark tubing to stab depth (SEE CHART) with felt tip pen or suitable marker. Make sure not to scratch surface of plastic tubing with marker.
5. Slip seal over plastic service tube and slide seal into the swivel nut.
6. Stab plastic up into body until end of body is flush to within a 1/8" of the mark.
7. Push swivel nut towards body threads and engage threads. Tighten swivel nut and body until fitting becomes iron bound, that is, "metal to metal".

### Stab Depth / Stiffener Chart

| Tube Size  | Stab Depth | Wall             | Color          |
|------------|------------|------------------|----------------|
| 1/2" CTS   | 1"         | 0.062"<br>0.090" | Gold<br>Steel  |
| 1" CTS     | 1"         | 0.090"<br>0.100" | Steel<br>Gold  |
| 1/2" IPS   | 1"         | 0.090"           | Steel          |
| 3/4" IPS   | 1"         | 0.095"           | Steel          |
| 1" IPS     | 3/4"       | 0.119"           | Steel          |
| 1 1/4" IPS | 1 1/4"     | 0.151"<br>0.166" | Steel<br>Black |
| 1 1/2" IPS | 1 1/4"     | 0.173"           | Steel          |
| 2" IPS     | 1 1/4"     | 0.216"           | Steel          |

**NOTE:** .100" is used for 0.98"-0.102" wall thicknesses

**⚠ FOR OUTDOOR USE ONLY!!**  
Penetrations through concrete slabs (OUTDOOR ONLY) must be sleeved.

## Outside Diameter Chart

Types of Pipe/Tubing for use with A.Y. McDonald Fittings (Outside Diameters listed)

|                             | CTS                                      | CTS*   | CTS*   | CTS*   | PEP*<br>Accepts Barbed Insert  | PEP*  |
|-----------------------------|--|--|--|--|--|---|
| <b>NOMINAL SIZE</b>         | <b>TYPE K or L COPPER TUBE</b>           | <b>POLYETHYLENE ASTM D2737 SDR 9 TUBE SIZE</b> | <b>PEX TUBING ASTM F876 SDR 9 CSA B137.5</b> | <b>POLYBUTYLENE ASTM D2666 SDR 9 TUBE SIZE CLASS 250</b> | <b>POLYBUTYLENE ASTM D2662 SDR 7 or POLYETHYLENE ASTM D2239 SDR 7 POLYETHYLENE PIPE SIZE</b> | <b>POLYETHYLENE ASTM D2239 SDR 9 POLYETHYLENE PIPE SIZE</b> |
| 1/2"                        | $\frac{.622}{.628}$ C                    | $\frac{.621}{.629}$ A C                        | $\frac{.621}{.629}$ A C                      | $\frac{.625}{.633}$ A C                                  | $\frac{.79}{.85}$ B C  |   |
| 5/8"                        |  |  |  |  |  |   |
| 3/4"                        | $\frac{.872}{.878}$                      | $\frac{.871}{.879}$                            | $\frac{.871}{.879}$                          | $\frac{.875}{.883}$                                      | $\frac{1.045}{1.110 (1.089)}$  | $\frac{.993}{1.058}$  |
| 1"                          | $\frac{1.121}{1.129}$                    | $\frac{1.120}{1.130}$                          | $\frac{1.120}{1.130}$                        | $\frac{1.125}{1.135}$                                    | $\frac{1.329}{1.399 (1.384)}$  | $\frac{1.263}{1.333}$                                       |
| 1 1/4"                      | $\frac{1.371}{1.379}$                    | $\frac{1.370}{1.380}$                          | $\frac{1.370}{1.380}$                        | $\frac{1.375}{1.385}$                                    | $\frac{1.754}{1.832 (1.804)}$  | $\frac{1.666}{1.736}$                                       |
| 1 1/2"                      | $\frac{1.621}{1.630}$                    | $\frac{1.619}{1.631}$                          | $\frac{1.619}{1.631}$                        | $\frac{1.625}{1.637}$                                    | $\frac{2.050}{2.141 (2.109)}$  | $\frac{1.948}{2.023}$                                       |
| 2"                          | $\frac{2.120}{2.130}$                    | $\frac{2.119}{2.131}$                          | $\frac{2.119}{2.131}$                        | $\frac{2.125}{2.137}$                                    | $\frac{2.637}{2.742 (2.709)}$  | $\frac{2.507}{2.598}$                                       |
| <b>Type of A.Y. Fitting</b> | <b>Flare, A, -22, G, Q, QA, TA or CC</b> | <b>-22, G, H, Q, QA, T, TA or CE</b>           | <b>-22, G, H, Q, QA, T, TA or CE</b>         | <b>-22, G, H, Q, QA, T, TA or CE</b>                     | <b>-33, -3G, -3H, -3Q, or -3QA</b>   | <b>-34</b>  |
| <b>A.Y. SS Stiffener</b>    | <b>D</b>                                 | 6131T<br>6133T *F                              | 6131T<br>6133T *F                            | 6131T<br>6133T *F  | 6136 *   | 6136  |

### Recommended Torque Chart for Mac-Pak Compression Nuts

Tighten to the following minimum torques: "-22", "-33", "-34", "-44", "-55" Compression

For nut size: 1/2" .....20 ft-lbs 1" .....30 ft-lbs 1 1/2" .....40 ft-lbs  
3/4" .....25 ft-lbs 1 1/4" .....35 ft-lbs 2" .....45 ft-lbs

For soft copper, PVC, polybutylene, and polyethylene tubing, the torques to which the clamp side screw should be tightened are as follows (NOTE CHANGE IN UNIT OF MEASURE):

For clamp screw: 1/2" .....70-80 in-lbs 1" .....90-100 in-lbs 1 1/2" .....160-180 in-lbs  
3/4" .....80-90 in-lbs 1 1/4" .....120-140 in-lbs 2" .....200-220 in-lbs

For hard copper tubing, brass and steel pipe, the torques to which the clamp side screw should be tightened to are as follows (NOTE CHANGE IN UNIT OF MEASURE):

For clamp screw: 1/2" .....70-80 in-lbs 1" .....65-90 in-lbs 1 1/2" .....160-180 in-lbs  
3/4" .....80-90 in-lbs 1 1/4" .....120-140 in-lbs 2" & 2 1/2" .....200-220 in-lbs

### Lead Mac-Pak Comp. "-66", "-67", "-68" Compression

For nut size: 1/2" .....20 ft-lbs 1" .....40 ft-lbs 1 1/2" .....50 ft-lbs  
5/8" .....30 ft-lbs 1 1/4" .....45 ft-lbs 2" .....55 ft-lbs  
3/4" .....35 ft-lbs

NOTE CHANGE IN UNIT OF MEASURE

For clamp screw: 1/2" .....70-80 in-lbs 1" .....90-100 in-lbs 1 1/2" .....160-180 in-lbs  
5/8" .....75-85 in-lbs 1 1/4" .....120-140 in-lbs 2" .....160-180 in-lbs  
3/4" .....80-90 in-lbs

# Outside Diameter Chart

Types of Pipe/Tubing for use with A.Y. McDonald Fittings (Outside Diameters listed)

| C903                  | PVC                                 | IPS*  | IP                      | LEAD PIPE                           |                       |                                     |
|-----------------------|-------------------------------------|---|-------------------------|-------------------------------------|-----------------------|-------------------------------------|
| C903                  | BRASS PIPE & PVC ASTM D1785 SCH. 40 | POLYETHYLENE ASTM D3035 SDR 9 / SDR 11 OD CONTROLLED IRON PIPE SIZE | STEEL PIPE              | STRONG S or A                       | EXTRA STRONG XS or AA | DOUBLE EXTRA STRONG XXS or AAA      |
|                       | $\frac{.836}{.844}$ C               |   | $\frac{.836}{.844}$ B C | $\frac{.783}{.813}$ B               | $\frac{.861}{.891}$   | $\frac{.997}{1.027}$                |
|                       |                                     |   |                         | $\frac{1.004}{1.034}$               | $\frac{1.067}{1.097}$ | $\frac{1.122}{1.152}$               |
| $\frac{.984}{.996}$   | $\frac{1.046}{1.054}$               | $\frac{1.046}{1.054}$ A   | $\frac{1.046}{1.054}$   | $\frac{1.141}{1.171}$               | $\frac{1.197}{1.227}$ | $\frac{1.321}{1.351}$               |
| $\frac{1.260}{1.272}$ | $\frac{1.310}{1.320}$               | $\frac{1.310}{1.320}$ A   | $\frac{1.310}{1.320}$   | $\frac{1.413}{1.443}$               | $\frac{1.477}{1.507}$ | $\frac{1.581}{1.611}$               |
|                       | $\frac{1.655}{1.665}$               | $\frac{1.655}{1.665}$ A   | $\frac{1.655}{1.665}$   | 1 1/4" -44<br>$\frac{1.655}{1.685}$ | $\frac{1.750}{1.780}$ | 1 1/2" -44<br>$\frac{1.874}{1.904}$ |
|                       | $\frac{1.894}{1.906}$               | $\frac{1.894}{1.906}$ A   | $\frac{1.894}{1.906}$   | 1 1/2" -44<br>$\frac{1.969}{1.999}$ | $\frac{2.061}{2.091}$ | 2" -22<br>$\frac{2.257}{2.287}$     |
|                       | $\frac{2.369}{2.381}$               | $\frac{2.369}{2.381}$   | $\frac{2.369}{2.381}$   | 2" -44<br>$\frac{2.488}{2.518}$     | $\frac{2.736}{2.766}$ | $\frac{2.993}{3.023}$ B             |
| <b>K, KA</b>          | <b>-44</b>                          | <b>-44</b>  | <b>-44, -55</b>         | <b>-66</b>                          | <b>-67</b>            | <b>-68</b>                          |
|                       | <b>D</b>                            | SDR 9 - 6137<br>SDR 11 - 6138 *                                     | <b>D</b>                | <b>D</b>                            | <b>D</b>              | <b>D</b>                            |

■ Shaded areas indicate where lead pipe may have to be shaved to fit Compression end shown.

- A - Need insert not available from A.Y. McDonald Mfg. Co.
- B - No fitting from A.Y. McDonald Mfg. Co. available.
- C - 1/2" only available in -22 & -44 series. Contact Factory!
- D - -Insert stiffener not required
- E - -34, -3G, -3Q, -3QA, -3H, and H only available in 3/4" and 1" sizes.
- F - 6131T Plastic Stiffener only available in 3/4" and 1" sizes.
- ( ) - Maximum pipe O.D. that will work with A.Y. McDonald fittings.
- \* - Insert Stiffeners required on all flexible connections except the Handy-Loc.

**Recommended Torque Chart for 6130 Series Compression Nuts**

Tighten to the following minimum torques:


- 3/4" .....35 to 45 ft-lbs
- 1" .....40 to 50 ft-lbs

**Recommended Torque Chart for T Series Compression Nuts**

Tighten to the following minimum torques:

- 3/4" ..... 50 ft-lbs
- 1" ..... 55 ft-lbs
- 1 1/4" ..... 65 ft-lbs
- 1 1/2" ..... 100 ft-lbs
- 2" ..... 125 ft-lbs





# MORE THAN A BRAND. WE'RE A FAMILY.

A.Y. McDonald Mfg. Co. is a leading manufacturer of Waterworks Brass, Plumbing Valves, Pumps and Water Systems, and High Pressure Gas Valves and Meter Bars. The Company has distinguished itself with a proud tradition of quality and reliability since its founding in 1856.

The mission of A.Y. McDonald Mfg. Co., in the words of our founder, is "to make good products and sell them honestly." We, the stockholders and employees, accomplish this by extending the McDonald family culture through excellent customer service and by focusing on our customers' needs.



**1-800-AY-CARES | [aymcdonald.com](http://aymcdonald.com)**

Orders, Questions, Quote Requests:  
Fax Customer Service - 800.832.9296  
E-Mail: [sales@aymcdonald.com](mailto:sales@aymcdonald.com)

**⚠️ WARNING:** It is unlawful in CALIFORNIA & VERMONT (effective 1/1/2010); MARYLAND (effective 1/1/2012); LOUISIANA (effective 1/1/2013) and the UNITED STATES OF AMERICA (effective 1/4/2014) to use any product in the installation or repair of any public water system or any plumbing in a facility or system that provides water for human consumption if the wetted surface area of the product has a weighted average lead content greater than 0.25%. This prohibition does not extend to service saddles used in California, Louisiana or under USA Public Law 111-380. **⚠️ WARNING:** This product can expose you to chemicals including lead, which is known to the State of CALIFORNIA to cause cancer and birth defects or other reproductive harm. For more information go to: [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).