

American Polywater's

# SpliceMaster<sup>®</sup>

Cleaners and Accessories for Safer  
Electrical Cleaning



A Family of Cleaners  
for Safer Electrical Cleaning

The Cleaners

# SpliceMaster®



## Cleaners and Accessories for Safer Electrical Cleaning

There are a number of SpliceMaster® Cleaner/Degreaser types available to meet different needs in cable and general electrical cleaning. They share the following features:

- **No Residue** - SpliceMaster® Cleaners evaporate completely and leave no residue. They meet IEEE 1493 requirement for less than 100 PPM residue.
- **High Solvency Power** - All are excellent cleaners for electrical grime like shield picks, corrosion inhibitor, silicone grease, and oils.
- **Accessories Compatible** - Tested to IEEE 1493. When used as directed, SpliceMaster® Cleaners do not harm insulating or semiconducting polymers. Polymer materials should never be soaked in cleaning solvent.
- **Environmental Status** - All cleaners are SNAP approved for intended use. They do not contain Class 1 ozone depleters or HAP's (Hazardous Air Pollutants).
- **Plastics Compatibility** - Some of the cleaners are suitable for use on solvent-sensitive plastics such as polycarbonate. Consult cleaner technical data sheet for specifics.
- **Safer, Controlled Use** - SpliceMaster® PEL-PAC® package controls release of, and exposure to, solvent vapors.

### The Separate Types:

SpliceMaster® Cleaner Characteristics					
Cleaner Type	Cleaning Power	Drying Rate	Flash Point	Meets IEEE 1493 Voltage Withstand	Features and Uses
FD™	Good	Fast	>0° F	Yes	Available in aerosol cans or bulk containers. Fast evaporating cleaner for splicing cables, degreasing transformers or cleaning contacts. Economical and versatile. Crews that prefer aerosols will love Type FD™.
GP™	Excellent	Medium/ Fast	123°F (50°C)	Yes	Faster evaporating than citrus cleaners. A versatile cleaner for all operations. Available in bulk, towelette or kit packages. Great for silicone grease residue.
HP™	Good	Medium	>140 °F (>60°C)	Yes	Broadly effective, economical, general purpose cleaner. Use for electrical maintenance and general electrical cleaning. Can be dried from surface for fastest use. Comes in broad variety of packages for different use methods.
KC™	Good	Very Fast	None	Yes	A non-flammable, specialty, electrical cable and contact cleaner. Does not dissolve or stress crack most plastics. Very fast evaporating cleaner. Only available in aerosol cans. Excellent for cleaning cables, relays, electronic equipment, and contacts.
RP™	Excellent	Fast	19°F (-7°C)	Yes	Excellent replacement for chlorinated solvents in high voltage cable splice preparation. Leaves no residue. Available in pre-saturated towelettes and kit packages.

### Packaging



#### PEL-PAC® Prep Kits

Kits provide everything needed for splice and termination cleaning. The cleaner is saturated on nonlinting wipes. Sanding cloth and dry towels are optional.

- Convenient. Everything Needed for the Job
- Safer. Minimizes Solvent Exposure
- No Spills or Mess



#### Aerosols & Sprays

Aerosols and directional sprayers provide a way to get solvent to hard-to-reach places.

- Convenient for Maintenance Use
- Adjustable Flow Spray Heads
- Cleans Hard-to-Reach Places



#### Bulk Packages

SpliceMaster® Cleaners are available in 55-gallon, 5-gallon, gallon, quart, pint, and spray aerosol containers. Special packages can be filled on customer request.

- Economical for Large Jobs
- Refill Spray Bottles Economically
- Convenient for Dipping or Pumping

## The System



## Cleaners and Packages for Convenience, Control and Safety

- Small PEL-PAC® Kit contains just enough for the job.
- Low volume of solvent in packs controls vapor exposure.
- Packs eliminate solvent spills and potential environmental liability.
- Packs fit in tool bag or pocket for convenient use.
- Choose the right cleaner for your job from multiple cleaner options.
- Package options designed for a variety of cleaning needs.
- Field-friendly cable preparation kits with optional abrasive and drying cloth.
- Aerosol sprays for diverse electrical maintenance use.
- American Polywater's support includes video on termination cleaning procedures.
- PEL-PAC® calculations can estimate vapor levels for safer working environment.
- American Polywater expertise. Whether VOC's, evaporation rates, or dielectric properties. Just ask.

DSCF7184

## Other Accessories



### Wet/Dry Systems

Surface drying of slower evaporating solvents speeds their use. Polywater's HP™ Tandem Pack™ (HP-P158ID) includes both a wet and dry wipe.

- Speed up cleaner evaporation and use.
- Minimize solvent contact time with rubber/plastic.
- Lint-free disposable wiping towels also available separately



### Empty Solvent-Resistant Bottles

Empty refillable solvent-resistant bottles. Save money by purchasing bulk product and refilling bottles. Labeling with SpliceMaster® Cleaner available upon request.

- Available in 2 sizes:
- ST-1 Pint with spray head
  - ST-2 Quart with spray head



### Dry Towels

Durable non-linting tow-ettes for applying bulk SpliceMaster® Cleaners or for wiping them dry.

- Two convenient sizes:
- DT-69 (6"x9")
  - DT-1212 (12"x12")

Cleaners/Degreasers

# SpliceMaster®



Bulk Components and Accessories		
Product Number	Package Description	Units/Case
DT-69	Dry Towels: (200) Dry 6"x9" towelettes, non-linting, durable. Self-dispensing box	1
DT-1212	Dry Towels: (100) Dry 12"x12" towelettes, non-linting, durable. Self-dispensing box	1
SP-ROLL	Sanding Cloth: 1"x 50-yard roll of 120-grit, nonconductive aluminum oxide.	1
ST-1	EMPTY Solvent-resistant Bottles: 16-oz bottle with spray trigger head. <b>Special Order</b>	12
ST-2	EMPTY Solvent-resistant Bottles: 32-oz bottle with spray trigger head. <b>Special Order</b>	12
ST-R	Spray trigger head that fits pint or quart bottles	12

## SpliceMaster® Product Numbers

### Cleaner Types

FD™ Cleaner	GP™ Cleaner	HP™ Cleaner	KC™ Cleaner	RP™ Cleaner	Package Description	Units/Case
FD-DRUM	GP-DRUM	HP-DRUM	---	---	55-gallon drum	1
FD-640	GP-640	HP-640	---	---	5-gallon pail	1
FD-128	GP-128	HP-128	---	---	1-gallon container	4
FD-35LF	GP-35LF	HP-35LF	---	---	Quart bottle w/flip top	12
---	---	HP-16LF	---	---	Pint bottle w/flip top	12
FD-9	---	HPY-12	KC-16	---	Aerosol (16 oz can)	12
---	---	HP-1	---	RP-1L	8"x12" saturated wipe in pouch	144
---	---	---	---	RP-1	5"x8" saturated wipe in pouch	96
---	---	HP-P158ID	---	---	Tandem Pack™- wet/dry 5"x8" wipes	144
---	GP-D72	HP-D72	---	---	Canister with 72 10"x12" saturated wipes	6
---	GP-T369	HP-T369	---	---	PEL-PAC® Prep Kit for cable cleaning, in tin	24
---	GP-T369/S	HP-T369/S	---	---	PEL-PAC® Prep Kit for cable cleaning, in tin, with sanding strip	24
---	---	HP-T369/S-D	---	---	PEL-PAC® Prep Kit for cable cleaning, in tin, with sanding strip & drying towel	24
---	---	HP-P63	---	RP-P63	Prep Kit Pouch, 6 cleaning wipes/drying towels, 3 sanding cloths, instructions	12

**NOTE:** Product codes for the PEL-PAC® Prep Kit for cable cleaning shown are for tins. Kits are also available in pouches or with customized towel counts and sizes.

**To view technical information on our website go to:**  
Support Page: [www.polywater.com/splicemaster.asp](http://www.polywater.com/splicemaster.asp)

American  
**Polywater**  
Corporation

phone: 1-800-328-9384  
1-651-430-2270  
fax: 1-651-430-3634

email: [support@polywater.com](mailto:support@polywater.com)

11222 60th Street North, Stillwater, MN 55082, U.S.A

ADHESIVES | **CLEANERS** | LUBRICANTS | SEALANTS

[WWW.POLYWATER.COM](http://WWW.POLYWATER.COM)

Important Notice: The statements here are made in good faith based on tests and observations we believe to be reliable. However, the completeness and accuracy of the information is not guaranteed. Before using, the end-user should conduct whatever evaluations are necessary to determine that the product is suitable for the intended use.

American Polywater expressly disclaims any implied warranties and conditions of merchantability and fitness for a particular purpose. American Polywater's only obligation shall be to replace such quantity of the product proven to be defective. Except for the replacement remedy, American Polywater shall not be liable for any loss, injury, or direct, indirect, or consequential damages resulting from products use, regardless of the legal theory asserted