

VAPCO PRODUCTS DIV. 401 Marshall Road

Valley Park, MO 63088

CORK TAPE

Page 1 of 2

For Customer Service call: (636) 923.2121 Emergency Telephone: (800) 255-3924

0-0-0

NFPA: 0-0-0

Data Sheet: 123 Prepared: 12/28/05 Supersedes: 05/15/01

This Material Safety Data Sheet complies with OSHA Hazard Communication Standard 29 CFR 1910.1200.

HMIS:

SECTION 1: COMPOSITION / INFORMATION ON INGREDIENTS					
Not Applicable					
Ingredient(s)	<u>Exposure Limits</u>	Percent	Note		
NA	NA	NA	NA		

SECTION 2: HAZARDS IDENTIFICATION

Permissible Exposure Limits: Not established for this product.

Effects of Acute Overexposure:

Eyes: NA.

Skin: NA.

Breathing: NA.

Swallowing: NA.

Primary Route(s) of Entry: Skin contact, eye contact, and inhalation.

SECTION 3: FIRST AID MEASURES

EYES: NA.

SKIN: NA.

BREATHING: NA.

SWALLOWING: NA.

SECTION 4: FIRE FIGHTING MEASURES

Flash Point: 450 °F

Explosive Limit: Not Established for product.

Extinguishing Media: Foam, CO₂, Dry Chemical..

Hazardous Decomposition Products: CO, CO₂, H₂O and isobutane.

Fire Fighting Procedures: Water Unsuitable. Wear self-contained breathing apparatus with full face piece operated in pressuredemand and full body protective clothing when fire fighting.

SECTION 5: ACCIDENTAL RELEASE MEASURES

Small Spill: Repackage uncontaminated tape. Dispose of contaminated or unusable tape.

Large Spill: Same as above.

SECTION 6: HANDLING AND STORAGE

Storage Precautions: Prevent high temperature exposure.

SECTION 7: EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection: Not required under normal conditions of use.

Ventilation: Provide sufficient mechanical ventilation (general and/or local exhaust) to maintain exposure below recommended exposure limits.

Protective Gloves: Not Required.

Eye Protection: Not Required.

Other Protective Equipment: Normal plant safety equipment.

SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES					
Property	<u>Measurement</u>	<u>Property</u>			
Boiling Point	NA	Specific Gravity	.76 <u>+</u> .05g/cc		
Vapor Pressure	NA	Melting Point	400 °F		
Vapor Density	NA	Evaporation Rate	NA		
Solubility In Water	No	Reactivity in Water	None		
Appearance & Odor	Soft, pliable pressure sensitive material				

SECTION 9: STABILITY AND REACTIVITY

Hazardous Polymerization: Can not occur.

Stability: Stable.

Incompatibility: Oxygen supplying chemicals and contact with acid clays at elevated temperatures.

SECTION 10: TOXICOLOGICAL INFORMATION

No data available at this time.

SECTION 11: ECOLOGICAL INFORMATION

No data available at this time.

SECTION 12: DISPOSAL CONSIDERATIONS

Bury tape in an approved land fill site. Dispose of in accordance with all Local, State, and Federal regulations.

SECTION 13: TRANSPORTATION INFORMATION

DOT Hazard Classification: Caulking Compound, NOIBN

SECTION 14: REGULATORY INFORMATION

SARA Title III, Section 313 chemicals: None SARA Title III, Section 312: Health - Acute (No) Chronic (No) Fire (No) Reactivity (No) Proposition 65: None

SECTION 15: OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.