



Commercial & Residential **DOWNLIGHTS**

RECESSED | RECESSED EMRG
WAFFER | RETROFIT TRIM | DISK LIGHT

FEBRUARY 2022

4	INSTALLATION OPTIONS
6	RECESSED INTEGRATED DRIVER
10	INTEGRATED EMERGENCY
14	REMOTE DRIVER
18	WAFER
22	RETROFIT TRIM
28	DISK LIGHT



RECESSED
INTEGRATED
DRIVER



INTEGRATED
EMERGENCY
SOLUTION



REMOTE
DRIVER



WAFER



RETROFIT TRIM



DISK LIGHT

Downlights For All Applications


KEYSTONE LED DOWNLIGHTS



Efficient and Durable
LED lighting saves energy and money over legacy illumination. And with Keystone, you know your lights will last, with 50,000-hour lifetimes.



Easy Installation
Keystone downlights are designed to be installed quickly, working with existing designs and offering easy connection.




Versatility & SKU Reduction
Power and Color Select technology allows end users to choose from multiple power outputs and color temperatures - and helps distributors stock fewer SKUs.

**INSTALL
OPTIONS**

The right downlight for the right installation.

ADVANTA


RECESSED INTEGRATED DRIVER



Internal driver and integral whip allow for quick installation into new or existing junction box

ADVANTA_{EMRG}


RECESSED EMERGENCY DRIVER



Pre-wired driver and pre-installed emergency battery backup includes simple plug with built-in J-box for easy power connection

ADVANTA_{RMT}


RECESSED REMOTE DRIVER



Utilizes remote driver with built-in junction box and quick disconnect, eliminating need for traditional multi-piece fixture setup

CIRCA


WAFER



With remote driver and built-in junction box, eliminates the need for traditional multi-piece fixture setup

AVIVA


RETROFIT TRIM



Simply screw into an E26 socket on existing recessed fixtures

OVA

DISK LIGHT



Suitable for surface mounting with a wide range of existing cans or junction box installations



RECESSED
INTEGRATED
DRIVER



ADVANTA

Integrated Driver

Ideal for new and
retrofit installations.



COLOR SELECT TECHNOLOGY

Adjustable: 2700K—3500K—5000K or 3000K—3500K—4000K



POWER SELECT TECHNOLOGY

Reduce SKUs and increase both flexibility and convenience with field-adjustable power outputs (3 options)



DIMMABLE

0-10V dimming offers efficiency and energy savings

RECESSED
INTEGRATED
DRIVER

PRODUCT DETAILS



ADVANTA

With a deep recessed design, large metal trim, integrated driver, and flexible metal conduit for all wiring, Advanta downlights are ideal for commercial retrofit applications of existing 4-pin CFL based fixtures. When used in conjunction with related mounting accessories, Advanta is also a great choice for new construction builds.

Advanta is also equipped with Keystone’s Power Select and Color Select technology, reducing SKUs and allowing installers to choose among selectable wattages and selectable color temperatures.

Features & Benefits

- Internal driver and integral whip allow for quick installation into new or existing junction box
- Design features smooth, non-baffled trim, which offers clean, modern appearance
- Equipped with Keystone Power Select and Color Select technologies
- 0-10V dimming
- Suitable for use in wet locations
- Airtight and Type IC-rated
- Available with high CRI

INTERCHANGEABLE TRIM RINGS

MATTE BLACK

BRUSHED NICKEL

BRONZE

GOOF RINGS


ROUGH-IN PLATE

RECESSED
EMERGENCY

ADVANTA_{EMRG}

Recessed EMRG

Everything needed in one
emergency fixture.



COLOR SELECT TECHNOLOGY

Adjustable: 3000K—3500K—4000K



POWER SELECT TECHNOLOGY

Reduce SKUs and increase both flexibility and convenience
with field-adjustable power output (3 options)



FULLY INTEGRATED

Features built-in EMRG pack and conveniently
located test button




90 MIN EMERGENCY BACKUP

RECESSED
EMERGENCY
PRODUCT DETAILS



EMERGENCY
TEST BUTTON




POWER & COLOR
SELECT SWITCHES

Available Sizes

6"

8"



QUICK CONNECT


INTERCHANGEABLE TRIM RINGS



MATTE
BLACK



BRUSHED
NICKEL




BRONZE

GOOF RINGS



ROUGH-IN PLATE



ADVANTA_{EMRG}

Advanta EMRG offers a unique take on emergency lighting. It adds emergency illumination functionality in the form of a pre-installed and pre-wired LED emergency battery backup kit with an included test button/indicator light in the downlight housing. The wiring conduit includes a quick disconnect feature to aid in easy installation.

Advanta EMRG is also equipped with Keystone's Power Select and Color Select technology.

Suitable for new construction or retrofit applications, Advanta EMRG takes all the guesswork out of code—compliant emergency illumination needs for downlights.

Features & Benefits


- Equipped with Power Select and Color Select technology, allowing for easy, on-the-job adjustments
- Built-in 5W LED Keystone Smart Safe Emergency Driver compliant with CEC T20
- Designed with junction box and quick disconnects for easy installation
- Suitable for use in dry and damp locations
- Airtight and Type IC-rated
- Smooth reflector trim offers clean, modern appearance
- 90 CRI

RECESSED
REMOTE
DRIVER

ADVANTA_{RMT}

Recessed Remote Driver

Perfect for narrow plenums
or obstructed spaces.



COLOR SELECT TECHNOLOGY

Adjustable: 2700K—3000K—3500K—4000K—5000K



POWER SELECT TECHNOLOGY (ON SELECT MODELS)

Reduce SKUs and increase both flexibility and convenience with field adjustable power outputs (3 options)



DIMMABLE

Available with TRIAC or 0-10V dimmability, offering efficiency and energy savings




RoHS
Compliant

50,000 HOUR
LIFETIME

5 YEAR
WARRANTY



RECESSED
REMOTE
DRIVER
PRODUCT DETAILS



COLOR & POWER
SELECT SWITCHES

Available Sizes



INTERCHANGEABLE TRIM RINGS




GOOF RINGS

EXTENSION CORD



ROUGH-IN PLATE



Features & Benefits

- Utilizes remote driver with built-in junction box and quick disconnect, eliminating need for traditional multi-piece fixture setup
- Deep recessed design features smooth, non-baffled trim, offering clean, modern appearance
- Keystone Power Select and Color Select technologies offer SKU reduction and allow for easy, on-the-job adjustments
- Available in 0-10V dimming or TRIAC options
- Suitable for use in wet locations
- Airtight and Type IC-rated

ADVANTARMT

Advanta RMT offers a remote driver option for recessed downlight solutions. It keeps the same deep recessed design, but allows for flexible options with regards to the mounting driver. It's ideal for new construction applications with narrow plenums or obstructed spaces.

WAFER

CIRCA

Wafer


A slim downlight with big performance that can fit almost anywhere.



COLOR SELECT TECHNOLOGY
Adjustable: 2700K—3000K—3500K—4000K—5000K



POWER SELECT TECHNOLOGY (ON SELECT MODELS)
Reduce SKUs and increase both flexibility and convenience with field adjustable power outputs (3 options)




FLUSH MOUNTING
Slim and recessed options available, both with beautiful aesthetics



INSTALLABLE IN MANY SPACES
Airtight and IC-rated, and suitable for use in wet locations


WAFER PRODUCT DETAILS



Available Sizes



CIRCA




Circa, Keystone’s wafer LED downlight, blends modern edge-lit aesthetics with superior installation flexibility. The family comes in two styles: a true slim wafer as well as a recessed version. With its remote driver and built-in junction box, Circa eliminates the need for a traditional multipiece fixture setup. And both options fit in shallow ceilings and flexible locations so there’s no worry about ceiling joist obstructions.

Circa is available with Power Select and Color Select technology, offering three wattage outputs and five color temperatures, or in a dedicated version with a single wattage output.

Features & Benefits

- Remote driver and built-in junction box eliminates the need for a traditional multipiece fixture setup
- Keystone Power and Color Select technology available
- Slim design allows fit for shallow ceilings and flexible locations
- Edge-lit LED technology provides even illumination
- Suitable for use in wet locations
- Airtight and Type IC-rated
- Available in slim and recessed options

INTERCHANGEABLE TRIM RINGS




GOOF RINGS

EXTENSION CORD



ROUGH-IN PLATE




RETROFIT
TRIM

AVIVA

Retrofit Trim

With easy installation, beautiful aesthetics, and several options, an ideal residential solution.



COLOR SELECT TECHNOLOGY (ON SELECT MODELS)

Adjustable: 2700K—3000K—3500K—4000K—5000K



POWER SELECT TECHNOLOGY (ON SELECT MODELS)

Adjustable: 8W—10W—14W



ADAPTER

The quick-disconnect E26 base adapter provides for easy installation.



RoHS
Compliant


50,000 HOUR
LIFETIME

5 YEAR
WARRANTY



Intertek

**RETROFIT
TRIM**
PRODUCT DETAILS



**COLOR & POWER
SELECT SWITCHES**

50K 40K 35K 30K 27K High-14W Mid-10W Low-8W

INTERCHANGEABLE TRIM RINGS

MATTE BLACK BRUSHED NICKEL BRONZE

GOOF RINGS

Available Sizes

4" 5/6"

**Also available in
Contractor Series**

Also available in Contractor Series with dedicated wattage and color temperature.

- Available in 4" and 5/6" Circular
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming
- Diffused lens reduces glare



AVIVA


Aviva is Keystone’s residential downlight solution. All Aviva downlights simply screw into the socket of any existing can light—no need for a junction box—while offering improved aesthetics vs. screw-in lamps. Installing in a retrofit? The quick-disconnect E26 base adapter provides for easy installation. Available in standard configurations, as well as gimbal options for use in vaulted ceilings or to highlight feature items along a nearby wall.

Keystone Power Select and Color Select technology is available on select models, offering up to three wattage outputs and five color temperature settings.

Features & Benefits

- Offers improved aesthetics vs. screw-in lamps while using the same easy screw-in installation
- Keystone Power Select and Color Select technology available
- Ideal for retrofit, new construction, and remodel applications
- Quick-disconnect E26 base adapter for easy installation in retrofit applications
- Suitable for a wide range of existing recessed can fixtures
- Diffused lens reduces glare
- Powered by Triac dimming Keystone LED driver; 10-100% dimming

RETROFIT
GIMBAL
PRODUCT DETAILS



Available Sizes

4"

5/6"

AVIVA

Vaulted ceiling? Keystone covers all the angles. Aviva is available as a gimbal unit, so you can set the inclination you need. The gimbal unit has the same features as other Aviva models, so there's no worry about its capabilities—or dependability.

Features & Benefits

- Offers improved aesthetics vs. screw-in lamps while using the same easy screw-in installation
- Keystone Power Select and Color Select technology available
- Ideal for retrofit, new construction, and remodel applications
- Quick-disconnect E26 base adapter for easy installation in retrofit applications
- Suitable for a wide range of existing recessed can fixtures
- Diffused lens reduces glare
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming

GOOF RING

GU24 BASE ADAPTER



DISK
LIGHT



OVA

Disk Light

Streamlined aesthetics for a clean, modern appearance.



COLOR SELECT TECHNOLOGY

Adjustable: 2700K—3000K—4000K—5000K



SCREW-IN INSTALLATION

Mount directly to a junction box, or retrofit into a wide range of existing cans



VERSATILE

Ideal for both commercial and residential structures




RoHS
Compliant


50,000 HOUR
LIFETIME

5 YEAR
WARRANTY

**DISK
LIGHT**
PRODUCT DETAILS



COLOR SELECT
SWITCH



Available Sizes



E26 BASE ADAPTER

OVA

Keystone's Ova line of downlights is ideal for both light-duty commercial buildings and multi-dwelling unit (MDU) structures such as condominiums and apartment buildings. These surface-mount disk lights offer improved aesthetics vs. screw-in lamps while using the same easy screw-in installation. They mount directly to a junction box or retrofit into a wide range of existing cans, and their flush mount offers a clean, modern appearance.

Ova is equipped with Color Select technology, helping reduce SKUs and allowing end-users to choose from among four color temperatures.



Features & Benefits:

- Offers improved aesthetics vs. screw-in lamps while using the same easy screw-in installation
- Equipped with Color Select technology, which lets you stock fewer SKUs
- Ideal for retrofit, new construction, and remodel applications
- Quick-disconnect E26 base adapter for easy install
- Suitable for a wide range of existing cans or junction box installations
- Powered by Keystone TRIAC dimming LED driver; 10–100% dimming
- Flush mount offers clean, modern appearance

ADVANTA


Integrated Driver

80 CRI | POWER & COLOR SELECT


CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-RDLED18PS-6A-8CSG-VDIM	120-277V	0-10V	6"	18.5W/13W/9W	1650/1200/850	27/35/50K	
KT-RDLED18PS-6A-8CSE-VDIM			6"	18.5W/13W/9	1650/1200/850	30/35/40K	
KT-RDLED29PS-8A-8CSG-VDIM			8"	29W/23W/16.5	2700/2200/1600	27/35/50K	
KT-RDLED29PS-8A-8CSE-VDIM			8"	29W/23W/16.5	2700/2200/1600	30/35/40K	
KT-RDLED38PS-10A-8CSG-VDIM			10"	37.5W/29.5W/21	3600/2900/2250	27/35/50K	
KT-RDLED38PS-10A-8CSE-VDIM			10"	37.5W/29.5W/21	3600/2900/2250	30/35/40K	
90 CRI POWER & COLOR SELECT							
KT-RDLED18PS-6A-9CSE-VDIM	120-277V	0-10V	6"	18.5W/13W/9	1500/1100/700	30/35/40K	
KT-RDLED29PS-8A-9CSE-VDIM			8"	29W/23W/16.5	2500/2000/1500	30/35/40K	
KT-RDLED38PS-10A-9CSE-VDIM			10"	37.5W/29.5W/21	3300/2500/2000	30/35/40K	

ACCESSORIES FOR INTEGRATED DRIVERS


CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-RDLED-6A-MB-TRIM	6" Interchangeable Trim, Matte Black	KT-RDLED-6A-BR-TRIM	6" Interchangeable Trim, Bronze
KT-RDLED-8A-MB-TRIM	8" Interchangeable Trim, Matte Black	KT-RDLED-8A-BR-TRIM	8" Interchangeable Trim, Bronze
KT-RDLED-10A-MB-TRIM	10" Interchangeable Trim, Matte Black	KT-RDLED-10A-BR-TRIM	10" Interchangeable Trim, Bronze
KT-RDLED-6A-BN-TRIM	6" Interchangeable Trim, Brushed Nickel	KT-RDLED-6A-GOOF	6" Goof Ring, 10.51" Outer Diameter
KT-RDLED-8A-BN-TRIM	8" Interchangeable Trim, Brushed Nickel	KT-RDLED-8A-GOOF	8" Goof Ring, 12.51" Outer Diameter
KT-RDLED-10A-BN-TRIM	10" Interchangeable Trim, Brushed Nickel	KT-RDLED-10A-GOOF	10" Goof Ring, 14.17" Outer Diameter




TRIM RING COLORS



JUNCTION BOX



ROUGH-IN PLATE




GOOF RINGS

ADVANTA^{EMRG}


Emergency Backup Integrated

90 CRI | POWER & COLOR SELECT


CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-RDLED17PS-6A-9CSE-VDIM-EM5	120-277V	0-10V	6"	17W/12W/10W	1400/1000/800	30/35/40K	
KT-RDLED20PS-8A-9CSE-VDIM-EM5			8"	20W/17W/14	1750/1450/1200	30/35/40K	

ACCESSORIES FOR EMERGENCY BACKUP


CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-RDLED-EM-6A-MB-TRIM	6" Interchangeable Trim, Matte Black	KT-RDLED-EM-8A-BN-TRIM	8" Interchangeable Trim, Brushed Nickel
KT-RDLED-EM-8A-MB-TRIM	8" Interchangeable Trim, Matte Black	KT-RDLED-EM-6A-BR-TRIM	6" Interchangeable Trim, Bronze
KT-RDLED-EM-6A-BN-TRIM	6" Interchangeable Trim, Brushed Nickel	KT-RDLED-EM-8A-BR-TRIM	8" Interchangeable Trim, Bronze



TRIM RING COLORS





ROUGH-IN PLATE



GOOF RINGS

Remote Driver

90 CRI | POWER & COLOR SELECT


CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-RDLED16PS-4B-9CSF-VDIM	120-277V	0-10V	4"	16/11/7W	1600/1100/700	27/30/35/40/50K	
KT-RDLED18PS-6B-9CSF-VDIM			6"	18.5/13/9W	1850/1300/900	27/30/35/40/50K	
KT-RDLED29PS-8B-9CSF-VDIM			8"	29/23/16.5W	2750/2300/1650	27/30/35/40/50K	
KT-RDLED38PS-10B-9CSF-VDIM			10"	37.5/29.5/21W	3650/3050/2250	27/30/35/40/50K	
90 CRI COLOR SELECT							
KT-RDLED9-4B-9CSF-FDIM	120V	TRIAC	4"	9W	650	27/30/35/40/50K	
KT-RDLED13-6B-9CSF-FDIM			6"	13W	950	27/30/35/40/50K	
KT-RDLED23-8B-9CSF-FDIM			8"	23W	1950	27/30/35/40/50K	

ACCESSORIES FOR REMOTE DRIVER


CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-RDLED-4B-MB-TRIM	4" Interchangeable Trim, Matte Black	KT-RDLED-4B-BR-TRIM	4" Interchangeable Trim, Bronze
KT-RDLED-6B-MB-TRIM	6" Interchangeable Trim, Matte Black	KT-RDLED-6B-BR-TRIM	6" Interchangeable Trim, Bronze
KT-RDLED-8B-MB-TRIM	8" Interchangeable Trim, Matte Black	KT-RDLED-8B-BR-TRIM	8" Interchangeable Trim, Bronze
KT-RDLED-10B-MB-TRIM	10" Interchangeable Trim, Matte Black	KT-RDLED-10B-BR-TRIM	10" Interchangeable Trim, Bronze
KT-RDLED-4B-BN-TRIM	4" Interchangeable Trim, Brushed Nickel	KT-RDLED-4B-GOOF	4" Goof Ring
KT-RDLED-6B-BN-TRIM	6" Interchangeable Trim, Brushed Nickel	KT-RDLED-6B-GOOF	6" Goof Ring
KT-RDLED-8B-BN-TRIM	8" Interchangeable Trim, Brushed Nickel	KT-RDLED-8B-GOOF	8" Goof Ring
KT-RDLED-10B-BN-TRIM	10" Interchangeable Trim, Brushed Nickel	KT-RDLED-10B-GOOF	10" Goof Ring
		KT-MC-NP-1-18/3	12" Metal Clad Cable (L, N, G)

ACCESSORIES FOR ALL RECESSED DOWNLIGHTS


CATALOG NUMBER	DESCRIPTION
KT-RDLED-JBOX-1-KIT	Junction Box for Recessed Commercial Downlights
KT-RDLED-PLATE-1	Rough-in plate for Recessed Commercial Downlights
KT-WDLED-PLATE-2	New Rough-in plate, Adjustable hanger bars




TRIM RING COLORS




ROUGH-IN PLATE



12" METAL-CLAD INPUT WIRE CABLE





EXTENSION CORD



GOOF RINGS


Slim

90 CRI | COLOR SELECT | SLIM


CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-WDLED9-4A-9CSF-FDIM	120V	TRIAC	4"	9W	650	27/30/35/40/50K	
KT-WDLED13-6A-9CSF-FDIM			6"	13W	1000	27/30/35/40/50K	
KT-WDLED23-8A-9CSF-FDIM			8"	23W	1800	27/30/35/40/50K	
90 CRI POWER & COLOR SELECT SLIM							
KT-WDLED10.5PS-4A-9CSF-VDIM	120-277V	0-10V	4"	10.5/9.5/8.5W	850/770/700	27/30/35/40/50K	
KT-WDLED14PS-6A-9CSF-VDIM			6"	14/12/10W	1250/1050/900	27/30/35/40/50K	
KT-WDLED23PS-8A-9CSF-VDIM			8"	23/18/14W	1800/1450/1150	27/30/35/40/50K	

ACCESSORIES FOR SLIM WAFERS


CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-WDLED-4A-MB-TRIM	4" Interchangeable Trim, Matte Black	KT-WDLED-4A-BR-TRIM	4" Interchangeable Trim, Bronze
KT-WDLED-6A-MB-TRIM	6" Interchangeable Trim, Matte Black	KT-WDLED-6A-BR-TRIM	6" Interchangeable Trim, Bronze
KT-WDLED-8A-MB-TRIM	8" Interchangeable Trim, Matte Black	KT-WDLED-8A-BR-TRIM	8" Interchangeable Trim, Bronze
KT-WDLED-4A-BN-TRIM	4" Interchangeable Trim, Brushed Nickel	KT-WDLED-4AB-GOOF	4" slim and recessed wafer downlights
KT-WDLED-6A-BN-TRIM	6" Interchangeable Trim, Brushed Nickel	KT-WDLED-6AB-GOOF	6" slim and recessed wafer downlights
KT-WDLED-8A-BN-TRIM	8" Interchangeable Trim, Brushed Nickel	KT-WDLED-8AB-GOOF	8" slim and recessed wafer downlights
		KT-MC-NP-1-18/3	12" metal-clad input wire cable for all remote driver downlights (L, N, G)




TRIM RING COLORS




ROUGH-IN PLATE



12" METAL-CLAD INPUT WIRE CABLE



EXTENSION CORD





GOOF RINGS

CIRCA

Recessed

90 CRI | COLOR SELECT | RECESSED

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-WDLED9-4B-9CSF-FDIM	120V	TRIAC	4"	9W	600	27/30/35/40/50K	
KT-WDLED13-6B-9CSF-FDIM			6"	13W	950	27/30/35/40/50K	
KT-WDLED23-8B-9CSF-FDIM			8"	23W	1800	27/30/35/40/50K	
90 CRI POWER & COLOR SELECT RECESSED							
KT-WDLED10.5PS-4B-9CSF-VDIM	120-277V	0-10V	4"	10.5/9.5/8.5W	800/720/650	27/30/35/40/50K	
KT-WDLED14PS-6B-9CSF-VDIM			6"	14/12/10W	1200/1000/850	27/30/35/40/50K	
KT-WDLED23PS-8B-9CSF-VDIM			8"	23/18/14W	1800/1400/1100	27/30/35/40/50K	


ACCESSORIES FOR RECESSED WAFERS

CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-WDLED-4B-MB-TRIM	4" Interchangeable Trim, Matte Black	KT-WDLED-4B-BR-TRIM	4" Interchangeable Trim, Bronze
KT-WDLED-6B-MB-TRIM	6" Interchangeable Trim, Matte Black	KT-WDLED-6B-BR-TRIM	6" Interchangeable Trim, Bronze
KT-WDLED-8B-MB-TRIM	8" Interchangeable Trim, Matte Black	KT-WDLED-8B-BR-TRIM	8" Interchangeable Trim, Bronze
KT-WDLED-4B-BN-TRIM	4" Interchangeable Trim, Brushed Nickel		
KT-WDLED-6B-BN-TRIM	6" Interchangeable Trim, Brushed Nickel		
KT-WDLED-8B-BN-TRIM	8" Interchangeable Trim, Brushed Nickel		


ACCESSORIES FOR ALL WAFERS

CATALOG NUMBER	DESCRIPTION	CATALOG NUMBER	DESCRIPTION
KT-RDLED-PLATE-1*	Rough-in plate. Single piece unit	KT-WDLED-EC-6	6' Extension Cords
KT-WDLED-PLATE-2	New Rough-in plate. Adjustable hanger bars.	KT-WDLED-EC-12	12' Extension Cords
KT-WDLED-4AB-GOOF	4" Goof Ring for 4A and 4B Style	KT-WDLED-EC-20	20' Extension Cords
KT-WDLED-6AB-GOOF	6" Goof Ring for 6A and 6B Style		
KT-WDLED-8AB-GOOF	8" Goof Ring for 8A and 8B Style		


*Not compatible with Circa 8" models




TRIM RING COLORS




ROUGH-IN PLATE



12" METAL-CLAD INPUT WIRE CABLE



EXTENSION CORD




GOOF RINGS

AVIVA


Mainstream

90 CRI | COLOR SELECT

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED8RD-4C-9CSF-DIM	120V	TRIAC	4"	8W	700	27/30/35/40/50K	
KT-LED8RD-4CB-9CSF-DIM*			4"	8W	700	27/30/35/40/50K	
KT-LED8RD-6C-9CSF-DIM			5/6"	8W	725	27/30/35/40/50K	
KT-LED10RD-6C-9CSF-DIM			5/6"	10.5W	900	27/30/35/40/50K	
KT-LED14RD-6C-9CSF-DIM			5/6"	14W	1200	27/30/35/40/50K	

*Baffled Trim


90 CRI | POWER & COLOR SELECT

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED14PSRD-6C-9CSF-DIM	120V	TRIAC	5/6"	8W/10W/14W	750/900/1200	27/30/35/40/50K	
KT-LED14PSRD-6CB-9CSF-DIM*			5/6"	8W/10W/14W	750/900/1200	27/30/35/40/50K	

*Baffled Trim

Gimbal


90 CRI | COLOR SELECT

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED8RD-4C-9CSF-DIM-G	120V	TRIAC	4"	8W	700	27/30/35/40/50K	
KT-LED11RD-6C-9CSF-DIM-G			5/6"	11W	1100	27/30/35/40/50K	

AVIVA

Contractor Series

80 CRI

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT	
KT-LED6RD-4C-830-DIM-CS	120V	TRIAC	4"	6W	550	3000K	
KT-LED7RD-6C-830-DIM-CS			5/6"	7W	625	3000K	

ACCESSORIES FOR ALL MAINSTREAM RETROFIT TRIM MODELS


CATALOG NUMBER	DESCRIPTION
KT-TRIM-RD-4C-MB	4" Interchangeable Trim, Matte Black
KT-TRIM-RD-6C-MB	6" Interchangeable Trim, Matte Black
KT-TRIM-RD-4C-BR	4" Interchangeable Trim, Bronze
KT-TRIM-RD-6C-BR	6" Interchangeable Trim, Bronze
KT-TRIM-RD-4C-BN	4" Interchangeable Trim, Brushed Nickel
KT-TRIM-RD-6C-BN	6" Interchangeable Trim, Brushed Nickel

ACCESSORIES FOR ALL BAFFLED RETROFIT TRIM MODELS


CATALOG NUMBER	DESCRIPTION
KT-TRIM-RD-4CB-MB	4" Interchangeable Trim for Baffled, Matte Black
KT-TRIM-RD-6CB-MB	6" Interchangeable Trim for Baffled, Matte Black
KT-TRIM-RD-4CB-BR	4" Interchangeable Trim for Baffled, Bronze
KT-TRIM-RD-6CB-BR	6" Interchangeable Trim for Baffled, Bronze
KT-TRIM-RD-4CB-BN	4" Interchangeable Trim for Baffled, Brushed Nickel
KT-TRIM-RD-6CB-BN	6" Interchangeable Trim for Baffled, Brushed Nickel

ACCESSORIES FOR ALL RETROFIT TRIM MODELS


CATALOG NUMBER	DESCRIPTION
KT-GOOF-RD-4C	4" goof ring for 4" residential circular downlight, 6.7" diameter
KT-GOOF-RD-6C	6" goof ring for 6" residential circular downlight, 10.51" diameter
KT-ADPT-RD-6C-TS	Torsion spring adapter for 6" residential downlight retrofit
KT-ADPT-RD-GU24	GU24 adapter for residential downlight retrofit




TRIM RING COLORS



GU24 ADAPTER



TORSION SPRING ADAPTER




GOOF RINGS

OVA


Disk Light

90 CRI | COLOR SELECT

CATALOG NUMBER	INPUT VOLTAGE	DIM	SIZE	WATTAGE	LUMENS	CCT SELECTABLE	
KT-LED7DL-4C-9CSH-DIM	120V	TRIAC	4"	7W	650	27/30/40/50K	
KT-LED11DL-6C-9CSH-DIM			5/6"	11W	1000	27/30/40/50K	

ACCESSORIES FOR ALL DISK LIGHTS

CATALOG NUMBER	DESCRIPTION
KT-ADPT-RD-GU24	GU24 Adapter



GU24 ADAPTER



Keystone Technologies Philadelphia, PA 800.464.2680 keysonetech.com
LAMPS | FIXTURES | POWER SUPPLIES | CONTROLS