

# PRODUCT CATALOG



AIR DISTRIBUTION SPECIALISTS  
SINCE 1934

[www.dundasjafine.com](http://www.dundasjafine.com)



## A RICH HISTORY IN AIR VENTILATION

Dundas Jafine is a renowned manufacturer of air distribution products. For 80 years now we have been bringing the finest quality air movement products to the marketplace and developing the most dynamic packaging and POP in the industry.

The driving force behind any successful company is a vision. A sense of corporate purpose that trickles down through all areas of the organization. For over 80 years everyone at Dundas Jafine has helped develop and share in such a vision.

From owners, to sales and marketing, all the way through to shipping, there is a commitment to do whatever it takes to build on our industry leadership position in order to satisfy the needs of our customers.

## A COMMITMENT TO QUALITY

Dedicated to continuous improvement, Dundas Jafine's quality is reflected in the materials used in our products, the excellence of our manufacturing processes and the most dynamic eye catching ventilation packaging in the industry.

## A COMMITMENT TO SERVICE

Dundas Jafine puts the customer first, satisfying demands, listening to concerns and acting upon requests.

## A COMMITMENT TO THE FUTURE

Supporting our customers by developing new and innovative products, competitive pricing, strong promotional programs that reflect the ever-changing marketplace and "Do It Right The First Time" order processing is Dundas Jafine's promise of yesterday, today and tomorrow.

<b>Exhaust Hoods</b>	<b>3</b>
ProSeries Hoods	4
Aluminum Hoods	10
<b>Exhaust Caps</b>	<b>11</b>
ProSeries Caps	12
Soffit Exhaust Caps	16
ProClean Pest Barricade	18
Roof Caps	19
Replacement Cap and Gasket Kit	20
<b>Ducts</b>	<b>21</b>
Dryer Vent Ducts	22
Semi-Rigid Aluminum Dryer Ducts	23
Space Saver Dryer Ducts	24
Aluminum Pipe	25
Marine Blower Hose	26
General Purpose Ducts	27
Insulated Ducts	33
<b>Kits</b>	<b>37</b>
Appliance Vent Kits	38
Bathroom Fan Vent Kits	43
Dryer Hook-Up Kits	45
Heat Keeper Kit	48
<b>Accessories</b>	<b>49</b>
ProClean Kit and Brushes	50
Connectors	53
Elbows	58
Recessed Dryer Vent Boxes	59
Draft Blocker	61
Clamps	62
Pest Screen	65
J-Channels	66
Increases and Decreases	67
Air Register Deflectors and Covers	69
Air Filters	73
Insulation Sleeves	74
Aluminum Repair Rolls	77
Dryer Duct Lint Trap	78
<b>General Air Distribution</b>	<b>79</b>
Intake Hoods	80
Intake Caps	82
Air Diffusers	83



# EXHAUST HOODS







## NUT DRIVER READY!

- Wide mouth design provides maximum airflow
- Removable pest screen for easy cleaning of lint and debris
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- UV resistant plastic prevents discoloration
- Molded edge helps maintain a clean caulking application



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PMH4BLKXZ	420094	4"	Bulk - Black	12	11	3.95
PMH4BXZ	268153	4"	Bulk - Brown	12	11	3.95
PMH4WXZ	268146	4"	Bulk - White	12	11	3.95
PMH4WZW	268177	4"	Bulk / Retail Cut Case - White	12	11	3.99
PMH4WZWS	268177	4"	Bulk / Retail Cut Case for Gondolas - White	12	11	3.99
BPMH4WZW	268191	4"	Retail Box / Cut Case - White	12	11	3.18
BPMH4BLKZW6	420063	4"	Retail Box / Cut Case - Black	6	6	1.54
BPMH4BZW	268207	4"	Retail Box / Cut Case - Brown	12	11	3.18
BPMH4WZW6	268191	4"	Retail Box / Cut Case - White	6	6	1.54

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	6.75"	6.25"	15"




Also available in brown and black.

Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProVent™ EXHAUST VENT ASSEMBLY



## NUT DRIVER READY!

- Cammed louvers easily pivot to help prevent sticking
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- UV resistant plastic prevents discoloration
- Molded edge helps maintain a clean caulking application
- Designed to snap on/off j-channels



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
LH3BXZ	270767	3"	Bulk - Brown	12	7	3.39
LH3WXZ	270798	3"	Bulk - White	12	7	3.39
LH4BLKXZ	420070	4"	Bulk - Black	12	7	3.39
LH4BXZ	270781	4"	Bulk - Brown	12	7	3.39
BLH4BLKZW6	420049	4"	Retail Box / Cut Case - Black	6	5	1.54
BLH4BZW	270897	4"	Retail Box / Cut Case - Brown	12	7	3.18
BLH4BZW6	270897	4"	Retail Box / Cut Case - Brown	6	5	1.54
LH4WXZ	270774	4"	Bulk - White	12	7	3.39
BLH4WZW	270699	4"	Retail Box / Cut Case - White	12	7	3.18
BLH4WZW6	270699	4"	Retail Box / Cut Case - White	6	5	1.54
LH5BXZ	270958	5"	Bulk - Brown	12	11	6.41
LH5WXZ	270941	5"	Bulk - White	12	11	6.41
LH5WXZW	270675	5"	Bulk / Cut Case - White	8	7	3.35
LH6BLKXZ	420087	6"	Bulk - Black	12	11	6.41
LH6BXZ	270972	6"	Bulk - Brown	12	11	6.41
BLH6BLKZW	420056	6"	Retail Box / Cut Case - Black	5	5	1.32
BLH6BZW	270996	6"	Retail Bulk / Cut Case - Brown	5	13	1.32
LH6WXZ	270965	6"	Bulk - White	12	11	6.41
BLH6WZW	270989	6"	Retail Box / Cut Case - White	5	13	1.32

**Material:** Polypropylene with UV inhibitor



Scan this QR code to view installation, feature and benefit videos



Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	11.5"
5", 6"	10"	9.38"	11.5"

Also available in brown and black.



- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Mounts on exterior wall prior to installation of vinyl siding or stucco
- Channels moisture away from substrate and venting hole



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
JLH4BXZ	270866	4"	Bulk - Brown	12	9	2.97
JLH4WXZ	270859	4"	Bulk - White	12	9	2.97
JLH5BXZ	271023	5"	Bulk - Brown	12	12	6.41
JLH5WXZ	271016	5"	Bulk - White	12	12	6.41
JLH6BXZ	271047	6"	Bulk - Brown	12	12	6.41
JLH6WXZ	271030	6"	Bulk - White	12	12	6.41

**Material:** Polypropylene with UV inhibitor

With J Channel

Collar Size	Assembled Dimensions		
	H	W	D
4"	8.5"	7.5"	11.5"
5", 6"	11"	10.25"	11.5"

Provent Exhaust Vent Assembly  
Without J Channel

Collar Size	Assembled Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"
5", 6"	10"	9.375"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos





# ProCard™ EXHAUST VENT ASSEMBLY



- Cammed louvers easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PGH4BXZ	602070	4"	Bulk - Brown	12	8	3.41
BPGH4BZW	602087	4"	Retail Box / Cut Case - Brown	12	10	3.18
BPGH4BZW6	602087	4"	Retail Box / Cut Case - Brown	6	6	1.56
PGH4WXZ	602056	4"	Bulk - White	12	8	3.41
BPGH4WZW	602049	4"	Retail Box / Cut Case - White	12	10	3.18
BPGH4WZW6	602049	4"	Retail Box / Cut Case - White	6	6	1.56

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	7.25"	6.5"	13.5"



Also available  
in brown



Scan this QR code  
to view installation,  
feature and  
benefit videos



## NUT DRIVER READY!

- Hinged louvered damper system locks in open position for easy removal of lint and debris
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BHLH4WZW	272006	4"	Retail Box / Cut Case - White	6	5	1.56

**Material:** Polypropylene with UV inhibitor

Collar Size	Assembled Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProShield™ EXHAUST VENT ASSEMBLY



- Spring loaded damper system offers complete noise control with no flapping of louvers or dampers during inclement weather
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Prevents pests from entering the vent
- Center shield can be removed for ease of cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPSH4WZW	801015	4"	Retail Box / Cut Case - White	4	4	1.31
PSH4WXZ	801022	4"	Bulk - White	8	7	2.36

**Material:** Polypropylene with UV inhibitor


Collar Size	Assembled Dimensions	
	C	D
4"	8"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ALL ALUMINUM EXHAUST VENT ASSEMBLY



- Classic, low profile design
- All aluminum product will not warp or crack
- Damper helps to prevent cold air backdraft



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PVB3EAL	130290	3"	Bulk	12	5	1.98
PVB4EAL	130306	4"	Bulk	12	6	2.55
PVB4EALZW	130375	4"	Bulk / Cut Case	12	6	2.89

**Material:** Aluminum

Collar Size	Assembled Dimensions		
	H	W	D
3"	6.38"	4.75"	13"
4"	6.25"	5.94"	13.75"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# EXHAUST CAPS





## NUT DRIVER READY!

- Removable pest screen for easy cleaning of lint and debris
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PMC4BX	268078	4"	Bulk - Brown	24	17	2.79
PMC4BXZW	420919	4"	Bulk / Cut Case - Brown	6	4	1.00
PMC4WX	268061	4"	Bulk - White	24	17	2.79
PMC4WXZW	268054	4"	Bulk / Cut Case - White	6	4	1.00

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	5"



Also available  
in brown



Scan this QR code  
to view installation,  
feature and  
benefit videos







## NUT DRIVER READY!

- Cammed louvers easily pivot to help prevent sticking
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
LC3BX	270729	3"	Bulk - Brown with built in pest screen	54	18	2.82
LC3WX	270712	3"	Bulk - White with built in pest screen	54	18	2.82
LC4BX	270743	4"	Bulk - Brown	54	18	2.82
LC4BXZW	270743	4"	Bulk / Cut Case - Brown	10	3	0.56
LC4BZW	271153	4"	Retail Bag / Cut Case - Brown	10	3	0.56
LC4WX	270736	4"	Bulk - White	54	18	2.82
LC4WXZW	270736	4"	Bulk / Cut Case - White	10	3	0.56
LC4WZW	271146	4"	Retail Bag / Cut Case - White	10	3	0.56
LC5BX	270910	5"	Bulk - Brown with built in pest screen	36	22	3.60
LC5WX	270903	5"	Bulk - White with built in pest screen	36	22	3.60
LC6BX	270934	6"	Bulk - Brown with built in pest screen	36	22	3.60
LC6WX	270927	6"	Bulk - White with built in pest screen	36	22	3.60
LC7BX	271108	7"	Bulk - Brown with built in pest screen	32	27	5.07
LC7BXZ	271108	7"	Bulk - Brown with built in pest screen	7	4.5	1.17
LC7WX	271092	7"	Bulk - White with built in pest screen	32	27	5.07
LC7WXZ	271092	7"	Bulk - White with built in pest screen	7	4.5	1.17
LC8BX	271122	8"	Bulk - Brown with built in pest screen	32	27	5.07
LC8BXZ	271122	8"	Bulk - Brown with built in pest screen	7	4.5	1.17
LC8WX	271115	8"	Bulk - White with built in pest screen	32	27	5.07
LC8WXZ	271115	8"	Bulk - White with built in pest screen	7	4.5	1.17

**Material:** Polypropylene with UV inhibitor



Scan this QR code to view installation, feature and benefit videos

Collar Size	Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	1.63"
5", 6"	10"	9.384"	1.75"
7", 8"	12"	11.13"	1.75"



- Cammed louvers easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PGC4BX	602094	4"	Bulk - Brown	40	21	3.07
PGC4WX	602032	4"	Bulk - White	40	21	3.07
PGC4WXZW	602117	4"	Bulk / Cut Case - White	4	2	0.50

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	7.25"	6.5"	3.75"



Also available  
in brown



Scan this QR code  
to view installation,  
feature and  
benefit videos





- Spring loaded damper system offers complete noise control with no flapping of louvers or dampers during inclement weather
- Prevents pests from entering the vent
- Center shield can be removed for ease of cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look and replacement

Product Code	UPC Code	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PSC4WX	060672 801039	4"	Bulk - White	36	14	3.87

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions	
	C	D
4"	8"	1.17"



Scan this QR code  
to view installation,  
feature and  
benefit videos





- Mounts under soffit panel and connects to 4", 5" or 6" duct
- Frost-free damper system keeps cold air out and helps conserve energy
- Can be painted to match the home's exterior
- Stylish flush mount design
- Outer grill and flap prevents pests from entering the home
- UV resistant plastic protects cap from harmful effects of the sun

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SEVPX	800025	4", 5", 6"	Bulk	20	14	3.07
SEVZW	800018	4", 5", 6"	Retail Box / Cut Case	5	5	0.89

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions	
	C	D
4", 5", 6"	8.2"	3.6"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# SOFFIT DRYER VENT CAP



- Allows for the dryer to be exhausted through the soffit instead of the wall
- UV resistant plastic protects cap from harmful effects of the sun
- Can be painted to match the home's exterior
- Damper acts as a guard against pests and rodents from entering the duct



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SDV4WXZW4	800049	4"	Bulk / Cut Case	4	2.5	1.00

**Material:** Polypropylene with UV inhibitor



Scan this QR code  
to view installation,  
feature and  
benefit videos



- Compatible with most 3" & 4" exhaust caps
- Helps to prevent unwanted pests from entering the duct or home
- Features a hinged, louvered cap that locks open for easy cleaning and maintenance



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PBH50BZW	602131	4"	Bulk - Cut Case - Brown	10	3.6	0.80
PB50BWZW	602124	4"	Bulk - Cut Case - White	10	3.6	0.80

**Material:** High Impact Polystyrene

Collar Size	Dimensions		
	H	W	D
4"	8.5"	7"	5"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ROOF EXHAUST CAP



- Ideal for exhausting kitchen or bathroom fans through the roof
- UV resistant stabilizer helps prevent discoloration
- Molded barrier ring helps prevent leakage
- Includes a removable collar for easy duct connection / installation



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
RL4P	245208	4"	Bulk - Black	4	6	2.29
RL4PZW	245215	4"	Bulk / Cut Case - Black	4	6	2.04
RL4BNP	245253	4"	Bulk - Brown	4	6	2.29
RL4BNPZW	245253	4"	Bulk / Cut Case - Brown	4	6	2.04
RL6P	245017	6"	Bulk - Black	4	6	2.29
RL6PZW	245024	6"	Bulk / Cut Case - Black	4	6	2.04
RL6BNP	245055	6"	Bulk - Brown	4	6	2.29
RL6BNPZW	245055	6"	Bulk / Cutcase - Brown	4	6	2.04

**Material:** High Impact Copolymer

Collar Size	Dimensions		
	H	W	D
4" - 6"	6.5"	11.3"	13.75"



Also available  
in brown



Scan this QR code  
to view installation,  
feature and  
benefit videos



# EzFix REPLACEMENT VENT CAP AND GASKET KIT



- Quick and easy solution for damaged or hard to remove vent caps
- New vent cap installs over the existing one, eliminating the need for removal
- Eliminates the possibility of damage to the siding, brick or stucco through removal process of old cap
- Fits all existing louvered 4" vent caps
- Kit can be used with Dundas Jafine ProVent, ProGard, EzAccess and ProMax products



Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EZFXZW	803002	4"	Retail Box / Cut Case - White	8	4	0.09

**Material:** Polypropylene with UV inhibitor

Collar Size	Dimensions		
	H	W	D
4"	7.5"	7.5"	2.88"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# DUCTS



# ProFlex™ CLOTHES DRYER TRANSITION DUCT



- Ideal for both gas and electric dryer applications
- UL2158A listed and marked for safe dryer venting
- Constructed of heavy duty, fire resistant aluminum foil laminate that encapsulates a high density, corrosion resistant wire helix

## NOTE:

Per UL2158A, only ducts 8' or less can be UL marked



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BTD45	600052	4" x 5'	Retail Box	18	16	1.44
BTD48	600106	4" x 8'	Retail Box	18	18	1.44
BTD48ZW	600106	4" x 8'	Retail Box / Cut Case	24	21	1.50
BTD48TC	600090	4" x 8' with tension clamps	Retail Box	18	18	1.44
BTD420ZW	600212	4" x 20'	Retail Box / Cut Case	10	21	2.37
TD425	600250	4" x 25'	Standard Box	1	3	0.44
TD450	600304	4" x 50'	Standard Box	1	6	0.60
TD45TC	600144	4" x 5' with tension clamps	Bulk	12	8	1.08
TD48TC	600151	4" x 8' with tension clamps	Bulk	12	8	1.08



Scan this QR code  
to view installation,  
feature and  
benefit videos



# SEMI-RIGID ALUMINUM DRYER DUCTS



- All aluminum duct is ideal for applications where code requires an all aluminum product
- Totally non combustible with a maximum operating temperature of 435°F
- The UL 2158A listed and marked class 0 version is thicker than the standard duct and incorporates new technology that allows for easy rotation and more durable handling



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MFX425X	137510	4" x 25'	Bulk	4	12	5.13
MFX42CULXZW	134823	4" x 2' with collars	Bulk / Cut Case	12	4.6	1.49
MFX45	130672	4" x 5'	Retail Bag	10	8	3.14
MFX45X	130733	4" x 5'	Bulk	10	7	3.14
MFX46C2XZW	132003	4" x 6' with collars	Bulk / Cut Case	16	13	5.14
MFX48	130689	4" x 8'	Retail Bag	10	10	3.14
MFX48ULXZW	134779	4" x 8' UL listed and marked	Bulk / Cut Case	16	16.5	5.14
MFX48X	134670	4" x 8'	Bulk	10	10	3.14
MFX48XZW	137015	4" x 8'	Bulk / Cut Case	16	13	5.14



Scan this QR code  
to view installation,  
feature and  
benefit videos




# SPACE SAVER ALUMINUM DRYER VENTING DUCT



- For use in tight fitting clothes dryer applications
- Allows the dryer to be placed only 3" from the wall, for optimum space utilization
- Two piece aluminum construction
- Extends from 28" - 45" in length



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
UD48	500260	4"/90° inlet, 90° outlet	Retail Box	4	8	2.06
UD48S	500277	4"/90° inlet, straight outlet	Retail Box	4	8	2.06



Straight outlet version



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ALUMINUM SNAP LOCK PIPE



- Incorporates a snap lock feature for easy opening and closing of pipe
- Used for venting most types of heating units
- Should not be used for in-wall applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
P3E20ZW	300822	3" x 24" - 0.012"	Bulk / Cut Case	20	6	0.95
P3E	130146	3" x 24" - 0.012"	Bulk	40	12	0.77
P4E20ZW	300815	4" x 24" - 0.012"	Bulk / Cut Case	20	9	0.95
P4E	130139	4" x 24" - 0.012"	Bulk	40	17	0.77
P430	130177	4" x 30" - 0.012"	Bulk	20	10	0.80
P460	300754	4" x 60" - 0.012"	Bulk	20	20	0.83



Scan this QR code  
to view installation,  
feature and  
benefit videos



- Used in marine exhaust applications
- Manufactured with heavy duty PVC film, encompassing a high density, corrosion resistant, wire helix
- Tear and puncture resistant

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
FD350BK	400805	3" x 50'	Standard Carton	1	4	0.54
FD450BK	400812	4" x 50'	Standard Carton	1	4	0.54

Scan this QR code  
to view installation,  
feature and  
benefit videos



# SEMI-RIGID ALUMINUM DUCT



- All aluminum duct is ideal for applications where code requires an all aluminum product
- Totally non combustible with a maximum operating temperature of 435°F
- The UL 2158A listed and marked class 0 version is thicker than the standard duct and incorporates new technology that allows for easy rotation and more durable handling



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MFX325X	137503	3" x 25'	Bulk	5	11	5.13
MFX38	130702	3" x 8'	Retail Bag	10	8	2.01
MFX38X	133680	3" x 8'	Bulk	10	8	2.01
MFX38XZW	130702	3" x 8'	Bulk / Cut Case	12	10	2.37
MFX42CULXZW	134823	4" x 2' with collars	Bulk / Cut Case	12	4.6	1.49
MFX425X	137510	4" x 25'	Bulk	4	12	5.13
MFX45	130672	4" x 5'	Retail Bag	10	8	3.14
MFX45X	130733	4" x 5'	Bulk	10	7	3.14
MFX46C2XZW	132003	4" x 6' with collars	Bulk / Cut Case	16	13	5.14
MFX48	130689	4" x 8'	Retail Bag	10	10	3.14
MFX48ULXZW	134779	4" x 8' UL listed & marked	Bulk / Cut Case	16	16.5	5.14
MFX48X	134670	4" x 8'	Bulk	10	10	3.14
MFX48XZW	137015	4" x 8'	Bulk / Cut Case	16	13	5.14
MFX58	135677	5" x 8'	Retail Bag	6	8	2.92
MFX58X	135684	5" x 8'	Bulk	6	8	2.92
MFX58XZW	130832	5" x 8'	Bulk / Cut Case	6	8	2.92
MFX68	130696	6" x 8'	Retail Bag	4	7	2.79
MFX68X	135707	6" x 8'	Bulk	4	7	2.79
MFX68XZW	130795	6" x 8'	Bulk / Cut Case	4	7	3.12
MFX78X	137688	7" x 8'	Bulk	5	10	5.18
MFX88X	138685	8" x 8'	Bulk	4	9	5.18



Scan this QR code  
to view installation,  
feature and  
benefit videos




# FLEXIBLE ALUMINUM FOIL DUCT



- Ideal for use in bathroom fan venting and other general purpose exhaust applications
- Made from 3 ply aluminum foil laminate
- Maximum operating temperature of 250°F



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AF325	133000	3" x 25'	Standard Carton	1	2	0.44
AF425	133017	4" x 25'	Standard Carton	1	2	0.44
AF450	133253	4" x 50'	Standard Carton	1	4	0.60
AF525	133048	5" x 25'	Standard Carton	1	3	0.44
AF625	133055	6" x 25'	Standard Carton	1	3	0.45
AF725	133079	7" x 25'	Standard Carton	1	4	0.45
AF825	133086	8" x 25'	Standard Carton	1	4	0.72
AF1025	133109	10" x 25'	Standard Carton	1	5	1.22
AF1225	133116	12" x 25'	Standard Carton	1	7	1.22
AF1425	133178	14" x 25'	Standard Carton	1	8	1.44
AF1625	133185	16" x 25'	Standard Carton	1	9	1.98
AF1825	133192	18" x 25'	Standard Carton	1	11	2.48
AF2025	133208	20" x 25'	Standard Carton	1	12	2.72



Scan this QR code  
to view installation,  
feature and  
benefit videos



# FLEXIBLE ALUMINUM FOIL DUCT

## UL 181 LISTED & MARKED




- Ideal for use in bathroom fan venting and other general purpose exhaust applications
- Made from 3 ply aluminum foil laminate
- Maximum operating temperature of 250°F
- Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AF325UL	136032	3" x 25'	Standard Carton	1	2	0.44
AF325ULPZ	133277	3" x 25'	Polybag	4	8	1.26
AF425UL	136049	4" x 25'	Standard Carton	1	2	0.44
AF425ULPZW	133260	4" x 25'	Polybag / Cut Case	8	17	2.13
AF450UL	136216	4" x 50'	Standard Carton	1	4	0.60
AF525UL	136056	5" x 25'	Standard Carton	1	3	0.44
AF625UL	136063	6" x 25'	Standard Carton	1	3	0.45
AF625ULPZW	136292	6" x 25'	Polybag / Cut Case	6	10	2.28
AF725UL	136070	7" x 25'	Standard Carton	1	4	0.45
AF825UL	136087	8" x 25'	Standard Carton	1	4	0.72
AF1025UL	136100	10" x 25'	Standard Carton	1	5	1.22
AF1225UL	136124	12" x 25'	Standard Carton	1	7	1.22
AF1425UL	136148	14" x 25'	Standard Carton	1	8	1.44
AF1625UL	136162	16" x 25'	Standard Carton	1	9	1.98
AF1825UL	136186	18" x 25'	Standard Carton	1	11	2.48
AF2025UL	136209	20" x 25'	Standard Carton	1	12	2.72



Scan this QR code  
to view installation,  
feature and  
benefit videos



# FLEXIBLE METALIZED FOIL DUCT



- Ideal for general purpose exhaust applications
- Made from 2 ply metallized foil and polyester
- Maximum operating temperature of 250°F
- Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MC425	510016	4" x 25'	Standard Carton	1	2	0.44
MC525	510023	5" x 25'	Standard Carton	1	3	0.44
MC625	520008	6" x 25'	Standard Carton	1	3	0.45
MC825	520015	8" x 25'	Standard Carton	1	4	0.72
MC1025	520022	10" x 25'	Standard Carton	1	5	1.22
MC1225	520039	12" x 25'	Standard Carton	1	7	1.22

## UL 181 LISTED & MARKED

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MC325UL	520190	3" x 25'	Standard Carton	4	8	1.47
MC425UL	520206	4" x 25'	Standard Carton	4	8	1.47
MC525UL	520213	5" x 25'	Standard Carton	4	10	1.07
MC625UL	520220	6" x 25'	Standard Carton	4	10	1.61
MC725UL	520237	7" x 25'	Standard Carton	4	11	1.98
MC825UL	520244	8" x 25'	Standard Carton	4	12	2.55
MC925UL	520503	9" x 25'	Standard Carton	4	14	5.13
MC1025UL	520251	10" x 25'	Standard Carton	4	16	5.13
MC1225UL	520268	12" x 25'	Standard Carton	2	14	2.81
MC1425UL	520275	14" x 25'	Standard Carton	2	15	2.75
MC1625UL	520282	16" x 25'	Standard Carton	2	17	2.75
MC1825UL	520299	18" x 25'	Standard Carton	1	11	2.98
MC2025UL	520305	20" x 25'	Standard Carton	1	11	2.37

Scan this QR code  
to view installation,  
feature and  
benefit videos




# GREY VINYL DUCT



- Ideal for general purpose exhaust applications including bathroom fan venting and surface mounted humidifier units
- Made from 2 ply grey vinyl
- Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
GFD425	400881	4" x 25'	Standard Carton	1	3	0.44
GFD525	400898	5" x 25'	Standard Carton	1	4	0.44
GFD625	400904	6" x 25'	Standard Carton	1	4	0.45
GFD825	400928	8" x 25'	Standard Carton	1	5	0.72



Scan this QR code  
to view installation,  
feature and  
benefit videos






- Ideal for general purpose exhaust applications including bathroom fan venting and surface mounted humidifier units
- Not for use in dryer venting applications



Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
FD38EZW	130467	3" x 8'	Retail Bag / Cut Case	10	6	3.35
FD310E	230563	3" x 10'	Retail Bag	10	8	0.90
FD350E	130580	3" x 50'	Standard Carton	1	4	0.54
FD420ZW	130863	4" x 20'	Retail Bag / Cut Case	12	19	1.77
FD450E	131464	4" x 50'	Standard Carton	1	5	0.54
FD610EZW	130856	6" x 10'	Polybag / Cut Case	4	5	0.90



Scan this QR code  
to view installation,  
feature and  
benefit videos



# INSULATED DUCT - BLACK POLYETHYLENE JACKET

## UL 181 CLASS 1 AIR DUCT



- UL 181 listed as a class 1 air duct
- UV inhibited black polyethylene jacket
- Formaldehyde free, energy efficient fibreglass insulation
- Inner core constructed with corrosion resistant galvanized wire

### R-4.2 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC325	287000	3" x 25'	Standard Carton	1	6	1.40
BPC425	287130	4" x 25'	Standard Carton	1	6	1.40
BPC525	287116	5" x 25'	Standard Carton	1	7	1.40
BPC625	287017	6" x 25'	Standard Carton	1	7	1.40
BPC725	287024	7" x 25'	Standard Carton	1	8	2.10
BPC825	287123	8" x 25'	Standard Carton	1	9	2.10
BPC925	287109	9" x 25'	Standard Carton	1	10	2.93
BPC1025	287031	10" x 25'	Standard Carton	1	11	2.93
BPC1225	287048	12" x 25'	Standard Carton	1	13	3.91
BPC1425	287055	14" x 25'	Standard Carton	1	17	6.26
BPC1625	287062	16" x 25'	Standard Carton	1	20	6.26
BPC1825	287079	18" x 25'	Standard Carton	1	22	9.18
BPC2025	287086	20" x 25'	Standard Carton	1	24	9.18

### R-6.0 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC425R6	606016	4" x 25'	Standard Carton	1	9	1.98
BPC525R6	606023	5" x 25'	Standard Carton	1	11	1.98
BPC625R6	606030	6" x 25'	Standard Carton	1	11	1.98
BPC725R6	606047	7" x 25'	Standard Carton	1	12	1.98
BPC825R6	606054	8" x 25'	Standard Carton	1	14	2.80
BPC925R6	606122	9" x 25'	Standard Carton	1	16	2.80
BPC1025R6	606061	10" x 25'	Standard Carton	1	17	3.77
BPC1225R6	606078	12" x 25'	Standard Carton	1	20	3.77
BPC1425R6	606085	14" x 25'	Standard Carton	1	26	4.88
BPC1625R6	606092	16" x 25'	Standard Carton	1	31	7.54
BPC1825R6	606108	18" x 25'	Standard Carton	1	34	7.54
BPC2025R6	606115	20" x 25'	Standard Carton	1	37	10.77

# INSULATED DUCT - BLACK POLYETHYLENE JACKET

## UL 181 CLASS 1 AIR DUCT



- UL 181 listed as a class 1 air duct
- UV inhibited black polyethylene jacket
- Formaldehyde free, energy efficient fibreglass insulation
- Inner core constructed with corrosion resistant galvanized wire

### R-8.0 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BPC425R8	700011	4" x 25'	Standard Carton	1	10	2.67
BPC525R8	700028	5" x 25'	Standard Carton	1	11	2.67
BPC625R8	700035	6" x 25'	Standard Carton	1	12	2.67
BPC725R8	700042	7" x 25'	Standard Carton	1	14	3.63
BPC825R8	700059	8" x 25'	Standard Carton	1	15	3.63
BPC925R8	700066	9" x 25'	Standard Carton	1	16	4.74
BPC1025R8	700073	10" x 25'	Standard Carton	1	19	4.74
BPC1225R8	700080	12" x 25'	Standard Carton	1	21	6.00
BPC1425R8	700097	14" x 25'	Standard Carton	1	24	8.96
BPC1625R8	700103	16" x 25'	Standard Carton	1	26	8.96
BPC1825R8	700110	18" x 25'	Standard Carton	1	29	12.52

Scan this QR code  
to view installation,  
feature and  
benefit videos



# INSULATED DUCT - SILVER JACKET WITH REINFORCED SCRIM

## UL 181 CLASS 1 AIR DUCT



- UL 181 listed as a class 1 air duct
- Metalized, tear resistant silver jacket is UV and fire resistant
- Formaldehyde free, energy efficient fibreglass insulation
- Inner core constructed with corrosion resistant, galvanized wire
- Ideal for attic installations

### R-4.2 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425	530014	4" x 25'	Standard Carton	1	6	1.40
SPC525	530021	5" x 25'	Standard Carton	1	7	1.40
SPC625	530038	6" x 25'	Standard Carton	1	8	1.40
SPC725	530045	7" x 25'	Standard Carton	1	10	2.10
SPC825	530052	8" x 25'	Standard Carton	1	11	2.10
SPC925	530069	9" x 25'	Standard Carton	1	11	2.93
SPC1025	530076	10" x 25'	Standard Carton	1	11	2.93
SPC1225	530083	12" x 25'	Standard Carton	1	12	3.91
SPC1425	530090	14" x 25'	Standard Carton	1	18	6.26
SPC1625	530106	16" x 25'	Standard Carton	1	20	6.26
SPC1825	530113	18" x 25'	Standard Carton	1	22	9.18
SPC2025	530120	20" x 25'	Standard Carton	1	24	9.18

### R-6.0 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425R6	530502	4" x 25'	Standard Carton	1	9	1.98
SPC525R6	530519	5" x 25'	Standard Carton	1	11	1.98
SPC625R6	530526	6" x 25'	Standard Carton	1	12	1.98
SPC725R6	530533	7" x 25'	Standard Carton	1	15	2.80
SPC825R6	530540	8" x 25'	Standard Carton	1	17	2.80
SPC925R6	530618	9" x 25'	Standard Carton	1	18	3.77
SPC1025R6	530557	10" x 25'	Standard Carton	1	19	3.77
SPC1225R6	530564	12" x 25'	Standard Carton	1	20	4.88
SPC1425R6	530571	14" x 25'	Standard Carton	1	28	7.54
SPC1625R6	530588	16" x 25'	Standard Carton	1	31	7.54
SPC1825R6	530595	18" x 25'	Standard Carton	1	34	10.77
SPC2025R6	530601	20" x 25'	Standard Carton	1	37	10.77

# INSULATED DUCT - SILVER JACKET WITH REINFORCED SCRIM

## INSULATION UL 181 CLASS 1 AIR DUCT



- UL 181 listed as a class 1 air duct
- Metalized, tear resistant silver jacket is UV and fire resistant
- Formaldehyde free, energy efficient fiberglass insulation
- Inner core constructed with corrosion resistant, galvanized wire
- Ideal for attic installations

### R-8 INSULATION

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SPC425R8	530700	4" x 25'	Standard Carton	1	10	2.67
SPC525R8	530717	5" x 25'	Standard Carton	1	11	2.67
SPC625R8	530724	6" x 25'	Standard Carton	1	12	2.67
SPC725R8	530731	7" x 25'	Standard Carton	1	14	3.63
SPC825R8	530748	8" x 25'	Standard Carton	1	15	3.63
SPC925R8	530755	9" x 25'	Standard Carton	1	16	4.74
SPC1025R8	530762	10" x 25'	Standard Carton	1	19	4.74
SPC1225R8	530779	12" x 25'	Standard Carton	1	21	6.00
SPC1425R8	530786	14" x 25'	Standard Carton	1	24	8.96
SPC1625R8	530793	16" x 25'	Standard Carton	1	26	8.96
SPC1825R8	530809	18" x 25'	Standard Carton	1	29	12.54

Scan this QR code  
to view installation,  
feature and  
benefit videos





KITS





## NUT DRIVER READY!

- Includes 4" x 8' ProFlex™ 2158A UL listed and marked transition duct, 2 plastic adjustable clamps and a 4" ProVent™ exhaust hood
- Cammed louvers on ProVent™ cap easily pivot to help prevent sticking
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Cap can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
TD48PVKZW	268184	4" x 8' Duct	Retail Box / Cut Case	12	17.5	3.8
TD48PVKZW6	268184	4" x 8' Duct	Retail Box / Cut Case	6	9	2.05

## ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProMax™ APPLIANCE VENT KIT



## NUT DRIVER READY!

- Includes 4" x 8' ProFlex™ 2158A UL listed and marked transition duct, 2 plastic adjustable clamps and a 4" ProMax™ wide mouth exhaust hood
- Removable pest screen on ProMax™ cap allows for easy cleaning of lint and debris
- Snug fit backdraft damper has been redesigned for superior noise reduction
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Cap can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
TD48PMKZW	268160	4" x 8' Duct	Retail Box / Cut Case	12	17.5	3.80
TD48PMKZW6	268160	4" x 8' Duct	Retail Box / Cut Case	6	10	2.05

## ProMax Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	15"



Scan this QR code  
to view installation,  
feature and  
benefit videos



- Includes 4" x 8' ProFlex™ 2158A UL listed transition duct, 2 plastic adjustable clamps and a 4" ProGard™ exhaust hood
- Cammed louvers on ProGard™ cap easily pivot to help prevent sticking
- Low profile pest guard can be easily removed for cleaning
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
TD48PGKZW	602063	4" x 8' Duct	Retail Box / Cut Case	12	17.5	3.80
TD48PGKZW6	602063	4" x 8' Duct	Retail Box / Cut Case	6	10	2.05

## ProGard Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	7.25"	6.50"	13.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos





# INDOOR DRYER VENT KIT



- Used to vent electric clothes dryers indoors when outdoor venting is not possible
- Includes 4" x 5' flexible aluminum foil duct, 2 plastic clamps, plastic lint reservoir and optional mounting ring
- Ideal for use in apartments, condominiums and R.V.s

NOTE:  
Not for use with gas dryer venting applications

Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
TDIDVKZW	420346	4" x 5' - Duct	Retail Box / Cut Case	12	15	2.39



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProVent™ SEMI-RIGID ALUMINUM APPLIANCE VENT KIT



## **NUT DRIVER READY!**

- Ideal for use in electric and gas clothes dryer venting applications
- Includes 4" x 8' semi-rigid aluminum duct, 2 metal clamps and a 4" ProVent™ exhaust hood
- Cammed louvers on ProVent™ cap easily pivot to help prevent sticking
- UV resistant plastic protects the cap from harmful effects of the sun

Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MLFVK48E	131686	4" x 8' Duct	Retail Box	4	10	3.26

## ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProVent™ WALL STYLE BATHROOM FAN VENT KIT



## NUT DRIVER READY!

- Ideal for bathroom fan venting applications that require a wall style installation
- Includes 4" x 5' vinyl duct, 2 plastic adjustable clamps, 3" - 4" foam adapter and a 4" ProVent™ exhaust hood
- Cammed louvers on ProVent™ cap easily pivot to help prevent sticking
- UV resistant plastic protects the cap from harmful effects of the sun

Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EXWTZW	240012	4" x 5' Vinyl Duct	Retail Box / Cut Case	6	7.13	1.49

## ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.75"	6.25"	11.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos

# ROOF STYLE BATHROOM FAN VENT KIT



- Ideal for bathroom fan venting that requires a roof style installation
- Includes 4" x 8' vinyl duct, 2 plastic adjustable clamps, 3" - 4" foam adapter and a 4" black roof exhaust cap
- Roof cap is made from high impact copolymer with a UV stabilizer to help prevent discoloration
- Roof cap has molded barrier ring to prevent leakage



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
EXRT	240029	4" x 8' Vinyl Duct	Retail Box	2	5	1.03

ProVent Exhaust Vent Assembly

Collar Size	Dimensions		
	H	W	D
4"	6.5"	11.30"	13.75"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ALL METAL DRYER HOOK-UP KIT



- Easy to install and meets or exceeds all dryer manufacturer specifications
- 4" x 8' UL 2158A listed and marked class 0 semi-rigid aluminum duct is thicker than our standard aluminum duct
- Contains two 4" steel galvanized worm drive clamps
- Two pre-attached all aluminum elbows are flame resistant and designed to achieve tight 0-90° turns



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MFX48ULMK	134816	4" x 8' Duct	Retail Box	2	5.69	1.93



Scan this QR code  
to view installation,  
feature and  
benefit videos

ProFlex™ DRYER TO DUCT CONNECTOR KIT



- Includes 4" x 8' ProFlex™ 2158A listed and marked transition duct, a plastic connector piece and an optional extension piece for dryers with recessed exhaust ports
- Offers a safe and efficient way to connect your dryer transition duct to the back of your dryer
- Helps prevent the duct from being crushed and improves airflow
- Connector piece is made of polypropylene containing fire retardant additive which meets UL94 VO standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment



Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
TD48D2DZW	131754	4" x 8' Duct	Retail Box / Cut Case	8	11	1.60

**Material:** Polypropylene



Assembly required.  
Snaps together easily.



Scan this QR code  
to view installation,  
feature and  
benefit videos





# SEMI-RIGID DRYER TO DUCT CONNECTOR KIT



- Includes 4" x 8' semi-rigid aluminum duct, a plastic connector piece and an optional extension piece for dryers with recessed exhaust ports
- Helps prevent the duct from being crushed and improves airflow
- Connector piece is made of polypropylene containing fire retardant additive which meets UL94 VO standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment
- Threads onto duct for easy assembly

Product Code	UPC Code 060672	Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MF48D2DZW	131761	4" x 8' Duct	Retail Box / Cut Case	10	13.6	3.9

**Material:** Polypropylene



Assembly required.  
Snaps together easily.



Scan this QR code  
to view installation,  
feature and  
benefit videos



- Directs warm, moist air from electric clothes dryers back into your home
- Includes a heat keeper unit, removable lint cap and 2 plastic adjustable clamps
- Features a safety valve that helps eliminate back pressure

NOTE:  
Not for use with gas clothes dryers

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
CHK100ZW6	280018	4"	Retail Box / Cut Case	6	4.5	0.83



Scan this QR code  
to view installation,  
feature and  
benefit videos





# ACCESSORIES



# ProClean DRYER LINT REMOVAL KIT



- Helps keep the dryer running safely and efficiently
- Helps cut the drying time
- Increases the dryer's performance and reduces the risk of dryer vent fire by removing lint build up in all areas of the dryer and dryer duct
- 3 piece kit includes a 10' Dryer Vent Duct Brush, 36" Lint Trap Brush and a Vacuum Hose Attachment
- 10' Dryer Vent Duct Brush removes lint and debris that builds up on the inside of duct.
- 36" Lint Trap Brush and Vacuum Hose Attachment help to deep clean the lint trap of the dryer

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
BPCK	150014	N/A	Retail Box / Cut Case	5	9.3	1.58



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ProClean DRILL POWERED DUCT BRUSH



- Helps remove lint build up and debris in your dryer duct and other general ducting
- Can be used manually or attached to a drill for increased power
- Includes a 4" diameter brush head and four 2' flexible rods to extend the brush up to 8' in length
- Flexible nylon rods allow for up to 90° turns

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PCPBZW	150021	N/A	Retail Clamshell / Cut Case	6	7	0.89



Scan this QR code  
to view installation,  
feature and  
benefit videos





- Ideal for cleaning around your household appliances and inside the dryer lint trap
- Easily removes lint trapped deep inside the clothes dryer lint trap
- Ideal for cleaning refrigerator coils to help keep it running cooler and more efficiently

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PCABXZW	150038	27"	Bulk / Cut Case	12	3	0.37



Scan this QR code  
to view installation,  
feature and  
benefit videos



# EzConnect DRYER DUCT TO WALL CONNECTOR



- Provides a secure and stable connection of the dryer to the wall
- Easily threads onto all types of dryer ducts without the need for clamps
- Simplifies dryer maintenance and overall safety by providing a quick access point to the dryer duct for cleaning
- Ideal for connecting dryer ducts to exhaust systems



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EZCNZW	803019	4"	Retail Box / Cut Case	6	2.5	0.60

**Material:** Polypropylene

Collar Size	Dimensions	
	C	D
4"	6.25"	3.75"



Scan this QR code  
to view installation,  
feature and  
benefit videos

# METAL DUCT CONNECTOR




- Connects flexible foil and semi-rigid ducts
- Ideal for extending the exhaust collar of your clothes dryer
- Designed with one crimped end and one straight end
- Made of aluminum
- Not for in-wall use



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
FDC3	131549	3" with clamps	Retail Bag	12	2	0.94
FDC4	131556	4" with clamps	Retail Bag	12	2	0.94
FDC4XZW	131457	4"	Bulk / Cut Case	12	1.25	0.54
FDC56	131563	5"- 6"	Retail Bag	12	3	0.94
FDC56ZW	131594	5"- 6"	Retail Bag / Cut Case	12	3	0.73

**Material:** Aluminum



Scan this QR code  
to view installation,  
feature and  
benefit videos



# DRYER TO DUCT CONNECTOR



- Offers a safe and efficient way to connect your dryer duct to the back of your dryer
- Helps prevent the duct from being crushed and improves airflow
- Made of polypropylene containing fire retardant additive which meets UL94 V0 standard for flame resistance
- Friction fit connection to dryer requires no clamps or duct tape for attachment
- Threads onto duct for easy assembly
- Removes easily for regular cleaning of dryer duct

Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
D2DPX	131747	4"	Bulk	60	29	1.67

**Material:** Polypropylene



Assembly required.  
Snaps together easily.



Scan this QR code  
to view installation,  
feature and  
benefit videos

# DRYER LINT CLEAN OUT CONNECTOR



- Connects two 4" pieces of dryer duct together
- Provides an easy connect / disconnect system which allows for quick access to the dryer duct for cleaning
- Can be attached at any easy-to-reach point along the dryer duct by threading the pieces onto the duct with no tools or clamps required

Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
DC4PX	131785	4"	Bulk	30	9	0.78
DC4ZW	131778	4"	Retail Box / Cut Case	12	3.7	0.78

**Material:** Polypropylene



Scan this QR code  
to view installation,  
feature and  
benefit videos





# ROUND TO OVAL DRYER DUCT CONNECTOR



- Allows for easy attachment of current in-wall oval shaped ducting to round dryer transition ducting.
- Made of high impact polystyrene, the built in threading system allows for a quick connection to flexible aluminum foil or semi-rigid aluminum dryer ducts with no clamps or duct tape required.
- A 4" galvanized steel worm drive clamp to connect the in-wall oval shaped duct to the oval portion of the adapter.
- The adapter can also be easily disconnected for regular cleaning of the dryer duct.

Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
R2OZW	060672	4"	Retail Box / Cutcase White	4	2.75	0.57

**Material:** High Impact Polystyrene



Scan this QR code to view installation, feature and benefit videos




- Can be used to vent most types of heating units
- All aluminum 4 piece construction is fully adjustable to 90°
- One crimped end facilitates install



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
E3E	130207	3"	Bulk	50	6	2.53
E3E24ZW	300716	3"	Bulk / Cut Case	24	4	1.33
E432	300426	4"	Bulk	32	7.2	2.50
E4E	130191	4"	Bulk	50	9	5.00
E4E24ZW	300266	4"	Bulk / Cut Case	24	4.38	2.00

**Material:** Aluminum



Scan this QR code  
to view installation,  
feature and  
benefit videos





# METAL RECESSED DRYER VENT BOX



- Suitable for use with gas and electric dryer applications
- Provides a space saving solution for your dryer venting
- Prevents dryer duct from being crushed
- To be used in 2"x 4" or 2" x 6" wall applications

Product Code	UPC Code	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MDRB	802128	4"	Bulk	2	4	0.78

**Material:** Steel



Scan this QR code  
to view installation,  
feature and  
benefit videos


# RECESSED DRYER VENT BOX



- Dryer can be pushed up against the wall of the laundry room, saving space
- Prevents duct from crushing
- Built in draft blocker reduces cold air back draft
- Oval to round duct adapter threads onto duct requiring no clamps for installation
- Suitable for gas and electric dryer applications

Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DRB4XZW	802005	4"	Bulk / Cut Case	2	4	1.04

**Material:** High Impact Polystyrene Meets UL Standard 94HB tests for flammability



Scan this QR code to view installation, feature and benefit videos



# DRAFT BLOCKER



- Helps to prevent cold air from entering the home through the dryer duct
- Molded from high impact plastic
- Features a one-way direction air flow design



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DB4ZW	280100	4"	Bulk / Cut Case	12	1.69	0.51

**Material:** Polypropylene



Scan this QR code  
to view installation,  
feature and  
benefit videos




# METAL TENSION CLAMPS



- Ideal for use with flexible or semi-rigid ducts
- No tools necessary for installation as these clamps open and close with pressure



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
2TC4	131358	4"	Retail Bag - 2 Pack	50	7	0.42
TC4	300204	4"	Bulk	50	3	0.29



Scan this QR code  
to view installation,  
feature and  
benefit videos



# GALVANIZED STEEL WORM GEAR CLAMPS





- Ideal for use with semi-rigid or rigid aluminum ducts
- Made of heavy duty galvanized steel
- Ideal for fastening ducts to aluminum pipes or elbows
- Easily adjustable using a hex or flat head screwdriver



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
2MC3E	131273	3"	Retail Bag - 2 Pack	20	3	0.29
MC3ZW	138722	3"	Bulk / Cut Case	50	4.25	0.28
2MC4E	131280	4"	Retail Bag - 2 Pack	20	4	0.29
MC4X	130238	4"	Bulk	200	20	1.11
MC4ZW	130276	4"	Bulk / Cut Case	50	5.06	0.28
2MC5E	131297	5"	Retail Bag - 2 Pack	20	5	0.83
MC5ZW	130818	5"	Bulk / Cut Case	25	2	0.28
2MC6E	131303	6"	Retail Bag - 2 Pack	20	5	0.83
MC6ZW	300310	6"	Bulk / Cut Case	20	2.69	0.28

**Material:** Galvanized Steel.



Scan this QR code  
to view installation,  
feature and  
benefit videos



# ADJUSTABLE/RELEASABLE PLASTIC CLAMPS



- Ideal for use with flexible ducts
- Feature a quick-release tab for reuse on up to 4" ducts
- Suitable for use on both 3" and 4" ducts
- 2 pack



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
2C234Z	130047	3" - 4"	Retail Bag - 2 Pack	50	2	0.42
2C234ZW	130047	3" - 4"	Retail Bag - 2 Pack / Cut Case	20	0.75	0.18



Scan this QR code  
to view installation,  
feature and  
benefit videos



# PEST SCREEN



- Helps to prevents unwanted pests from entering the duct or home
- Clips on to older style vent caps and is removable for lint cleaning
- Includes two metal clips for installation




Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
PB10	601004	4" x 5"	Retail Bag	20	1	0.06

**Material:** Galvanized Steel



Scan this QR code  
to view installation,  
feature and  
benefit videos



- Mounts on exterior wall prior to installation of vinyl siding or stucco
- Allows for Dundas Jafine vent caps to seamlessly attach to channel without the use of screws or calking
- Provides a secure, easy to install flush mount for vent caps
- Allows for quick and easy cap replacement in the future
- Channels moisture away from substrate and venting hole
- Can be used with Dundas Jafine ProVent™, ProGard™, EzAccess™ and ProShield™ caps and hoods

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
J34X	270842	3"- 4"	Bulk	42	8	1.43
J56X	271009	5"- 6"	Bulk	36	15	3.60
J78X	271139	7"- 8"	Bulk	56	26	5.07

**Material:** Polypropylene

J Channel

Collar Size	Dimensions		
	H	W	D
3", 4"	8.5"	7.5"	1.25"
5", 6"	11"	10.25"	1.5"
7", 8"	13"	12.25"	1.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos






# PLASTIC INCREASER



- Connects 3" – 4" ducts together
- Ideal for bathroom fan exhaust applications
- Designed to reduce air leaks in duct connections
- Light weight design


Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
INC34EZW	130214	3"- 4"	Bulk / Cut Case	10	0.94	0.21
INC34Z	130214	3"- 4"	Bulk	20	2	0.42

**Material:** Polypropylene



Scan this QR code  
to view installation,  
feature and  
benefit videos

# METAL INCREASERS AND DECREASERS




- Connects 3" – 4" ducts together
- Has an option of a 3" crimped end or a 4" crimped end
- Designed to reduce air leaks in duct connections



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
RA34	500505	3"- 4"	Bulk - Increaser	12	2	0.45
RA43	500512	4"- 3"	Bulk - Decreaser	12	2	0.45

**Material:** Aluminum

Decreaser version



Scan this QR code  
to view installation,  
feature and  
benefit videos



# AIR DEFLECTOR



- **Compatible with wood, metal or plastic registers.**
- New under register installation tab design eliminates the need for magnets
- Made from a high quality, durable plastic
- Ideal for floor, wall or ceiling applications
- Helps keep air flow away from plants, furniture and drapery
- Extends from 7" to 14" to accommodate various register sizes

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
AD96ZW	170227	7"- 14"	Retail Box / Cut Case	24	14	1.57

**Material:** Plastic



Scan this QR code  
to view installation,  
feature and  
benefit videos

# NEW SHATTERPROOF AIR DEFLECTOR



- **Compatible with wood, metal or plastic registers.**
- New under register installation tab design eliminates the need for magnets
- Made from a high quality, durable plastic that is guaranteed not to break or crack
- Ideal for floor, wall or ceiling applications
- Helps keep air flow away from plants, furniture and drapery
- Extends from 7" to 14" to accommodate various register sizes

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
ADSPZW	170258	7"- 14"	Retail Box /Cut Case	24	9.1	1.57
ADSP12	170258	7"- 14"	Case	12	4.5	1.05


**Material:** Shatterproof Plastic



Scan this QR code  
to view installation,  
feature and  
benefit videos



# EXTEND-A-VENT



- Ideal for redirecting air away from furniture
- Made from durable plastic
- Extends up to 3' long

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
EXTVENT	170067	N/A	Retail Box	6	6.44	1.43

**Material:** Plastic

Dimensions		
H	W	D
1.5"	10.94"	20" - 36"



Scan this QR code  
to view installation,  
feature and  
benefit videos



# MAGNETIC VENT COVER



- Used in conjunction with metal floor or ceiling air register vents to help improve air distribution in your home by closing off registers in unused spaces
- The 4" x 10" versions are available in white and bronze and are printed with register markings to replicate an actual air register
- The 8" x 15" version is plain white and can be cut to size to accommodate a variety of various registers

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
MVC410B10	170838	4" x 10"	Retail Bag - 2 Pack - Bronze	10	3	0.04
MVC410W10	170845	4" x 10"	Retail Bag - 2 Pack - White	10	3	0.04
MVC815	170821	8" x 15"	Retail Bag - 3 Pack - White	25	25	20



Scan this QR code  
to view installation,  
feature and  
benefit videos




# AIR FILTER



- Washable and reusable
- Can last for years with proper care
- Traps 2 ½ times as much dust and dirt particles as the traditional glass fiber versions by creating an electrostatic charge
- Available in pre-cut sizes as well as bulk rolls

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
FUR1520	110018	15" x 20" x 1"	Retail Bag	10	5	2.36
FUR1620	110025	16" x 20" x 1"	Retail Bag	10	5	2.36
FUR1625	110032	16" x 25" x 1"	Retail Bag	10	7	2.95
FUR2020	110049	20" x 20" x 1"	Retail Bag	10	7	2.58
FUR2025	110056	20" x 25" x 1"	Retail Bag	10	9	3.95
RL2475	110087	24" x 75' x 0.75" - Roll	Bulk	1	28	10.89
RL3075	110095	30" x 75' x 0.75" - Roll	Bulk	1	35	14.15
RL3675	110100	36" x 75' x 0.75" - Roll	Bulk	1	39	19.79



Scan this QR code  
to view installation,  
feature and  
benefit videos

# DUCT INSULATION SLEEVES

## BLACK POLYETHYLENE JACKET



- Ideal for insulating existing rigid or semi-rigid round ducts
- Helps reduce heat / cool loss as well as condensation build-up
- Includes a black polyethylene jacket

### R 4.2

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BIS45	286218	4" x 5' - R 4.2	Standard Carton	8	5	1.61
BIS55	286225	5" x 5' - R 4.2	Standard Carton	8	6	1.61
BIS65	286232	6" x 5' - R 4.2	Standard Carton	8	6	1.61
BIS75	286249	7" x 5' - R 4.2	Standard Carton	8	7	3.14
BIS85	286256	8" x 5' - R 4.2	Standard Carton	8	7	3.14
BIS95	286195	9" x 5' - R 4.2	Standard Carton	8	19	5.13
BIS105	286263	10" x 5' - R 4.2	Standard Carton	8	25	5.13
BIS125	286270	12" x 5' - R 4.2	Standard Carton	8	36	5.13
BIS145	286287	14" x 5' - R 4.2	Standard Carton	6	29	5.13
BIS165	286294	16" x 5' - R 4.2	Standard Carton	6	41	5.13
BIS310	287192	3" x 10' - R 4.2	Standard Carton	4	5	1.61
BIS310P	286003	3" x 10' - R 4.2	Retail Polybag	4	5	1.61
BIS410	287208	4" x 10' - R 4.2	Standard Carton	4	6	1.61
BIS410P	286010	4" x 10' - R 4.2	Retail Polybag	4	6	1.61
BIS510	287215	5" x 10' - R 4.2	Standard Carton	4	6	1.61
BIS510P	286027	5" x 10' - R 4.2	Retail Polybag	4	6	1.61
BIS610	287222	6" x 10' - R 4.2	Standard Carton	4	7	1.61
BIS610P	286034	6" x 10' - R 4.2	Retail Polybag	4	7	1.61
BIS710	287239	7" x 10' - R 4.2	Standard Carton	4	8	3.14
BIS810	287246	8" x 10' - R 4.2	Standard Carton	4	9	3.14
BIS1010	287260	10" x 10' - R 4.2	Standard Carton	4	11	5.13

# DUCT INSULATION SLEEVES


## BLACK POLYETHYLENE JACKET



- Ideal for insulating existing rigid or semi-rigid round ducts
- Helps reduce heat / cool loss as well as condensation build-up
- Includes a black polyethylene jacket

### R 6.0

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
BIS45R6	284023	4" x 5' - R 6.0	Standard Carton	8	22	1.61
BIS55R6	284047	5" x 5' - R 6.0	Standard Carton	8	22	1.61
BIS65R6	284061	6" x 5' - R 6.0	Standard Carton	8	24	5.13
BIS75R6	284085	7" x 5' - R 6.0	Standard Carton	8	25	5.13
BIS85R6	284108	8" x 5' - R 6.0	Standard Carton	8	36	5.13
BIS95R6	284122	9" x 5' - R 6.0	Standard Carton	6	29	5.13
BIS105R6	284146	10" x 5' - R 6.0	Standard Carton	6	30	5.13
BIS125R6	284160	12" x 5' - R 6.0	Standard Carton	6	30	5.13
BIS145R6	284184	14" x 5' - R 6.0	Standard Carton	4	20	5.13
BIS165R6	284207	16" x 5' - R 6.0	Standard Carton	4	28	5.13



# DUCT INSULATION SLEEVES

## SILVER JACKET



- Ideal for insulating existing rigid or semi-rigid round ducts
- Helps reduce heat / cool loss as well as condensation build-up
- Contains silver polyethylene jacket with reinforced scrim

### R 4.2

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SIS45	286331	4" x 5' - R 4.2	Standard Carton	8	5	1.61
SIS55	286348	5" x 5' - R 4.2	Standard Carton	8	6	1.61
SIS65	286355	6" x 5' - R 4.2	Standard Carton	8	6	1.61
SIS75	286362	7" x 5' - R 4.2	Standard Carton	8	8	3.14
SIS85	286379	8" x 5' - R 4.2	Standard Carton	8	8	3.14
SIS95	286447	9" x 5' - R 4.2	Standard Carton	8	20	5.13
SIS105	286386	10" x 5' - R 4.2	Standard Carton	8	26	5.13
SIS125	286393	12" x 5' - R 4.2	Standard Carton	8	37	5.13
SIS145	286409	14" x 5' - R 4.2	Standard Carton	6	29	5.13
SIS165	286416	16" x 5' - R 4.2	Standard Carton	6	41	5.13

### R 6.0

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
SIS45R6	284306	4" x 5' - R 6.0	Standard Carton	8	22	1.61
SIS55R6	284313	5" x 5' - R 6.0	Standard Carton	8	22	1.61
SIS65R6	284320	6" x 5' - R 6.0	Standard Carton	8	24	5.13
SIS75R6	297238	7" x 5' - R 6.0	Standard Carton	8	25	5.13
SIS85R6	284344	8" x 5' - R 6.0	Standard Carton	8	36	5.13
SIS95R6	286454	9" x 5' - R 6.0	Standard Carton	6	29	5.13
SIS105R6	284351	10" x 5' - R 6.0	Standard Carton	6	30	5.13
SIS125R6	284368	12" x 5' - R 6.0	Standard Carton	6	30	5.13
SIS145R6	284375	14" x 5' - R 6.0	Standard Carton	4	20	5.13
SIS165R6	284382	16" x 5' - R 6.0	Standard Carton	4	28	5.13




# ALUMINUM REPAIR ROLL



- Ideal for use on roof or chimney flashing and excellent for repairing heating and cooling ducts, eaves troughs and automobiles

Product Code	UPC Code 060672	Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
MRR1410	140039	14" x 10' - Mill Finish	Bulk	10	20	1.55
MRR145	140015	14" x 5' - Mill Finish	Bulk	10	10	1.55
MRR185	140022	18" x 5' - Mill Finish	Bulk	10	13	2.58
MRR1850	140046	18" x 50' - Mill Finish	Bulk	1	12	0.46
MRR2010	140053	20" x 10' - Mill Finish	Bulk	10	26	2.58
MRR2450	140169	24" x 50' - Mill Finish	Bulk	1	18	0.71
MRR3650	140060	36" x 50' - Mill Finish	Bulk	1	24	1.06
WRR1410	140077	14" x 10' - White Finish	Bulk	10	22	1.55



Scan this QR code  
to view installation,  
feature and  
benefit videos

# ProClean DRYER DRYER DUCT LINT TRAP



- Acts as a secondary lint trap for your electric clothes dryer
- Saves energy by allowing your dryer to run more smoothly and efficiently
- Includes two galvanized steel worm gear clamps

Note: Not for use with gas clothes dryers



Product Code	UPC Code 060672	For Duct Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
PCLT4WZW	150045	4"	Retail Package	6	6	0.8

**Material:** Polystyrene  
**Collar Sizes:** 4"



Scan this QR code  
to view installation,  
feature and  
benefit videos







# GENERAL AIR DISTRIBUTION





## NUT DRIVER READY!

- Fixed louver intake system allows fresh air to enter the home
- Molded screens help prevent pests from entering the duct
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
IH3BXZ	291052	3"	Bulk - Brown	12	7	3.41
IH3BXZW	291205	3"	Bulk / Cut Case - Brown	12	7	2.89
IH3WXZ	291045	3"	Bulk - White	12	7	3.41
IH3WXZW	291212	3"	Bulk / Cut Case - White	12	7	2.89
IH4BXZ 	291076	4"	Bulk - Brown	12	7	3.41
IH4BXZW 	291229	4"	Bulk / Cut Case - Brown	12	7	2.89
IH4WXZ 	291069	4"	Bulk - White	12	7	3.41
IH4WXZW 	290444	4"	Bulk / Cut Case - White	12	7	2.89
IH5BXZ	291137	5"	Bulk - Brown	12	11	6.41
IH5BXZW	291236	5"	Bulk / Cut Case - Brown	8	7	3.35
IH5WXZ	291120	5"	Bulk - White	12	11	6.41
IH5WXZW	290451	5"	Bulk / Cut Case - White	8	7	3.35
IH6BXZ	291151	6"	Bulk - Brown	12	11	6.41
IH6BXZW	291243	6"	Bulk / Cut Case - Brown	8	7	3.35
IH6WXZ	291144	6"	Bulk - White	12	11	6.41
IH6WXZW	290468	6"	Bulk / Cut Case - White	8	7	3.35

**Material:** Polypropylene with UV inhibitor



Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	11.5"
5", 6"	10"	9.38"	11.5"

Scan this QR code  
to view installation,  
feature and  
benefit videos







## NUT DRIVER READY!

- Provides a secure, easy to install flush mount for vent caps
- Allows for quick and easy cap replacement in the future
- Fixed louver intake system allows fresh air to enter the home
- Molded screens help prevent pests from entering the duct
- Snap on aluminum pipe to cap assembly eliminates the need for lint trapping staples
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
JIH4BXZ	270880	4"	Bulk - Brown	12	9	2.97
JIH4WXZ	270873	4"	Bulk - White	12	9	2.97
JIH5BXZ	271061	5"	Bulk - Brown	8	8	4.23
JIH5WXZ	271054	5"	Bulk - White	8	8	4.23
JIH6BXZ	271085	6"	Bulk - Brown	8	8	4.23
JIH6WXZ	271078	6"	Bulk - White	8	8	4.23

**Material:** Polypropylene with UV inhibitor

Provent™ Hood



Collar Size	Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	11.5"
5", 6"	10"	9.38"	11.5"

J-Channel

Collar Size	Dimensions		
	H	W	D
3", 4"	8.5"	7.5"	1.25"
5", 6"	11"	10.25"	1.5"



Scan this QR code  
to view installation,  
feature and  
benefit videos





## NUT DRIVER READY!

- Fixed louver intake system allows fresh air to enter the home
- Molded screens help prevent pests from entering the duct
- Can be painted to match the home's exterior
- UV resistant plastic protects cap from harmful effects of the sun
- Molded caulk edge assists the installer in maintaining a clean caulking application and finished look
- Designed to snap on/off j-channels for ease of installation and replacement

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs.)	Pack Cube (cu. ft.)
IC3BX	291014	3"	Bulk - Brown	42	16	2.82
IC3WX	291007	3"	Bulk - White	42	16	2.82
IC4BX	291038	4"	Bulk - Brown	42	16	2.82
IC4WX	291021	4"	Bulk - White	42	16	2.82
IC5BX	291090	5"	Bulk - Brown	24	15	3.60
IC5WX	291083	5"	Bulk - White	24	15	3.60
IC6BX	291113	6"	Bulk - Brown	24	15	3.60
IC6WX	291106	6"	Bulk - White	24	15	3.60
IC7BX	291175	7"	Bulk - Brown	24	22	5.07
IC7BXZ	291175	7"	Bulk - Brown	5	3.25	1.17
IC7WX	291168	7"	Bulk - White	24	22	5.07
IC7WXZ	291168	7"	Bulk - White	5	3.25	1.17
IC8BX	291199	8"	Bulk - Brown	24	22	5.07
IC8BXZ	291199	8"	Bulk - Brown	5	3.25	1.17
IC8WX	291182	8"	Bulk - White	24	22	5.07
IC8WXZ	291182	8"	Bulk - White	5	3.25	1.17

**Material:** Polypropylene with UV inhibitor



Collar Size	Assembled Dimensions		
	H	W	D
3", 4"	6.75"	6.25"	1.5"
5", 6"	10"	9.38"	2.10"
7", 8"	12"	11.13"	1.7"

Scan this QR code  
to view installation,  
feature and  
benefit videos




# AIR DIFFUSER



- Allows for fresh airflow between rooms
- Ideal for in-wall or suspended ceiling applications
- Includes flange collar and locking ring for suspended ceiling applications
- Features locknut for secure airflow balancing
- Requires no studs for installation
- Smooth finish for easy cleaning

Product Code	UPC Code 060672	Collar Size	Packaging	Pack Qty.	Pack Wt. (lbs)	Pack Cube (cu. ft.)
DF4PX	275038	4"	Bulk	7	2.8	0.47
DF4WZW	275014	4"	Retail Box / Cut Case	10	2.3	0.73
DF5PX	275021	5"	Bulk	7	3	0.48
DF6PX	275076	6"	Bulk	7	5.9	0.73
DF6WZW	275052	6"	Retail Box / Cut Case	8	3.9	0.88
DF8PX	275083	8"	Bulk	7	6	1.13

**Material:** Polypropylene




Scan this QR code  
to view installation,  
feature and  
benefit videos




**VISIT [DUNDASJAFINE.COM](http://DUNDASJAFINE.COM)  
FOR OTHER HELPFUL RESOURCES**



**DIGITAL CATALOG**



**SPEC SHEETS**




**INSTALL INSTRUCTIONS**



**INDUSTRY INFORMATION**



**WHERE TO BUY**



**INSTALLATION VIDEOS**

# INDEX

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
2C234Z	64	BIS510	74	BPC825R6	33	FUR1520	73
2C234ZW	64	BIS510P	74	BPC825R8	34	FUR1620	73
2MC3E	63	BIS55	74	BPC925	33	FUR1625	73
2MC4E	63	BIS55R6	75	BPC925R6	33	FUR2020	73
2MC5E	63	BIS610	74	BPC925R8	34	FUR2025	73
2MC6E	63	BIS610P	74	BPCCK	5	GFD425	31
2TC4	62	BIS65	74	BPGH4BZW	7	GFD525	31
AD96ZW	69	BIS65R6	75	BPGH4BZW6	7	GFD625	31
ADSP12	70	BIS710	74	BPGH4WZW	7	GFD825	31
ADSPZW	70	BIS75	74	BPGH4WZW6	7	IC3BX	82
AF1025	28	BIS75R6	75	BPMH4BLKZW6	4	IC3WX	82
AF1025UL	29	BIS810	74	BPMH4BZW	4	IC4BX	82
AF1225	28	BIS85	74	BPMH4WZW	4	IC4WX	82
AF1225UL	29	BIS85R6	75	BPMH4WZW6	4	IC5BX	82
AF1425	28	BIS95	74	BPSH4WZW	9	IC5WX	82
AF1425UL	29	BIS95R6	75	BDT420ZW	22	IC6BX	82
AF1625	28	BLH4BLKZW6	5	BDT45	22	IC6WX	82
AF1625UL	29	BLH4BZW	5	BDT48	22	IC7BX	82
AF1825	28	BLH4BZW6	5	BDT48TC	22	IC7BXZ	82
AF1825UL	29	BLH4WZW	5	BDT48ZW	22	IC7WX	82
AF2025	28	BLH4WZW6	5	CHK100ZW6	48	IC7WXZ	82
AF2025UL	29	BLH6BLKZW	5	D2DPX	55	IC8BX	82
AF325	28	BLH6BZW	5	DB4ZW	61	IC8BXZ	82
AF325UL	29	BLH6WZW	5	DC4PX	56	IC8WX	82
AF325ULPZ	29	BPC1025	33	DC4ZW	56	IC8WXZ	82
AF425	28	BPC1025R6	33	DF4PX	83	IH3BXZ	80
AF425UL	29	BPC1025R8	34	DF4WZW	83	IH3BXZW	80
AF425ULPZW	29	BPC1225	33	DF5PX	83	IH3WXZ	80
AF450	28	BPC1225R6	33	DF6PX	83	IH3WXZW	80
AF450UL	29	BPC1225R8	34	DF6WZW	83	IH4BXZ	80
AF525	28	BPC1425	33	DF8PX	83	IH4BXZW	80
AF525UL	29	BPC1425R6	33	DRB4XZW	60	IH4WXZ	80
AF625	28	BPC1425R8	34	E3E	58	IH4WXZW	80
AF625UL	29	BPC1625	33	E3E24ZW	58	IH5BXZ	80
AF625ULPZW	29	BPC1625R6	33	E432	58	IH5BXZW	80
AF725	28	BPC1625R8	34	E4E	58	IH5WXZ	80
AF725UL	29	BPC1825	33	E4E24ZW	58	IH5WXZW	80
AF825	28	BPC1825R6	33	EXRT	44	IH6BXZ	80
AF825UL	29	BPC1825R8	34	EXTVENT	71	IH6BXZW	80
BHLH4WZW	8	BPC2025	33	EXWTZW	43	IH6WXZ	80
BIS1010	74	BPC2025R6	33	EZCNZW	53	IH6WXZW	80
BIS105	74	BPC325	33	EZFXZW	20	INC34EZW	67
BIS105R6	75	BPC425	33	FD310E	32	INC34Z	67
BIS125	74	BPC425R6	33	FD350BK	26	J34X	65
BIS125R6	75	BPC425R8	34	FD350E	32	J56X	65
BIS145	74	BPC525	33	FD38EZW	32	J78X	65
BIS145R6	75	BPC525R6	33	FD420ZW	32	JIH4BXZ	81
BIS165	74	BPC525R8	34	FD450BK	26	JIH4WXZ	81
BIS165R6	75	BPC625	33	FD450E	32	JIH5BXZ	81
BIS310	74	BPC625R6	33	FD610EZW	32	JIH5WXZ	81
BIS310P	74	BPC625R8	34	FDC3	54	JIH6BXZ	81
BIS410	74	BPC725	33	FDC4	54	JIH6WXZ	81
BIS410P	74	BPC725R6	33	FDC4XZW	54	JLH4BXZ	6
BIS45	74	BPC725R8	34	FDC56	54	JLH4WXZ	6
BIS45R6	75	BPC825	33	FDC56ZW	54	JLH5BXZ	6

PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE	PRODUCT	PAGE
JLH5WXZ	6	MC825	30	PMC4BX	12	SPC1225R6	35
JLH6BXZ	6	MC825UL	30	PMC4BXZW	12	SPC1225R8	36
JLH6WXZ	6	MC925UL	30	PMC4WX	12	SPC1425	35
LC3BX	13	MDRB	59	PMC4WXZW	12	SPC1425R6	35
LC3WX	13	MFX325X	27	PMH4BLKX7	4	SPC1425R8	36
LC4BX	13	MFX38	27	PMH4BXZ	4	SPC1625	35
LC4BXZW	13	MFX38X	27	PMH4WXZ	4	SPC1625R6	35
LC4BZW	13	MFX38XZW	27	PMH4WZW	4	SPC1625R8	36
LC4WX	13	MFX425X	23, 27	PMH4WZWS	4	SPC1825	35
LC4WXZW	13	MFX42CULXZW	23, 27	PSC4WX	15	SPC1825R6	35
LC4WZW	13	MFX45	23, 27	PSH4WXZ	9	SPC1825R8	36
LC5BX	13	MFX45X	23, 27	PVB3EAL	10	SPC2025	35
LC5WX	13	MFX46C2XZW	23, 27	PVB4EAL	10	SPC2025R6	35
LC6BX	13	MFX48	23, 27	PVB4EALZW	10	SPC425	35
LC6WX	13	MFX48D2DZW	47	R202W	57	SPC425R6	35
LC7BX	13	MFX48ULMK	45	RA34	68	SPC425R8	36
LC7BXZ	13	MFX48ULXZW	23, 27	RA43	68	SPC525	35
LC7WX	13	MFX48X	23, 27	RL2475	73	SPC525R6	35
LC7WXZ	13	MFX48XZW	23, 27	RL3075	73	SPC525R8	36
LC8BX	13	MFX58	27	RL3675	73	SPC625	35
LC8BXZ	13	MFX58X	27	RL4BNP	19	SPC625R6	35
LC8WX	13	MFX58XZW	27	RL4BNPZW	19	SPC625R8	36
LC8WXZ	13	MFX68	27	RL4P	19	SPC725	35
LH3BXZ	5	MFX68X	27	RL4PZW	19	SPC725R6	35
LH3WXZ	5	MFX68XZW	27	RL6BNP	19	SPC725R8	36
LH4BLKXZ	5	MFX78X	27	RL6BNPZW	19	SPC825	35
LH6BLKXZ	5	MFX88X	27	RL6P	19	SPC825R6	35
LH4BXZ	5	MLFVK48E	42	RL6PZW	19	SPC825R8	36
LH4WXZ	5	MRR1410	77	SDV4WXZW4	17	SPC925	35
LH5BXZ	5	MRR145	77	SEVPX	16	SPC925R6	35
LH5WXZ	5	MRR185	77	SEVZW	16	SPC925R8	36
LH5WXZW	5	MRR1850	77	SIS105	76	TC4	62
LH6BXZ	5	MRR2010	77	SIS105R6	76	TD425	22
LH6WXZ	5	MRR2450	77	SIS125	76	TD450	22
MC1025	30	MRR3650	77	SIS125R6	76	TD45TC	22
MC1025UL	30	MVC410B10	72	SIS145	76	TD48D2DZW	46
MC12225UL	30	MVC410W10	72	SIS145R6	76	TD48PGKZW	40
MC1225	30	MVC815	72	SIS165	76	TD48PGKZW6	40
MC1425UL	30	P3E	25	SIS165R6	76	TD48PMKZW	39
MC1625UL	30	P3E20ZW	25	SIS45	76	TD48PMKZW6	39
MC1825UL	30	P430	25	SIS45R6	76	TD48PVKZW	38
MC2025UL	30	P460	25	SIS55	76	TD48PVKZW6	38
MC325UL	30	P4E	25	SIS55R6	76	TD48TC	22
MC3ZW	63	P4E20ZW	25	SIS65	76	TDIDVKZW	41
MC425	30	PB10	65	SIS65R6	76	UD48	24
MC425UL	30	PBH50WZW	18	SIS75	76	UD48S	24
MC4X	63	PBH50BZW	18	SIS75R6	76	WRR1410	77
MC4ZW	63	PCABXZW	52	SIS85	76		
MC525	30	PCLT4WZW	78	SIS85R6	76		
MC525UL	30	PCPBZW	51	SIS95	76		
MC5ZW	63	PGC4BX	14	SIS95R6	76		
MC625	30	PGC4WX	14	SPC1025	35		
MC625UL	30	PGC4WXZW	14	SPC1025R6	35		
MC6ZW	63	PGH4BXZ	7	SPC1025R8	36		
MC725UL	30	PGH4WXZ	7	SPC1225	35		





# INNOVATORS IN HOME A





# AIR DISTRIBUTION PRODUCTS



Scan this code to see how we've changed our packaging  
and the customer experience to help you grow sales





11099 Broadway, Alden, New York, USA 14004  
80 West Drive, Brampton, Ontario, Canada L6T 3T6

1-800-387-2578  
[www.dundasjafine.com](http://www.dundasjafine.com)