

MegaPress



2.1



MegaPress

Viega MegaPress is the first clean, secure and efficient choice for joining carbon steel pipe. It is suitable for renovations, repairs or installation of new carbon steel pipe systems. Viega MegaPress can even be installed on noncombustible/flammable lines that are not completely shut down, eliminating the need to fully drain a system, and shortening repair and installation time. It is approved for use in hydronic heating, compressed air, fire protection, cooling water, marine applications and many more. Not approved for use with potable water or in gas applications.

FEATURES AND BENEFITS

- Approved for more applications than any other carbon steel pipe press fitting system
- Suitable for use with ASTM Schedule 5 to Schedule 40 carbon steel pipe (can be used on higher schedule pipe but limited to maximum pressure listed)
- Corrosion-resistant zinc nickel coating
- More than 150 engineered fitting configurations from ½" to 4"
- Approved for underground applications, in accordance with code and local AHJ
- Viega Smart Connect technology provides installers added confidence in their ability to ensure the integrity of connections
- UL and FM listed for fire-protection applications

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Service Piping
- ASTM F3226: Standard Specification for Metallic Press-Connect Fittings for Piping and Tubing Systems
- CSA B214: Installation Code for Hydronic Heating Systems
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO: Uniform Mechanical Code (UMC)
- IAPMO: Uniform Solar, Hydronics and Geothermal Code (USHGC)
- ICC: International Mechanical Code (IMC)
- ICC: International Residential Code (IRC)
- National Building Code of Canada (NBCC)
- National Plumbing Code of Canada (NPCC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- BV: Bureau Veritas Type Approval
- Canadian Registration Number (CRN): 14541.5 A/B/C
- DNV GL: Det Norske Veritas Germanischer Lloyd Type Approval
- FM Class 1920: Pipe Couplings and Fittings for aboveground Fire Protection Systems
- IAPMO PS-117: Press and Nail Connections
- ICC-ES LC1002: Press-Connection Fittings for Potable Water Tube and Radiant Heating Systems
- LR: Lloyd's Register Type Approval
- RINA: Registro Italiano Navale
- UL /ANSI 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service

- ULC / ANSI ORD-C213: Canadian Standard for Rubber Gasketed Fittings for Fire-Protection Service
- United States Coast Guard Acceptance Letter 2018-3613

NOTE

A green dot on a Viega MegaPress fitting indicates Smart Connect technology with an EPDM sealing element.

Index

Elbows	76
Tees	76
Adapters	77
Flanges	77
Caps	78
Unions	78
Couplings	78
Reducers	79
Valves	79
Tools	79
Accessories	80

Elbows



Viega MegaPress 90° elbow
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4816

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.370	10	25200	12
3/4	3/4	0.503	10	25205	12
1	1	0.829	5	25210	12
1 1/4	1 1/4	1.281	1	25215	12
1 1/2	1 1/2	1.730	1	25220	12
2	2	2.546	1	25225	12



Viega MegaPress 90° street elbow
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, street
Components
 EPDM sealing element
Model 4816.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.379	10	26050	12
3/4	3/4	0.531	10	26055	12
1	1	0.838	5	26060	12
1 1/4	1 1/4	1.300	1	26065	12
1 1/2	1 1/2	1.790	1	26070	12
2	2	2.596	1	26075	12



Viega MegaPress 45° elbow
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4826

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.304	10	25230	12
3/4	3/4	0.410	10	25235	12
1	1	0.661	5	25240	12
1 1/4	1 1/4	1.051	1	25245	12
1 1/2	1 1/2	1.389	1	25250	12
2	2	1.951	1	25255	12



Viega MegaPress 45° street elbow
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, street
Components
 EPDM sealing element
Model 4826.1

P	FTG (IPS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.312	10	26100	12
3/4	3/4	0.428	10	26105	12
1	1	0.677	5	26110	12
1 1/4	1 1/4	1.058	1	26115	12
1 1/2	1 1/2	1.435	1	26120	12
2	2	2.094	1	26125	12

Tees



Viega MegaPress tee
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4818

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.507	5	25300	12
3/4	3/4	1/2	0.639	5	25330	12
3/4	3/4	3/4	0.679	5	25305	12
1	1	1/2	0.904	5	25335	12
1	1	3/4	0.957	5	25340	12
1	1	1	1.036	5	25310	12
1 1/4	1 1/4	1/2	1.348	1	25510	12
1 1/4	1 1/4	3/4	1.393	1	25515	12
1 1/4	1 1/4	1	1.477	1	25350	12
1 1/4	1 1/4	1 1/4	1.620	1	25315	12
1 1/2	1 1/2	1/2	1.873	1	25360	12
1 1/2	1 1/2	3/4	1.799	1	25365	12
1 1/2	1 1/2	1	1.873	1	25370	12
1 1/2	1 1/2	1 1/4	2.036	1	25375	12
1 1/2	1 1/2	1 1/2	2.160	1	25320	12
2	2	1/2	2.539	1	25380	12
2	2	3/4	2.424	1	25385	12
2	2	1	2.513	1	25390	12
2	2	1 1/4	2.678	1	25395	12
2	2	1 1/2	2.777	1	25400	12
2	2	2	2.909	1	25325	12



Viega MegaPress tee
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, female pipe thread
Components
 EPDM sealing elements
Model 4817.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
¾	¾	½	0.611	5	25405	12
¾	¾	¾	0.639	5	25480	12
1	1	½	0.884	5	25410	12
1	1	¾	0.915	5	25415	12
1¼	1¼	½	1.344	1	25485	12
1¼	1¼	¾	1.349	1	25505	12
1¼	1¼	1	1.492	1	25500	12
1½	1½	½	1.715	1	25435	12
1½	1½	¾	1.741	1	25440	12
1½	1½	1	1.929	1	25445	12
1½	1½	1¼	1.829	1	25450	12
2	2	½	2.358	1	25455	12
2	2	¾	2.400	1	25460	12
2	2	1	2.535	1	25465	12
2	2	1¼	2.446	1	25470	12
2	2	1½	2.601	1	25475	12

Adapters



Viega MegaPress adapter
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, male pipe thread
Components
 EPDM sealing element
Model 4811

P	MPT	Wt [lb]	Quantity	Part No	DG
½	½	0.226	10	25100	12
¾	¾	0.309	10	25105	12
1	1	0.483	5	25110	12
1¼	1¼	0.771	5	25115	12
1½	1½	1.065	1	25120	12
2	2	1.411	1	25125	12



Viega MegaPress adapter
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, female pipe thread
Components
 EPDM sealing element
Model 4812

P	FPT	Wt [lb]	Quantity	Part No	DG
½	½	0.242	10	25130	12
¾	½	0.293	10	25575	12
¾	¾	0.313	10	25135	12
1	½	0.441	10	25580	12
1	¾	0.430	5	25585	12
1	1	0.538	5	25140	12
1¼	½	0.688	1	25590	12
1¼	¾	0.670	1	25595	12
1¼	1	0.745	1	25600	12
1¼	1¼	0.655	5	25145	12
1½	½	0.831	1	25605	12
1½	¾	0.860	1	25610	12
1½	1	0.959	1	25615	12
1½	1¼	0.838	1	25620	12
1½	1½	0.948	1	25150	12
2	½	1.102	1	25625	12
2	¾	1.124	1	25630	12
2	1	1.212	1	25635	12
2	1¼	1.157	1	25640	12
2	1½	1.190	1	25645	12
2	2	1.322	1	25155	12

Flanges



Viega MegaPress flange
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing element
Model 4859.5

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
½	4	2¾	1.080	1	25760	12
¾	4	2¾	1.265	1	25765	12
1	4	3⅛	2.070	1	25770	12
1¼	4	3½	2.740	1	25775	12
1½	4	3⅞	3.594	1	25780	12
2	4	4¾	5.400	1	25785	12

BP = bolt pattern
 BPd = bolt pattern diameter

2-1

Caps



Viega MegaPress cap
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing element
Model 4856

P	Wt [lb]	Quantity	Part No	DG
1/2	0.203	10	25730	12
3/4	0.264	10	25735	12
1	0.397	5	25740	12
1 1/4	0.617	1	25745	12
1 1/2	0.804	1	25750	12
2	1.080	1	25755	12

Unions



Viega MegaPress union
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM flat gasket, EPDM sealing elements
Model 4860

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.760	5	25700	12
3/4	3/4	1.197	5	25705	12
1	1	1.406	5	25710	12
1 1/4	1 1/4	2.391	1	25715	12
1 1/2	1 1/2	2.689	1	25720	12
2	2	4.188	1	25725	12



Viega MegaPress union
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection, female pipe thread
Components
 EPDM flat gasket, EPDM sealing element
Model 4862

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.621	5	25650	12
3/4	3/4	1.028	5	25655	12
1	1	1.192	5	25660	12
1 1/4	1 1/4	2.065	1	25665	12
1 1/2	1 1/2	2.012	1	25670	12
2	2	3.324	1	25675	12

Couplings



Viega MegaPress coupling
With stop
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4815

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	25000	12
3/4	3/4	0.342	10	22005	12
1	1	0.505	5	25010	12
1 1/4	1 1/4	0.860	1	25015	12
1 1/2	1 1/2	1.124	1	25020	12
2	2	1.435	1	25025	12



Viega MegaPress coupling
No stop
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4815.5

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.264	10	25030	12
3/4	3/4	0.337	10	25035	12
1	1	0.509	5	25040	12
1 1/4	1 1/4	0.860	1	25045	12
1 1/2	1 1/2	1.124	1	25050	12
2	2	1.411	1	25055	12



Viega MegaPress extended coupling
No stop
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4815.3

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.348	10	25070	12
¾	¾	0.443	10	25075	12
1	1	0.672	5	25080	12
1¼	1¼	1.001	1	25085	12
1½	1½	1.278	1	25090	12
2	2	1.693	1	25095	12

Reducers



Viega MegaPress reducer
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Street, press connection
Components
 EPDM sealing element
Model 4815.1

FTG (IPS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.276	5	26000	12
1	½	0.364	5	26005	12
1	¾	0.397	5	26010	12
1¼	1	0.661	1	26015	12
1½	¾	0.710	1	26020	12
1½	1	0.793	1	26025	12
1½	1¼	0.926	1	26030	12
2	1	1.047	1	26035	12
2	1¼	1.168	1	26040	12
2	1½	1.289	1	26045	12



Viega MegaPress reducer
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - Carbon steel
 - Press connection
Components
 EPDM sealing elements
Model 4815.2

P1	P2	Wt [lb]	Quantity	Part No	DG
¾	½	0.362	5	25930	12
1	½	0.486	5	25935	12
1	¾	0.518	5	25940	12
1¼	¾	0.734	1	25945	12
1¼	1	0.804	1	25950	12
1½	1¼	1.080	1	25955	12
2	1¼	1.366	1	25960	12
2	1½	1.489	1	25965	12

Valves



Viega MegaPress 3-piece ball valve
Smart Connect technology
 - For use with Sch.5 to Sch.40 carbon steel pipe
 - 316 stainless steel valve/Carbon steel press ends
 - Press connection
Components
 EPDM sealing elements
Model 4875.8

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	1.772	1	28500	12
¾	¾	2.416	1	28501	12
1	1	3.747	1	28502	12
1¼	1¼	7.066	1	28503	12
1½	1½	9.698	1	28504	12
2	2	8.763	1	28505	12

New

Tools



RP 340 standard press tool kit, MegaPress
 - For Viega PureFlow Press connections ½" to 2", Viega ProPress connections ½" to 4", Viega MegaPress connections ½" to 4"
Components
 Ridgid 340 tool, MegaPress jaw sizes ½" to 1", battery, battery charger, branded soft-sided case
Model 2880.7

for d	Wt [lb]	Quantity	Part No	DG
½, ¾, 1	28.992	1	56012	16



V2 Actuator press jaw set

- For Ridgid standard tools, Viega MegaPress connections 1/2" to 2"

Components

V2 actuator, MegaPress jaw sizes 1/2" to 1", MegaPress rings sizes 1 1/4" to 2", branded soft-sided case

Model 2880.71

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	48.986	1	56013	16



RP 340 standard press tool

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

Components

Ridgid 340 tool, battery, battery charger, hard case

Model 2980.71

for d	Wt [lb]	Quantity	Part No	DG
Jaws not included	22.854	1	56024	16

Accessories



Flange bolt set

- For adapter flange
- Galvanized carbon steel

Components

Bolt, nut, washer

Model 2959.7

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2 1/2	1/2	4	1/2, 3/4, 1, 1 1/4, 1 1/2	0.871	1	19748 ¹	8
2 3/4	5/8	4	2, 2 1/2, 3	1.572	1	19758 ²	8
2 3/4	5/8	8	4	3.141	1	19763 ³	8

¹ Suitable for Viega MegaPress flange Part No 25760, 25765, 25770, 25775, 25780, 90440, 90445, 90450, 90455, 95440, 95445, 95450, 95455, Viega MegaPressG flange Part No 25761, 25766, 25771, 25776, 25781, Viega ProPress adapter flange Part No 81035, 81040, 81045, 81050, 81055, 86082, 86087, 86092, 86097, 86102, Viega ProPress adapter flange, 2 - pc Part No 79680, 79685, 79690

² Suitable for Viega MegaPress flange Part No 25785, 90460, 95460, Viega MegaPressG flange Part No 25786, Viega ProPress adapter flange Part No 81060, 81065, 81070, 86067, 86072, 86107, Viega ProPress adapter flange, 2 - pc Part No 20853, 20858, 79695

³ Suitable for Viega ProPress adapter flange Part No 81075, 86077, Viega ProPress adapter flange, 2 - pc Part No 20863



New

Viega MegaPress valve repair kit

- Not suitable for Viega ProPress 3-piece ball valves

- Use with Viega MegaPress 3-piece ball valve Model 4175.8, 4875.8, 5175.8, 5975.8

- PTFE

Components

PTFE stem seals, PTFE ball seats

Model 4875.91

d	Wt [lb]	Quantity	Part No	DG
1/2		1	86560	14
3/4		1	86565	14
1		1	86570	14
1 1/4		1	86575	14
1 1/2, 2		1	86580	14



New

Replacement handle

- Use with Viega MegaPress 3-piece ball valve Model 4175.8, Viega ProPress 3-piece ball valve Model 4370.8, Viega MegaPress 3-piece ball valve Model 4875.8, 5175.8, 5975.8

- 316 stainless steel

Model 4875.80

Valve Size (CTS)	Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
3/4	1/2		1	86625	14
1	3/4		1	86600	14
1 1/4	1		1	86605	14
1 1/2, 2	1 1/4, 1 1/2, 2		1	86630	14