

# SAFETY DATA SHEET

# 1. Identification

Product identifier Other means of identification	OCAL PVC Patching Compound Dark Grey	
SDS number	SDS-00021	
Product code	PATCHT-G	
Recommended use	Water Extendible Coating.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company name Address	Thomas & Betts Corporation 8155 T & B Boulevard Memphis, TN 38125 USA	
Telephone	901-252-5000 ext.8324	
E-mail	Not available.	
Emergency phone number	For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night +1 703-741-5970	

# 2. Hazard(s) identification

Not classified.
Not classified.
Not classified.
None.
None.
The mixture does not meet the criteria for classification.
Observe good industrial hygiene practices.
Wash hands after handling.
Store away from incompatible materials.
Dispose of waste and residues in accordance with local authority requirements.
None known.
None.

# 3. Composition/information on ingredients

### **Mixtures**

Chemical name	CAS number	%
Titanium dioxide	13463-67-7	1-5
Carbon black	1333-86-4	0.1-1
Other components below reportable levels		96.45

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

		0001
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
4. First-aid measures		

Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is
possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3
Biological limit values	No biological exposure limits noted	or the ingredient(s).
Appropriate engineering controls	should be matched to conditions. If a or other engineering controls to main	0 air changes per hour) should be used. Ventilation rates applicable, use process enclosures, local exhaust ventilation, ntain airborne levels below recommended exposure limits. If lished, maintain airborne levels to an acceptable level.
Individual protection measures	s, such as personal protective equipr	nent
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant	gloves. Suitable gloves can be recommended by the glove
-	supplier.	
Skin protection		
Other	Wear suitable protective clothing.	
<b>Respiratory protection</b>	In case of insufficient ventilation, we	ar suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
General hygiene considerations		ene measures, such as washing after handling the material moking. Routinely wash work clothing and protective

# 9. Physical and chemical properties

o. I nyoloar ana ononnoar p	
Appearance	Heavy glossy fluid.
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Mild.
Odor threshold	3.97
рН	Not available.
Melting point/freezing point	32 °F (0 °C)
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	1828.4 °F (998.0 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.04 mm Hg
Vapor density	3.7
Relative density	1.286
Solubility(ies)	
Solubility (water)	Soluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	816.8 °F (436 °C)
Decomposition temperature	Not available.
Viscosity	Not available.

Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
VOC (Weight %)	0.24 lb/gal (excluding water)

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

# 11. Toxicological information

# Information on likely routes of exposure

· · · · · · · · · · · · · · · · · · ·			
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	cts		
Acute toxicity	Not expected to be acutely toxic.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization			
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Inhalation of carbon black or titanium dioxide dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.		
IARC Monographs. Overall E	valuation of Carcinogenicity		
Carbon black (CAS 1333- Titanium dioxide (CAS 13- NTP Report on Carcinogens			
Not listed. OSHA Specifically Regulated Not regulated.	Substances (29 CFR 1910.1001-1050)		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.		
12. Ecological information			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this product.		
OCAL PVC Patching Compound Dark	Grey SDS US		

Bioaccumulative potential	
Mobility in soil	Expected to be mobile in soil.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

# 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No	
	Delayed Hazard - No	
	Fire Hazard - No	
	Pressure Hazard - No	
	Reactivity Hazard - No	
CADA 202 Extremely becardous substance		

## SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous No chemical

# SARA 313 (TRI reporting)

Not regulated.

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

**US state regulations** WARNING: This product contains chemicals known to the State of California to cause cancer.

### **US. Massachusetts RTK - Substance List**

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

### US. Pennsylvania Worker and Community Right-to-Know Law

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

### US. Rhode Island RTK

Not regulated.

### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Carbon black (CAS 1333-86-4) Titanium dioxide (CAS 13463-67-7)

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Issue date	30-November-2015
Revision date	12-May-2016
Revision #	2
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0

**NFPA** ratings

May-2016 alth: 1 nmability: 0 sical hazard: 0



Disclaimer

Thomas & Betts Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.